

HDC enclosures HDC 07A SLU 1PG11S

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com



The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.

The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.

The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental opening.

The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.

Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection.

General ordering data

Type	HDC 07A SLU 1PG11S
Order No.	1652440000
Version	HDC enclosures, Size: 1, Protection degree: IP 65, Base enclosure, Side-locking clamp on lower side, Standard, Size of cable entries: PG 11
GTIN (EAN)	4008190402518
Qty.	1 pc(s).

HDC enclosures
HDC 07A SLU 1PG11S

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data
Dimensions and weights

Length	65.5 mm	Width	36.5 mm
Height	52.8 mm	Mounting dimension - width	30 mm
Net weight	23 g		

Dimensions

Total length housing	26.8 mm	Width housing C	24.2 mm
Width base C1	42 mm	Height of housing B	41.5 mm
Height of base B1	3 mm	Hole pitch length A2	30 mm
Cable entry	w. connecting adapter		

General data

Housing main material	Plastic	UL 94 flammability rating	V-0
-----------------------	---------	---------------------------	-----

Version

Internal thread	PG 11	Design of housing	Base enclosure
Size	1	Design	Standard
Top part/bottom part/lid	lower part	Design of locking system	Side-locking clamp on lower side
Cable entry	w. connecting adapter	Size of cable entries	PG 11
Number of cable entry on top	0	Number of cable entry sideways	1

Classifications

ETIM 2.0	EC000437	ETIM 3.0	EC000437
UNSPSC	30-21-18-01	eClass 4.1	27-14-08-05
eClass 5.1	27-14-34-19	eClass 6.2	27-26-12-03
eClass 7.1	27-44-02-02		

Approvals

Approvals



ROHS Conform

Downloads

PDF	1652440000_HDC_07A_SLU_1PG11G_STP_Blatt_1.pdf
IGES	1652440000_HDC_07A_SLU_1PG11G_STP.igs
VRML	1652440000_HDC_07A_SLU_1PG11G_STP.wrl
EPLAN	1652440000.MZF
3-D model	