

## Enclosure SFNS5 VKMU M5 SW15

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



Ideally suited for the energy and process industry and transportation, the Klippon® STB series is the perfect complement to our existing Klippon housing product line. Enclosures of this series comply with international standards such as EN 62208 and EN 60079-0/7 (ATEX).  
 Features:

- A standard seal that is resistant to high temperatures  
 - extended temperature range of -50°C to +100°C  
 (+120°C on request)
- Approved according to ATEX, IECEx, cULus, Lloyds Register, Germanischer Lloyd, GOST
- Flexible options when mounting the internal rail
- IP66 protection
- The seal is protected against compression; this ensures that a permanent and secure seal is maintained.
- Earth stud in housing cover and bottom section
- Lasered welding seams offer improved quality
- Delivered with welded-on mounting to ensure an optimal housing installation

Weidmüller can manufacture and supply this enclosure to match customer specifications, fitted with all necessary terminals and cable glands.

### General ordering data

Type	SFNS5 VKMU M5 SW15
Order No.	<a href="#">043350000</a>
Version	STB Enclosure-Protected component assemblies, Fixing nut, Built-in accessories, Steel, galvanised
GTIN (EAN)	4008190494520
Qty.	20 pc(s).

**Enclosure  
SFNS5 VKMU M5 SW15**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**
**Dimensions and weights**

Net weight	7.9 g
------------	-------

**General information**

Material	Steel, galvanised	Protection degree	IP 66
----------	-------------------	-------------------	-------

**General information on accessories**

Material	Steel, galvanised	Type of fixing	Screwed
----------	-------------------	----------------	---------

**Classifications**

ETIM 2.0	EC000318	ETIM 3.0	EC000318
UNSPSC	31-16-23-03	eClass 4.1	27-14-12-96
eClass 5.1	27-18-92-07	eClass 6.2	27-14-91-07
eClass 7.1	27-14-91-07		

**Approvals**

Approvals	
ROHS	Conform