

[Conventional Fire Systems](#)[ActiV Fire Detectors](#)[ActiV Diode Base](#)[◀ Back to Search results for "C4408D" \(6 other results\)](#)

ActiV Diode Base

Part No. **C4408D**

- Compatible with C-TEC's entire range of ActiV fire detectors.
- Third-party certified to the relevant parts of EN54 in conjunction with our ActiV detectors.
- Easy to fit with lots of working space.
- Can be ceiling mounted in any orientation due to the true 360° degree viewing angle of the LED indicator strips on all ActiV detectors.
- Integrated detector/base locking mechanism, head removal tool and ID tag.
- Simple 'click and twist' design.
- Remote LED terminals for the optional connection to a BF318 Remote indicator.

- C4408 non-diode and C4408R relay bases also available.



Technical Specifications

^

Approvals/certifications	Certified to the relevant parts of EN54 by Intertek as part of our ActiV fire detector certifications.
Supply wiring	2-wire monitored, polarity sensitive.
Connections	(1) +V In; (2) +V Out; (3) Remote LED +V; (4) 0V; (5) 0V; (6) Screen; (7) Screen. Schottky diode connected between 1 & 2. Terminals can accept up to 2.5mm fire rated cable.
Product dimensions (mm)	102.2mm diameter x 20.5mm deep.
Construction & finish	White polycarbonate rated to UL94 V-2 with bright tin plated steel terminals fitted with nickel plated steel screws/washers.
IP Rating	IP42.
Weight	55g.

Approval Certificates

^

Approval Certificate (Intertek)

DOWNLOAD

EC Certificate of Conformity (CPR)

DOWNLOAD

Declaration of Performance (C-TEC)

DOWNLOAD

Documentation

^

ActiV Wiring Instructions

DFU0000408 rev1

 Download (129.39k)

Accessories



ActiV Optical Smoke Detector



ActiV Standard 60°C Fixed Temp. Heat Detector



ActiV High 75°C Fixed Temp. Heat Detector



ActiV Rate of Rise Heat Detector



ActiV Multi-Sensor Fire Detector

5 other products in the same category:



ActiV Optical Smoke Detector



ActiV Standard 60°C Fixed Temp. Heat Detector



ActiV High 75°C Fixed Temp. Heat Detector



**ActiV Rate of Rise Heat
Detector**



**ActiV Multi-Sensor Fire
Detector**

CONTACT US

 C-TEC , Challenge Way, Wigan, WN5 0LD, UK Opening times: 08:30 - 17:00 GMT.

 **+44 (0) 1942 322744**

 sales@c-tec.co.uk
