



Module Finishes

All GridPro® modules featured in this brochure are available in eleven distinctive, quality finishes, with black or white inserts, excluding antique brass and black nickel finishes, which are available with black inserts only.

The GridPro® module rockers are styled to match the existing range of Click® wiring accessories to complement any existing Click® installation.

A simple code structure signifies the module colour and product finish...

GM

GridPro® Module

2001

Product

BK

Module Colour

CH

Product Finish

*UK Design Registration 3015621.



Brushed Steel*
(BS)



Polished Brass
(BR)



Stainless Steel
(SS)



Satin Brass*
(SB)



Satin Chrome*
(SC)



Polished Chrome
(CH)



Pearl Nickel
(PN)



Black
(BK)



White
(PW)



Black Nickel
(BN)



Antique Brass*
(AB)



GM2008PWCH



GM2008PWBR



GM2008PWSC



GM2008PWBS



GM2008BKBN



GM2008BKPN



GM2008BKSB



MODULE BACK

Blank Module

[GM2008PW](#)

Blank Module - White

[GM2008BK](#)

Blank Module - Black

[GM2008PWCH](#)

Blank Module - White - Polished Chrome

[GM2008PWSC](#)

Blank Module - White - Satin Chrome

[GM2008PWBR](#)

Blank Module - White - Polished Brass

[GM2008PWPB](#)

Blank Module - White - Pearl Nickel

[GM2008PWBS](#)

Blank Module - White - Satin Brass

[GM2008PWBS](#)

Blank Module - White - Brushed Stainless

[GM2008PWSS](#)

Blank Module - White - Stainless Steel

[GM2008BKCH](#)

Blank Module - Black - Polished Chrome

[GM2008BKSC](#)

Blank Module - Black - Satin Chrome

[GM2008BKBR](#)

Blank Module - Black - Polished Brass

[GM2008BKBN](#)

Blank Module - Black - Black Nickel

[GM2008BKPN](#)

Blank Module - Black - Pearl Nickel

[GM2008BKAB](#)

Blank Module - Black - Antique Brass

[GM2008BKSB](#)

Blank Module - Black - Satin Brass

[GM2008BKBS](#)


Blank Module - Black - Brushed Stainless

[GM2008BKSS](#)

Blank Module - Black - Stainless Steel

Back Box Depth: 25mm Minimum **Cable Size:** 2 x 4mm, 4 x 2.5mm, 1 x 6mm

DIMENSIONS (mm)



Material Composition	Module Front: Nylon or Nylon + Stainless Steel Cover (Ingot) Cover, Insert & Rear Housing: Nylon
Back Box Depth	25mm - 47mm (Deco ⁺ , Deco Plus, Mode ⁺ , Polar ⁺) 35mm - 47mm (Define ⁺ , Definity ⁺)
Modular	Yes
Warranty	10 Years
Anti Microbial Certified	No
IP Rating	IP20
Operational Temperature	-5°C to +40°C
Standards	BS 5733:2010 (where applicable)

Additional Information:
Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram supplied with the relevant product.
Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.