



45A Cooker Switches & Socket Outlets



The smooth modern lines of the MODE accessory plate will fit easily into traditional and contemporary designs alike.

MODE 45A Cooker Switches and socket outlets are designed to fit effortlessly with the range, with simple installation to enhance the décor of any area.

45A Cooker Switches & Socket Outlets

Product Range

45A Plate Switches (Red Rockers)


CMA200	45A 1 Gang Single Cooker Switch
CMA201	45A 1 Gang Single Cooker Switch with Neon
CMA202	45A 2 Gang Single Cooker Switch
CMA203	45A 2 Gang Single Cooker Switch with Neon
CMA204	45A Cooker Switch with 13A Switched Socket
CMA205	45A Cooker Switch with 13A Switched Socket & Neons




CMA200




CMA201




CMA202



CMA203



CMA204



CMA205

45A Cooker Switches & Socket Outlets

Product Range

45A Plate Switches (White Rockers)

CMA500	45A 1 Gang Single Cooker Switch
CMA501	45A 1 Gang Single Cooker Switch with Neon
CMA502	45A 2 Gang Single Cooker Switch
CMA503	45A 2 Gang Single Cooker Switch with Neon
CMA504	45A Cooker Switch with 13A Switched Socket
CMA505	45A Cooker Switch with 13A Switched Socket & Neons



CMA500




CMA501




CMA502



CMA503



CMA504




CMA505


45A Cooker Switches & Socket Outlets

Product Dimensional Drawings (mm)


CMA200, CMA500




CMA201, CMA501




CMA202, CMA502




CMA203, CMA503



CMA204, CMA504




CMA205, CMA505




45A Cooker Switches & Socket Outlets

Wiring Diagrams

45A Cooker Switch



45A Cooker Switch with Socket



45A Cooker Switches & Socket Outlets

Technical Specification

45A Cooker Switches & Socket Outlets

Material Composition	Front Plate, Rocker Switch & Rear Housing: Urea Terminals: Brass, Terminal Screws: Steel & Yellow Passivated Internal Mechanism: Formed Press Brass Silver “on-lay” Copper / Brass Contacts
Voltage	240V~ 50Hz
Current Rating	45A
Terminal Size	6mm ø
Torque Value	2.5Nm
Cable Size	4 x 4mm ² , 3 x 6mm ² or 1 x 10mm ²
Double Pole	Yes
Twin Earth	Yes
Back Box Depth	35mm - 47mm
Warranty	20 Years
Anti Microbial Certified	Yes
IP Rating	IP20
Operational Temperature	-5° to +40°C
Standards	The Low Voltage Directive 2006/95/EC, Modified ISO 22196 EN 60669-1:1999 + A1:2002 + A2:2008 (BS EN 60669-1:2000) BS 4177:1992 BS 1363-2:1995 + A4 : 2012 (Socket Outlet)

Additional Information

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.

All white moulded accessories are manufactured using Urea Formaldehyde, which has similar inherent properties to antimicrobial additives that inhibit the growth of infectious diseases. All products were independently tested and achieved a 99.9% kill rate across all four types of the strains of bacteria - MRSA, E-Coli, Salmonella, and Klebsiella Pneumoniae.

CLICK[®] MODE

DECLARATION OF CONFORMITY

1. *Issuer Name* Scolmore International Limited
2. *Issuer Address* 1 Scolmore Park, Landsberg,
Lichfield Road Industrial Estate,
Tamworth, Staffordshire, B79 7XB
3. *Object(s) of Declaration* Mode Range
- a. *Group* 45A Switches & 45A Cooker Control Units
- b. *Model No.* CMA200, CMA201, CMA202, CMA203, CMA204, CMA205, CMA500,
CMA501, CMA502, CMA503, CMA504, CMA505

4. *The object of the declaration described above is in conformity with the requirements of the following Legislations:*

Document No	Title
2006/95/EC	Low Voltage Directive

5. *All products contained within the aforementioned comply with the relevant standards and requirements listed below.*

BS EN 60669-1 : 1999 + A1 : 2002 + A2 : 2008 (BS EN 60669-1 : 2000)

BS 4177: 1992 + AMD 1:1993, 2:1997, 3:2004, 4 : 2007

BS 1363-2 : 1995 + A4 : 2012

6. *I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.*

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2008

Signed, for and on behalf of: Scolmore International Limited



Steven Bettson BSc - Senior Technical Support Engineer

CE 13