




New Media Multi-Tier Modular Plates (Unfurnished)




The smooth modern lines of the New Media accessory plate will fit easily into traditional and contemporary designs alike.

New Media modular plates produce a comprehensive yet flexible and user friendly 'system' which enables the installer to easily create topical media and power cabling solutions using any combination of our 25mm x 50mm or 50mm x 50mm media modules.


New Media Multi-Tier Modular Plates (Unfurnished)

Product Range


Finish Comparison




Antique Brass (AB)




Polished Brass (BR)




Polished Chrome (CH)




Satin Chrome (SC)




Satin Brass (SB)




Black Nickel (BN)



Pearl Nickel (PN)



Stainless Steel (SS)



Polar White (PW)

V1.0

New Media Multi-Tier Modular Plates (Unfurnished)

Product Range

New Media Multi-Tier Modular Plates (Unfurnished)

MP508**	Small Media Front Plate (8 Module)
MP516**	Large Media Front Plate (2 x 8 Module)
MP510	Media Plate Yoke (8 Module)
MP520	Media Plate 47mm Deep Back Box (8 Module)
MP525	Media Plate 47mm Deep Back Box (16 Module)
MP606**##	New Media Semi-Modular Plate 'Ingot' (C/W 4 DP Switched Sockets)



MP508SS




MP510



MP520



MP516CH



MP606SCWH





MP525



New Media Multi-Tier Modular Plates (Unfurnished)

Product Dimensional Drawings (mm)



MP508**





MP520





MP516**




MP525



MP606**



MP510



New Media Multi-Tier Modular Plates (Unfurnished)

Technical Specification

New Media Multi-Tier Modular Plates (Unfurnished)

Material Composition	Front Plate: Stainless Steel
	MP510 Media Plate Yoke: Galvanised Steel
	Insert: Urea
	Earth Terminal: Brass
	Earth Strap: Mild Steel
	Back Boxes: Galvanised Steel
Cable Size	Dependent on modules fitted
Back Box Depth	47mm
Modular	Yes
Warranty	10 Years
IP Rating	IP20
Operational Temperature	-5° to +40°C
Standards	BS 5733 : 2010 + A1 : 2014
	BS 1363-2: 1995 + A4: 2012

Additional Information

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.

MP508 requires MP510 Media Plate Yoke. These plates are designed to be used with specified back box MP520.

MP516 requires (2x) MP510 Media Plate Yokes. These plates are designed to be used with specified back box MP525.

MP606 plates are designed to be used with specified backbox MP525. The MP606 is supplied with 4 x 13A DP switched sockets and will allow 3 single modules to be inserted on both top and bottom of plate.

Interchangeable with modules in the New Media system.





DECLARATION OF CONFORMITY

1. *Issuer Name* Scolmore International Limited
2. *Issuer Address* 1 Scolmore Park, Landsberg,
Lichfield Road Industrial Estate,
Tamworth, Staffordshire, B79 7XB
3. *Object(s) of Declaration* New Media Range
 - a. *Group* New Media Multi-Tier Modular Plates (Unfurnished)
 - b. *Model No.* MP508, MP516, MP606
4. *The object of the declaration described above is in conformity with the requirements of the following Legislations:*
5. *All products contained within the aforementioned comply with the relevant standards and requirements listed below.*

BS 5733 : 2010 + A1 : 2014

BS 1363-2: 1995 + A4: 2012 (MP606)

6. *I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.*

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2008

Signed, for and on behalf of: Scolmore International Limited

Steven Bettson BSc - Senior Technical Support Engineer

CE 15