



Blank Plates



Electrophoretically coated blanking plates provide a durable and long lasting heavy duty finish to the Metal Clad range of products.

Blank Plates

Product Range

Blank Plates

CL060	1 Gang Blank Plate
CL061	2 Gang Blank Plate




CL060



CL061

Product Dimensional Drawings (mm)



Blank Plates

Technical Specification

Blank Plates

Material Composition	Front Plate: Electrophoretically Coated Steel
Back Box Depth	16mm - 47mm
Warranty	10 Years
IP Rating	IP20
Operational Temperature	-5° to +40°C
Standards	BS 5733 : 2010 + A1 : 2014

Additional Information

Metal Clad Blank Plates are not supplied with back boxes.

CL083 (1 Gang 40mm Deep), CL084 (2 Gang 40mm Deep), CL085 (1 Gang 40mm Deep, No Knockouts) & CL086 (2 Gang 40mm Deep, No Knockouts) are the back boxes required.

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.

DECLARATION OF CONFORMITY

1. *Issuer Name* Scolmore International Limited
2. *Issuer Address* 1 Scolmore Park, Landsberg,
Lichfield Road Industrial Estate,
Tamworth, Staffordshire, B79 7XB
3. *Object(s) of Declaration* Metal Clad Range
 - a. *Group* Blank Plates
 - b. *Model No.* CL060, CL061
4. *The object of the declaration described above is in conformity with the requirements of the following Legislations:*
5. *All products contained within the aforementioned comply with the relevant standards and requirements listed below.*

BS 5733 : 2010 + A1 : 2014

6. *I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.*

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2008

Signed, for and on behalf of: Scolmore International Limited



Steven Bettson BSc - Senior Technical Support Engineer

CE 15