



Switches

10AX Plate Switches (Modular)

All 10AX plate switches feature individual switch modules all fully interchangeable between plastic and metal ranges - thus providing optimum flexibility in wiring.

MINIGRID



The products illustrated in this section of the catalogue are finished plates and unfurnished mounting plates.

For comprehensive information on the full range of modules available please refer to our CLICK MINIGRID product brochure.

Switches

10AX Plate Switches (Modular)

Part M Range



CMA011AG



CMA012AG



CMA013AG

10AX Plate Switches (Modular)

CMA011AG	10AX 1 Gang 2 Way Plate Switch
CMA012AG	10AX 2 Gang 2 Way Plate Switch
CMA013AG	10AX 3 Gang 2 Way Plate Switch

Polar White switch modules fitted, interchangeable with MiniGrid Modules
For the complete range of MiniGrid modules, see the
dedicated MiniGrid section, page h1.

Standards: BS EN 60669

Back Box Depth: 16mm Minimum **Cable Size:** 4 x 1.5mm² / 2 x 2.5mm² / 1 x 6mm² Maximum

Dimensions: 1 Gang (86mm x 86mm x 9.5mm)



CMA401AG



CMA402AG



CMA403AG



CMA404AG



CMA426AG

Modular Switch Plates (Unfurnished)

CMA401AG	Single Plate Single Aperture
CMA402AG	Single Plate Twin Aperture
CMA403AG	Single Plate Triple Aperture
CMA404AG	Double Plate 2 X 2 Aperture
CMA426AG	Double Plate 6 In-Line Aperture

Switch modules interchangeable with MiniGrid Modules

For the complete range of MiniGrid modules, see the dedicated MiniGrid section, page h1.

Back Box Depth: Dependant on module used **Cable Size:** Dependant on module used

Dimensions: 1 Gang (86mm x 86mm x 9.5mm), 2 Gang (146mm x 86mm x 9.5mm)

Switches

12 & 18 Module Plates (Unfurnished)

Part M Range



VPAG518



VPAG512

MINI GRID

The furnished plate shown here contains a selection of both single and twin width MiniGrid modules.

The yoke 'GR100' is required to mount the MiniGrid modules prior to assembling the front plate.



12 Module Plate Range

VPAG512

12 MiniGrid Module Plate

Polar & DECO Victorian plate finishes also available.

18 Module Plate Range

VPAG518

18 MiniGrid Module Plate

Polar & DECO Victorian plate finishes also available.

Back Box Depth: 47mm Minimum **Cable Size:** Dependant on module used
Dimensions: 12 Module (146mm x 146mm x 8mm) 18 Module (146mm x 227mm x 8mm)



GR100



Example of yoke furnished with modules



WA512



WA518

Yokes

GR100BK

6 MiniGrid Module Yoke - Black

GR100PW

6 MiniGrid Module Yoke - Polar White

Back Boxes

WA512

2 Gang Double Row K/O Box 47mm Deep

WA518

2 Gang Triple Row K/O Box 47mm Deep

Galvanised steel back boxes supplied for flush mounting of the large MiniGrid plates.

Mounting Yoke facilitates pre-assembly of required modules. Fitted with twin earth terminals.

Yokes & recommended ranges:

Polar White - Part M Range

Dimensions: 512: 137mm x 137mm **518:** 137mm x 197mm