

PROVEN SECURE STORAGE SOLUTIONS



PRODUCT DIRECTORY



ARMORGARD
security products

SECURE STORAGE ISSUES - SOLVED!

At Armorgard Security Products we engage in the research, development, manufacture, contributing to a safer and more secure working environment. Putting customers first, our commitment to maintaining our well known, high reputation for quality customer service.

We are a family operated business, who have been providing market leading solutions for over 40 years. We aim to be the first company that people turn to with their secure storage needs, not just the products we sell.

This catalogue is YOUR key to our unique product range, and beyond... so keep it close.

Best regards,

The Armorgard Team

SUPPLYING YOU THE BEST

Our policy is to provide our customers with quality, hardwearing products. They are both affordable and value for money, and also promise to significantly outperform anything else on the market. We are aware that consumers depend on the high security which our products offer.

BUILDING A RELIABLE REPUTATION

Our reputation for consistently providing reliable, secure storage has assisted Armorgard in successfully contributing to a safer and securer working environment.

TRADING TRANSPARENTLY

We do what we say we are going to do. We ensure that dealing with us will be a positive, painless experience through our honesty, reliability and friendliness. We are recognised for being efficient and very easy to trade with; this is of paramount importance to us.

OUR INTEREST IN YOU

All of our stakeholders are key to our growth. We exude care and support before, during and after every sale. We actually go the extra mile.

CONSTANT INNOVATION

Our innovative design team are always looking for ways to improve our product offerings. Working back from the market place, we are continually adapting to our customer requirements.

CARING FOR THE ENVIRONMENT

We have a strict environmental policy; our colleagues are unanimous in striving for a healthier atmosphere.



NEXT DAY
DELIVERY
AVAILABLE



REPLACEMENT
KEYS AND PARTS
AVAILABLE



OPTIONAL
CASTORS
AVAILABLE

acture and sales of reliable and secure storage solutions,
first is at the heart of Armorgard: we are unanimous in our
service.

ions for secure storage since we first started trading in 1989.
and become known and respected for delivering more than

safe!



ARMORGARD
security products

SECURE SITE STORAGE

We manufacture a wide range of security solutions for
tools and expensive equipment.

All of our products are designed to prevent the most
determined thief – each with top quality locking systems
and anti-jemmy features as standard across the range.



Pages 5-26

HAZARDOUS STORAGE

We supply solutions for the safe storage of hazardous
substances for fixed installation or during transit.

All of our hazardous storage units are designed to
comply with regulations regarding both chemicals and
flammables.



Pages 27-37

ADDITIONAL PRODUCTS

In addition to our comprehensive range of secure
storage solutions, we offer a wide selection of
additional products and services to further enhance
your safety and security.



Pages 39-42

DON'T BE CAUGHT OUT!

Theft costs a lot. In addition to the cost of the stolen tools, many other expenses are incurred. These include:

- Insurance premium increases
- Project downtime
- Damage to property

A 2007 survey by Builder Magazine indicates how widespread the problem is, with 90% of respondents saying that they had been victims of some type of building site theft within the past year, with tools being one of the five top stolen items. Statistics from the National Insurance Crime Bureau show that jobsite theft costs the construction industry as a whole upward of £1 billion a year.

Theft and vandalism are two problems that plague virtually every construction project. From pilfering of small power tools to the theft of heavy duty equipment, these activities cost the construction industry an awful lot of money.

Considering the construction industry lost between £600 million and £1 billion of equipment last year – which is between £1.6 million and £2.7 million a day – secure storage may end up being a very small price to pay!

US power tool giant DeWalt surveyed more than 1500 construction professionals and found that jobsite security was the number one concern among construction industry, end users and buyers. The study showed that 97% of construction professionals were concerned about jobsite theft, which causes losses of more than \$1 billion in the United States each year. More than 60% of those surveyed indicated that tool theft was their biggest concern, posing the greatest financial threat to their job profitability. More than 50% of the respondents reported that they had equipment stolen from a job site within the past 12 months, and more than 77% had experienced a theft up to five times each year over the past three years.

(source: www.numerex.com)

“As a victim of construction site theft, I can only emphasise the necessity of taking site security very seriously. This is a major issue facing the construction industry today and pro-active measures must be taken.”

An experienced site manager



SECURE SITE STORAGE



**TRUST ARMORGARD TO STOP
YOUR TOOLS DISAPPEARING**

SECURE SITE STORAGE

WHY DO WE OFFER 3 RANGES OF TOOL VAULTS?

Peace of mind fitted as standard

When it comes to securing tools & equipment often different levels of protection are required. This depends on various aspects such as the value of your tools, how susceptible your working environment is to theft or simply how long you require the product to last.

What's the difference between them?



SECURITY RATING ★★☆☆

The Oxbox™ is a medium duty range of tool vaults designed for lower risk and lower budget situations, however still providing a good level of security and protection for your tools. Utilising many of the same features of the other 2 ranges including locks, hinge, gas struts and paint finish, we maximize the strength by creating extra folds in the material. Manufactured from 1.5, 2.0 and 2.5mm steel, the OxBox is available in 4 popular sizes and it compares very well with other alternatives on the market.



TUFFBANK™

SECURITY RATING ★★★★★

The Tuffbank™ is our most popular range – highly versatile and cost effective. Another market leading brand of tool vaults, offering the best combination of superb quality and excellent value for money. This tough, sturdy range of storage boxes are built to a very high standard using 2 & 3mm steel, boasting many anti-jemmy features which are unique to Armorgard. With a range of 9 sizes to choose from, you can be sure a Tuffbank will fit the job!



STRONGBANK™

SECURITY RATING ★★★★★★

The absolute ultimate brand of site storage safes. When we began making secure storage boxes, the Strongbank™ was created to provide a virtually indestructible solution for storage of tools and equipment on site. Over 20 years later it is still by far the strongest most robust on the market; nothing compares. Manufactured using 3 and 5mm steel and with every vulnerable area strengthened, this unrivalled product will last you a lifetime and will deter the most determined thief. Use Strongbank for ultimate security.



Please note: the security ratings quoted in this directory are purely in comparison with our own products and do not relate to any other products on the market.

SECURE SITE STORAGE

STRONGBANK™

SECURITY RATING ★★★★★

Ultra strong range of tool safes –
by far the most robust on the market

Keyed alike 5-lever deadlocks both
sides with heavy duty Chubb style
keys, welded security ID numbers and
6mm reinforcement

Unique External and Internal
Anti-jemmy Systems™ and fully
welded continuous piano hinge

Robust construction from 3mm heavy
duty steel plate throughout

Fork Skids with fixing slots (except SB1)

Strong gas struts fitted as standard –
conform to industry standards

ULTIMATE
SECURITY

SB6

The ultimate brand of site safes. By far the
strongest most robust on the market.
Nothing compares! Manufactured using
3 and 5mm steel and with every vulnerable
area strengthened, this unrivalled product
will last you a lifetime and will help
prevent the most determined thief.
Use StrongBank™ for total peace of mind.

SB1

SB2

SB3

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) |
|--------------|-------------|--------|---------------------------------------|---------------------------------------|
| SB1 | Vanbox | 60kg | 1035 x 585 x 475 | 900 x 470 x 470 |
| SB2 | Sitebox | 105kg | 1325 x 700 x 665 | 1190 x 605 x 575 |
| SB3 | Sitebox | 130kg | 1325 x 700 x 970 | 1190 x 605 x 880 |
| SB6 | Truckbox | 150kg | 2000 x 700 x 665 | 1875 x 605 x 575 |

Note: weights and dimensions are approximate. External dimensions include handles.



Optional heavy
duty castors
available –
see page 11



Chubb style, serial
numbered keys

SECURE SITE STORAGE

TUFFBANK™

SECURITY RATING ★★★★★

Our most popular range – highly versatile and cost effective

PROVEN TOUGH

Keyed alike 5-lever deadlocks both sides with heavy duty Chubb style keys, welded security ID numbers and 6mm reinforcement

Unique External and Internal Anti-jemmy Systems™ and fully welded continuous piano hinge

Robust construction from heavy duty steel plate throughout

Strong gas struts fitted as standard – conform to industry standards

Fork Skids with fixing slots (except TB1 & TB12)

TB2

The TuffBank™ is a market leading brand of tool vaults, offering the best combination of superb quality and excellent value for money. This tough, sturdy range of site boxes and van boxes are built to a very high standard, boasting many anti-jemmy features which are unique to Armorgard. With 9 sizes to choose from, you can be sure a TuffBank™ will fit the job!

SECURE SITE STORAGE



| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) |
|--------------|-------------|--------|---------------------------------------|---------------------------------------|
| TB1 | VanBox | 45kg | 985 x 540 x 475 | 900 x 470 x 470 |
| TB2 | SiteBox | 80kg | 1275 x 675 x 665 | 1190 x 605 x 575 |
| TB21 | SiteBox | 50kg | 760 x 675 x 665 | 680 x 605 x 575 |
| TB3 | SiteBox | 100kg | 1275 x 675 x 970 | 1190 x 605 x 880 |
| TB12 | TruckBox | 50kg | 1275 x 510 x 455 | 1190 x 450 x 450 |
| TB6 | TruckBox | 115kg | 1970 x 675 x 665 | 1875 x 605 x 575 |
| TBC2 | SiteChest* | 95kg | 760 x 675 x 1275 | 680 x 605 x 1180 |
| TBC4 | SiteChest* | 170kg | 1275 x 675 x 1275 | 1190 x 605 x 1180 |
| TBC5 | SiteChest* | 200kg | 1585 x 675 x 1275 | 1500 x 605 x 1180 |

* Optional shelves available on SiteChests
Note: weights and dimensions are approximate. External dimensions include handles.



Optional heavy
duty castors
available –
see page 11



Chubb style, serial
numbered keys

SECURE SITE STORAGE



SECURITY RATING ★★ ★

A simple and effective low cost solution for securing your tools and equipment. 'As strong as an Ox!'

Keyed alike 5-lever deadlocks both sides with heavy duty Chubb style keys, welded security ID numbers

Steel plate construction with durable powder coated finish

Strong gas struts fitted as standard – conform to industry standards

Fork lift pockets (OX3 & OX4)



The Oxbox™ is a lighter duty range of tool vaults designed for lower risk and lower budget situations, while still providing a good level of security and protection. Built using clever technology alongside thinner gauge steel to create strength by forming extra folds in the material. The main features such as locks, hinge, gas struts and paint finish have been kept to the same standard as the Strongbank™ and Tuffbank™. Available in 4 popular sizes, the Oxbox™ offers an excellent level of security at the best possible prices.

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) |
|--------------|-------------|--------|------------------------------------|------------------------------------|
| OX1 | VanBox | 30kg | 910 x 490 x 445 | 850 x 455 x 440 |
| OX2 | TruckBox | 40kg | 1200 x 490 x 445 | 1140 x 455 x 440 |
| OX3 | Sitebox | 60kg | 1200 x 660 x 660 | 1140 x 620 x 580 |
| OX4 | SiteChest | 130kg | 1200 x 660 x 1200 | 1140 x 620 x 1120 |

Note: weights and dimensions are approximate. External dimensions include handles.



Optional heavy duty castors available – see page 11



Chubb style, serial numbered keys

SECURE SITE STORAGE

Lightweight storage vault for storing inexpensive tools

Lockable with 2 x hasp & staples

Galvanised steel construction

Ideal for securing less valuable items, useful for keeping building materials dry

This lightweight storage bin is designed for storage as opposed to security. Manufactured from galvanised steel it will keep tools away from prying eyes and the elements.



| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) |
|--------------|-------------|--------|------------------------------------|------------------------------------|
| GB3 | ToolBin | 15kg | 1165 x 560 x 860 | 1160 x 550 x 850 |

Note: weights and dimensions are approximate. External dimensions include handles.

CASTORS

Added flexibility for many of our products

High quality heavy duty castor sets, with unique quick fit system, available as a factory fitted extra or simply bolt on yourself after delivery, using the pre-drilled holes.



| Product Code | Description | Additional Ground Clearance (mm) | Max. Load (kg) |
|--------------|-------------------------------------|----------------------------------|----------------|
| CAS | Castors | 195 | 500 |
| CAS-HD | Heavy Duty Castors | 180 | 1000 |
| CASF | Castors (factory fitted) | 195 | 500 |
| CASF-HD | Heavy Duty Castors (factory fitted) | 180 | 1000 |

Note: weights and dimensions are approximate



CAS-HD



CAS

SECURE SITE STORAGE



Unique versatile mobile site box designed for contractors that are on the move

Keyed alike 5-lever deadlocks both sides with heavy duty Chubb style keys, welded security ID numbers and 6mm reinforcement

Strong gas struts fitted as standard – conform to industry standards

Robust folding handles ensure the BarroBox is easy to manoeuvre

Unique WheelWinder™ converts Barrobox™ from mobile to static in seconds!

Robust construction from heavy duty steel plate throughout



The BarroBox™ has been designed to combat the rising theft rates on construction sites as a result of tools being left unattended. Using the internal handle the wheels can be lowered when the BarroBox™ needs moving. To secure the vault, simply raise the wheels and lock the lid. Allows contractors to have their tools at their side all of the time, making life so much easier!

| Product Code | Description | Weight | External Dimensions W x D x H (mm) |
|--------------|-------------|--------|------------------------------------|
| BB2 | BarroBox | 65kg | 750 x 1070 x 735 |

Note: weights and dimensions are approximate. External dimensions include handles.




Chubb style, serial numbered keys



See it in action at www.armorgardsecurity.com

SECURE SITE STORAGE

Secure powered locker for safe, segregated battery charging




- Perforated doors for ventilation & visibility
- Double socket in each compartment
- 230V RCD protected plug
- 6 Separate compartments with individual locks
- Robust Steel construction
- Finished with an anti-bacterial epoxy powder coat

Battery charging locker bank, designed to charge power tool batteries, and mobile phones whilst keeping them safe & secure – ideal for the site office. Six separate compartments, each containing double sockets connected in series to a 230V RCD protected plug. Doors fitted with cam locks and perforated for ventilation. Lockers finished in an anti-bacterial epoxy powder coat. Each lock is serial numbered for replacement keys.

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) |
|--------------|--------------|--------|------------------------------------|------------------------------------|
| PWS6 | PowerStation | 45kg | 300 x 450 x 1800 | N/A |

Note: weights and dimensions are approximate. External dimensions include handles.



SECURE SITE STORAGE

TUFFSTOR™ CABINET

Ultra tough cabinets designed for keeping tools and equipment organised and accessible!

PROVEN
TOUGH

Keyed alike 5-lever deadlocks both sides with heavy duty Chubb style keys, welded security ID numbers and 6mm reinforcement

Heavy duty doors with fixed hinges and secluded anti-jemmy

Fully adjustable shelves fitted on all sizes

Robust construction from heavy duty steel plate throughout

Fork Skids with fixing slots

TSC2

TSC1

TSC3

High security cabinets for keeping your tools safe, organised and accessible. Similar idea to the typical site safe type products but with the advantages of using less floor space, and making your equipment easier to access. Ideal for a workshop or in a vehicle, or add the castors and wheel it wherever you like!

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) |
|--------------|------------------|--------|------------------------------------|------------------------------------|
| TSC1 | TuffStor Cabinet | 50kg | 500 x 530 x 950 | 470 x 470 x 900 |
| TSC2 | TuffStor Cabinet | 85kg | 800 x 580 x 1250 | 770 x 520 x 1170 |
| TSC3 | TuffStor Cabinet | 150kg | 1200 x 580 x 1550 | 1170 x 520 x 1470 |

Note: weights and dimensions are approximate. External dimensions include handles.



Optional heavy duty castors available – see page 11




Chubb style, serial numbered keys

SECURE SITE STORAGE

Secure on site work station for storing anything from power tools to PPE and fixings

- Keyed-alike 2-point tamper-proof locking system
- Optional power supply and light
- Gas Struts on both sides of top compartment
- Full-width shelves in both lower and upper compartments
- Slanted, folding work surface with lockable concealed storage area
- Robust construction giving maximum protection
- Pockets on doors for smaller components
- Fork Skids with fixing slots



Designed to be used on site as a workstation, for storing everything from power tools to PPE and fixings. With two main compartments, your equipment can stay safe, secure and accessible at all times. The top section contains a folding slanted work surface, ideal for displaying plans, which when shut provides an extra secure area. Optional extras are available including castors to make it mobile, or an internal light and power supply. Many have proven the benefit of this innovative new product, and it is the only answer to many security issues on site.



| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) |
|--------------|-------------|--------|------------------------------------|------------------------------------|
| SS2 | SiteStation | 280kg | 1350 x 825 x 2000 | 1330 x 800 x 1900 |

Note: weights and dimensions are approximate. External dimensions include handles.



Optional heavy duty castors available – see page 11



Chubb style, serial numbered keys

SECURE SITE STORAGE

TUFFSTOR™

Highly secure 'walk-in' storage units for fixed installation

Crane lifting eyes

Heavy duty door fitted with two 5 lever deadlocks

Fixed internal shelved on all sizes

Robust construction for maximum security protection

Fork Skids with fixing slots

Optional power supply, heater or light

ULTIMATE SECURITY

TS1.8

Range of high security walk-in stores, designed for fixed installation or use on a building site. Manufactured to a very high standard, these secure containers are ideal for storing larger equipment or quantities of tools and can be customised to exact requirements. Not to be compared to shipping containers, these purpose-built units will prevent opportunistic theft.

TS1.2

TS2.0

TS3.0

TS4.0

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) |
|--------------|-------------|--------|------------------------------------|------------------------------------|
| TS1.2 | TuffStor | 220kg | 1200 x 1200 x 2100 | 1150 x 1150 x 2000 |
| TS1.8 | TuffStor | 300kg | 1200 x 1800 x 2100 | 1150 x 1750 x 2000 |
| TS2.0 | TuffStor | 440kg | 2000 x 2000 x 2100 | 1950 x 1950 x 2000 |
| TS3.0 | TuffStor | 580kg | 2000 x 3000 x 2100 | 1950 x 2950 x 2000 |
| TS4.0 | TuffStor | 730kg | 2000 x 4000 x 2100 | 1950 x 3950 x 2000 |

Note: weights and dimensions are approximate. External dimensions include handles.



Optional power supply



Chubb style, serial numbered keys

SECURE SITE STORAGE

Medium Duty 'walk-in' storage units for fixed installation

TUFFSTOR™
COLLAPSIBLE

Lifting eyes for crane loading

Fully galvanised finish for ultimate durability

Optional internal shelves available

Heavy duty lockable doors

Strong plywood floor fitted

Available in 3 standard sizes, but can be linked together

Man portable – erected simply and easily with no fuss! Instructions included.

Can be delivered already erected



Range of medium duty walk-in stores – bolt-together type as opposed to the fully welded standard TuffStor™. Ideal for where access is limited, these are manufactured to a very high standard, making them ideal for storing larger equipment or quantities of tools.



| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) |
|--------------|-------------|--------|------------------------------------|------------------------------------|
| TS2.0M | 2.0m Store | 325kg | 2140×2075×2100 | 2000×2000×2000 |
| TS3.0M | 3.0m Store | 400kg | 2140×3060×2100 | 2000×3000×2000 |
| TS4.0M | 4.0m Store | 500kg | 2140×4050×2100 | 2000×4000×2000 |

Note: weights and dimensions are approximate. External dimensions include handles.

SECURE SITE STORAGE

TUFFDOR™

Quick fit galvanised steel temporary security door

Suitable for securing door openings from 830mm x 1890mm to 1130mm x 2070mm

Stringently tested to perform under pressure

Manufactured from galvanised steel plate

Robust locking system with all round security

Ultra-strong internal quick clamping system

TD1



Temporary security door, ideal for securing rooms or buildings on a short term basis. Heavy duty door which is fixed using internal clamps that screw into the door frame, and bolt holes to fasten the base. The door is locked using a multiple point locking system.

| Product Code | Description | Weight | External Dimensions W x H' |
|--------------|-------------|--------|----------------------------|
| TD1 | TuffDor | 100kg | 1130 x 2070 |

Note: weights and dimensions are approximate

SECURE SITE STORAGE

Secure storage cabinet designed to keep the 'copper thieves' at bay!

FITTINGSTOR™

- Robust steel plate construction giving maximum protection
- Tough lift-out plastic fittings bins supplied
- 3× Reinforced adjustable shelves (2 supplied with FC2)
- 2× Keyed alike 5-lever deadlocks with heavy duty Chubb style keys, welded security ID numbers and 6mm reinforcement
- Heavy duty industrial castors fitted as standard



With the high cost of copper fittings and electrical cable, the Fittings Stor has been developed to safely secure all M&E components and tools in one location. Featuring adjustable shelves, removable fittings bins and heavy duty castors, it is no wonder this innovative product is in popular demand amongst today's contractors.

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) |
|--------------|-------------|--------|------------------------------------|------------------------------------|
| FC2 | FittingStor | 95kg | 800 x 580 x 1435 | 770 x 520 x 1170 |
| FC3 | FittingStor | 160kg | 1200 x 550 x 1735 | 1170 x 520 x 1470 |

Note: weights and dimensions are approximate. External dimensions include handles.



Ideal for copper pipe and fittings



Chubb style, serial numbered keys



SECURE SITE STORAGE

PIPESTOR™

Fully mobile storage trunk designed to keep pipe secure and organised

Robust steel plate construction giving maximum protection

Internally divided into 4 separate compartments

Secured with a 5-lever deadlock

Fork lift skids for easy transportation

Fully mobile – fitted with 6 swivel castors



Keep your expensive pipe locked up on the building site in this portable PipeStor™, commonly known as a ‘copper coffin’. This exclusive product is divided internally into four sections for different size pipes and it can be extended to take longer lengths by adding extra sections.

Secured on one end with a heavy duty door and lock, the PipeStor sure is an effective way of beating the ‘Copper Thieves’!



Can be easily dismantled and stacked when not in use



Ideal for copper pipe and fittings



Chubb style, serial numbered keys

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) |
|--------------|-------------|--------|------------------------------------|------------------------------------|
| PS3.0 | PipeStor | 130kg | 3300 x 500 x 700 | 3250 x 490 x 490 |
| PS6.0 | PipeStor | 250kg | 6600 x 500 x 700 | 6500 x 490 x 490 |

Note: weights and dimensions are approximate

SECURE SITE STORAGE

Innovative and robust mobile pipe and conduit storage solution

PIPERACK™

All steel heavy duty construction

Powder coated finish for ultimate protection

Fitted with ultra-robust industrial all-swivel castors

Certificate of conformity supplied with every PipeRack



Unique fully collapsible design




Stackable up to 6 units high



Simple Kit available to upgrade from 1T to 2T



PR2



PR1


An innovative mobile pipe storage solution, designed to keep lengths of pipe safe, organised and easy to manoeuvre on site. The mobile PipeRack™ is available with either a 1 tonne or a 2 tonne capacity. Each unit has been fully tested and certified, to guarantee you a top quality product, and complete peace of mind.

| Product Code | Description | Weight | External Dimensions W x H' |
|--------------|---|--------|----------------------------|
| PR1 | PipeRack | 100kg | 1540 × 1040 × 1440 |
| PR2 | PipeRack | 120kg | 1540 × 1040 × 1440 |
| PRLK | PipeRack Linking Kit | 15kg | N/A |
| PRUK | Upgrade kit from a 1T to a 2T capacity PipeRack | 20kg | N/A |

Note: weights and dimensions are approximate



Ideal for copper pipe and fittings



Linking kit available

SECURE SITE STORAGE

LOCKASTOR™

An essential range of lockers for storing anything from low cost valuables to PPE and first aid equipment

HIGH QUALITY COMPARTMENT LOCKERS



Full steel construction fitted with master cam locks on each door

Doors fitted with strengtheners and rubber buffers

Optional perforated doors for extra ventilation and visibility

- Finished with an anti-bacterial powder coat
- Available with up to 6 compartments
- Choice of 5 different door colours
- Many more options available on request

These excellent compartment lockers are ideal for a whole host of different storage applications. Using high tensile steel, this unique range is built to sustain most working environments. There are five layout configurations with an option of perforated doors, further options and variations are available upon request.



| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Colour Choices |
|--------------|---------------------------|--------|------------------------------------|----------------|
| SL1 | Standard Locker, 1 door | 35kg | 300 x 450 x 1800 | 5 |
| SL2 | Standard Locker, 2 door | 35kg | 300 x 450 x 1800 | 5 |
| SL3 | Standard Locker, 3 door | 35kg | 300 x 450 x 1800 | 5 |
| SL4 | Standard Locker, 4 door | 36kg | 300 x 450 x 1800 | 5 |
| SL6 | Standard Locker, 6 door | 36kg | 300 x 450 x 1800 | 5 |
| PL1 | Perforated Locker, 1 door | 35kg | 300 x 450 x 1800 | 5 |
| PL2 | Perforated Locker, 2 door | 35kg | 300 x 450 x 1800 | 5 |
| PL3 | Perforated Locker, 3 door | 35kg | 300 x 450 x 1800 | 5 |
| PL4 | Perforated Locker, 4 door | 36kg | 300 x 450 x 1800 | 5 |
| PL6 | Perforated Locker, 6 door | 36kg | 300 x 450 x 1800 | 5 |

Note: weights and dimensions are approximate. External dimensions include handles.

SECURE SITE STORAGE

PPE LOCKERS

Steel lockable cupboards designed for storage & organisation of Personal Protective Equipment and clothing.

- Full steel construction fitted with master cam locks on each door
- Available in 4 sizes
- Doors fitted with strengtheners and rubber buffers
- Finished with an anti-bacterial powder coat
- Relevant signage provided

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Colour |
|--------------|---------------------------------------|--------|------------------------------------|-------------|
| PPEL3 | PPE Cupboard | 38kg | 900 × 460 × 900 | Grey & Blue |
| PPEL4 | PPE Cupboard | 23kg | 460 × 460 × 900 | Grey & Blue |
| PPEL6 | PPE Cupboard | 75kg | 1200 × 460 × 1800 | Grey & Blue |
| PPEL7 | PPE Cupboard | 66kg | 900 × 460 × 1800 | Grey & Blue |
| PPEL7-NHR | PPE Cupboard with Narrow Hanging Rail | 66kg | 900 × 460 × 1800 | Grey & Blue |
| PPEL7-WHR | PPE Cupboard with Wide Hanging Rail | 66kg | 900 × 460 × 1800 | Grey & Blue |


Note: weights and dimensions are approximate. External dimensions include handles.



FIRST AID LOCKERS

High quality cupboards designed for the safe storage and easy access of First Aid products.

- Full steel construction fitted with master cam locks on each door
- Available in 4 sizes
- Doors fitted with strengtheners and rubber buffers
- Finished with an anti-bacterial powder coat
- Liquid tight sump for accidental spills
- Stands available upon request – please contact us



| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Colour |
|--------------|--------------------|--------|------------------------------------|--------|
| FAL3 | First Aid Cupboard | 38kg | 900 × 460 × 900 | White |
| FAL4 | First Aid Cupboard | 23kg | 460 × 460 × 900 | White |
| FAL6 | First Aid Cupboard | 30kg | 900 × 460 × 700 | White |
| FAL7 | First Aid Cupboard | 66kg | 900 × 460 × 1800 | White |

Note: weights and dimensions are approximate. External dimensions include handles.

SECURE SITE STORAGE

XENA BULLETT LOCKS

THE WORLD'S MOST ROBUST ALARM LOCKS...

The first high-end, ultra-secure range of locks with built-in alarm system, the XENA Bullett line is at the cutting-edge of alarmed lock design. Each XENA Bullett lock is engineered from the highest quality stainless steel for optimum strength and durability. When moved or attacked, shock and movement sensors connected to a microprocessor trigger a 110dB alarm!

How does the Alarm work?

When the lock is closed, the alarm will arm automatically. After approximately 5 seconds, the alarm will beep once to confirm it is armed. After it is armed, shock and movement sensors work independently to trigger the alarm if the unit is tampered with. When triggered, the alarm will sound for approximately 10-15 seconds. The alarm will then re-set and re-arm. If the attack continues, the alarm will sound again.

The Power of the XENA Padlock...

The Bullett is a removable key barrel that operates both lock and alarm. One turn of the key locks the unit for use as a lock with 110dB alarm; a second turn disarms the alarm for unalarmed use or for storage.

Each XENA Bullett key barrel is pick-proof, freeze spray-proof and corrosion-free with 250,000 key combinations. This new and innovative platform frees the XENA alarmed locks for use in virtually any locking application.

All Bullett locks feature the same shock and motion sensors linked to a 110db alarm. Each Bullett is engineered from the highest quality stainless steel for incredible strength and durability.

A host of powerful features:

- 110 dB Alarm
- Stainless-Steel Body
- Ø 18mm Hardened-Steel U-Bar
- Anti-Twist Shackle
- Bullettlock Alarm™ System
- 1 Year Battery Life
- Weather-Proof Electronics
- 100% Corrosion Resistant
- Ultra-Strong
- Maximum Security



SECURE SITE STORAGE



XPL69



XUL102



XUL210



XUL340



XTL1



XBL135



XCS1



XGA03



XBP6

| Product Code | Description | Width of Lock (mm) | Height of Lock Arm (mm) | 110dB Alarm |
|--------------|--|--------------------|-------------------------|-------------|
| XUL102 | Bullett Alarm high security D lock | 131 | 102 | YES |
| XUL210 | Bullett Alarm high security D lock | 152 | 210 | YES |
| XUL340 | Bullett Alarm high security D lock | 174 | 340 | YES |
| XBL135 | Bullett Alarm shutter lock | 69 | N/A | YES |
| XPL69 | Bullett Alarm high security lock | 85 | 69 | YES |
| XTL1 | Bullett Alarm trailer lock | 176 | Adjustable | YES |
| XGA03 | High security single bolt ground anchor | N/A | N/A | N/A |
| XCS1 | Heavy duty cargo/container hasp & staple | N/A | N/A | N/A |
| XBP6 | Replacement battery pack | N/A | N/A | N/A |
| XBB1 | Bullett lock barrel (for XPL, XUL, XTL ranges) | N/A | N/A | N/A |
| XBB2 | Bullett lock barrel (for XBL range) | N/A | N/A | N/A |


Note: dimensions are approximate

PADLOCKS & CHAIN

For additional security we offer a range of padlocks, chain & security accessories. Many more sizes and types are available upon request.

SECURITY CHAIN

| Product Code | Chain Description | Dimension A | Dimension B | Dimension D |
|--------------|-------------------------------------|-------------|-------------|-------------|
| MSC1 | Medium Security, Hardened | 53mm | 32mm | 8mm |
| HSC1 | High Security, Plastic Sleeve | 50mm | 32mm | 8mm |
| EHSC1 | Extra-high Security, Plastic Coated | 86mm | 42mm | 11mm |



MSC1



HSC1



EHSC1

BRASS PADLOCKS

- Function – open sprung shackle
- Double locking system
- Solid brass body / plug
- Hardened steel shackle – 56-58 HRC
- Anti pick drivers
- Anti pick key profile
- Large range of key combinations
- 2 brass keys, nickel plated

| Product Code | Padlock Width | Shackle Diameter |
|--------------|---------------|------------------|
| PL10-30 | 30mm | 4.8mm |
| PL10-40 | 40mm | 6.4mm |
| PL10-50 | 50mm | 7.9mm |
| PL10-60 | 60mm | 9.5mm |



ARMoured CLOSED SHACKLE LOCKS

- Enclosed design to defeat bolt croppers!
- Hardened steel shackle – 56-58 HRC
- Solid brass body with hardened steel cover
- Anti pick drivers
- Anti pick key profile
- Large range of key combinations
- 2 brass keys, nickel plated
- Key retention


| Product Code | Padlock Width | Shackle Diameter |
|--------------|---------------|------------------|
| PL750-60 | 60mm | 10mm |
| PL750-80 | 80mm | 11mm |



HEAVY DUTY LOCKING BARS

- Manufactured from heavy iron castings
- Hardened forged steel
- Concealed staple to prevent hack sawing & wrenching
- Supplied with fixing screws that are fully concealed when fitted

| Product Code | Locking Bar Width |
|--------------|-------------------|
| LB1 | 149mm |
| LB2 | 226mm |



LB2



LB1

HAZARDOUS STORAGE



**BE COMPLIANT
NOT COMPLACENT**

HAZARDOUS STORAGE

TRANSBANK™

Cost effective hazardous storage containers



TRB4

Overcentre catch with padlock facility

Robust steel plate construction giving maximum protection

Fully welded and tested sump base to prevent any leakage

Finished in bright red with relevant hazard warning signs fitted as standard

- Flame arrester gauze fitted on all boxes
- Built to specification for ½ hour fire resistance
- Suitable for chemicals or flammables



Ventilated to prevent build up of fumes

THE VICES PRINCIPAL FOR HAZARDOUS STORAGE

If you are storing fuels or chemicals, there are laws that you have to comply with. By applying the following five 'VICES' principle you will be well on the way to making sure that you are working safely with flammable substances and chemicals.

We stock a unique range of the flammable and chemical storage products to ensure that you can be compliant.

Ventilation – is there plenty of fresh air where flammable substances are stored and used?

Ignition – have all the obvious ignition sources been removed from the storage and handling areas?

Containment – are your flammable substances kept in suitable containers?

Exchange – can you exchange a flammable substance for a less flammable substance?

Separation – are flammable substances stored and used well away from other process and storage areas?

Other considerations for when using chemicals:

Location – position your store well away from areas that present a risk of fire.

Organising – mark the exterior of the store with general chemical danger warning signs.

Construction – provide a store that is resistant to fire for 30 minutes, capable of retaining leakage/spillage, adequately ventilated and secure against unauthorised access.

HAZARDOUS STORAGE



TRB1



TRB2



TRB3



TRB6

HSE requires that anyone transporting fuels or chemicals must secure them in a lockable container. The TransBank™ has been specifically designed to ensure you comply with regulations for storing hazardous goods during transit or in a fixed location. These hazchem boxes have been built around the sizes of jerry cans, but they are also suitable for use as chemsafes.

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) | Total Capacity (L) | Sump Capacity (L) |
|--------------|-------------|--------|------------------------------------|------------------------------------|--------------------|-------------------|
| TRB1 | TransBank | 14kg | 420 x 410 x 350 | 350 x 350 x 345 | 20 | 15 |
| TRB2 | TransBank | 24kg | 520 x 480 x 520 | 450 x 420 x 515 | 50 | 30 |
| TRB3 | TransBank | 29kg | 685 x 480 x 520 | 625 x 420 x 515 | 80 | 40 |
| TRB4 | TransBank | 35kg | 880 x 480 x 520 | 800 x 420 x 515 | 120 | 50 |
| TRB6 | TransBank | 50kg | 1280 x 480 x 520 | 1200 x 420 x 515 | 200 | 95 |

Note: weights and dimensions are approximate. External dimensions include handles.

HAZARDOUS STORAGE

FLAMBANK™



Strong lockable vault for storing hazardous goods safely and securely

- High & low level ventilation to prevent build up of fumes
- Robust steel plate construction giving maximum protection
- Chests supplied with 1 internal shelf
- Fully welded and tested sump base to prevent any leakage
- Finished in bright red with relevant hazard warning signs fitted as standard
- Flame arrester gauze fitted on all boxes
- Built to specification for ½ hour fire resistance
- Suitable for chemicals or flammables



Hazardous storage vaults carefully designed to comply with regulations for safely storing flammables or chemicals. These COSHH boxes are built to the same high specification as the TuffBank™, ensuring that your goods are kept safe, secure and protected from the weather. With six different sizes, the Flambank™ is ideal for building sites, factories or in commercial vehicles.

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) | Total Capacity (L) | Sump Capacity (L) |
|--------------|-------------|--------|------------------------------------|------------------------------------|--------------------|-------------------|
| FB1 | VanBox | 45kg | 985 x 540 x 475 | 900 x 470 x 470 | 120 | 65 |
| FB21 | SiteBox | 50kg | 760 x 675 x 665 | 680 x 605 x 575 | 180 | 65 |
| FB2 | SiteBox | 80kg | 1275 x 675 x 665 | 1190 x 605 x 575 | 250 | 110 |
| FBC2 | SiteChest | 95kg | 760 x 675 x 1275 | 680 x 605 x 1180 | 250 | 65 |
| FBC4 | SiteChest | 170kg | 1275 x 675 x 1275 | 1190 x 605 x 1180 | 440 | 110 |
| FBC5 | SiteChest | 200kg | 1585 x 675 x 1275 | 1500 x 605 x 1180 | 560 | 140 |

Note: weights and dimensions are approximate. External dimensions include handles.



Optional heavy duty castors available – see page 11



Chubb style, serial numbered keys



HAZARDOUS STORAGE

Secure cabinet for keeping hazardous substances safe, organised and accessible

FLAMSTOR™
CABINET

- High & low level ventilation to prevent build up of fumes
- Optional power supply
- Finished in bright red with relevant hazard warning signs fitted as standard
- Fully adjustable shelves with all sizes
- Keyed alike 5-lever deadlocks both sides with heavy duty Chubb style keys, welded security ID numbers and 6mm reinforcement
- Fully welded and tested sump base to prevent any leakage
- Fork Skids with fixing slots
- Flame arrester gauze fitted on all boxes
- Built to specification for ½ hour fire resistance
- Suitable for chemicals or flammables



Heavy duty cabinets for the safe storage of hazardous substances. Built to the same specification as the TuffStor™ Cabinet, but with added features including flame proof vents and warning stickers to comply with regulations. These COSHH cabinets are supplied with adjustable shelves and robust 5 lever deadlocks, ensuring that the contents can be kept safe, accessible and secure.

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) | Total Capacity (L) | Sump Capacity (L) |
|--------------|------------------|--------|------------------------------------|------------------------------------|--------------------|-------------------|
| FSC1 | FlamStor Cabinet | 50kg | 500 × 530 × 950 | 470 × 470 × 900 | 120 | 50 |
| FSC2 | FlamStor Cabinet | 85kg | 800 × 580 × 1250 | 770 × 520 × 1170 | 250 | 100 |
| FSC3 | FlamStor Cabinet | 150kg | 1200 × 580 × 1550 | 1170 × 520 × 1470 | 500 | 150 |

Note: weights and dimensions are approximate. External dimensions include handles.



Optional heavy duty castors available – see page 11



Chubb style, serial numbered keys




FSC1



FSC2

HAZARDOUS STORAGE



Highly secure 'walk-in' hazardous storage units for fixed installation

- Crane lifting eyes
- Finished in bright red with relevant hazard warning signs fitted as standard
- Heavy duty door fitted with two 5 lever deadlocks
- Fixed internal shelved on all sizes
- Robust construction for maximum security protection
- Raised and removable open-steel floor
- Fully welded and tested sump to prevent leakage
- Fork Skids with fixing slots
- Built to specification for ½ hour fire resistance
- Suitable for chemicals or flammables

Walk in storage container ideal for safely securing larger quantities of chemical or flammable substances. The FlamStor™ is manufactured to a very high standard including an anti-vandal door, fixed internal shelves and an open steel floor, which allows any spillages to drain into the sump. These units can also be customised to exact requirements.



| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) | Total Capacity (L) | Sump Capacity (L) |
|--------------|-------------|--------|------------------------------------|------------------------------------|--------------------|-------------------|
| FS1.2 | FlamStor | 230kg | 1200 x 1200 x 2100 | 1150 x 1150 x 1950 | 600 | 150 |
| FS1.8 | FlamStor | 310kg | 1200 x 1800 x 2100 | 1150 x 1750 x 1950 | 880 | 220 |
| FS2.0 | FlamStor | 450kg | 2000 x 2000 x 2100 | 1950 x 1950 x 1950 | 1600 | 400 |
| FS3.0 | FlamStor | 600kg | 2000 x 3000 x 2100 | 1950 x 2950 x 1950 | 2400 | 600 |
| FS4.0 | FlamStor | 750kg | 2000 x 4000 x 2100 | 1950 x 3950 x 1950 | 3200 | 800 |

Note: weights and dimensions are approximate. External dimensions include handles.



Optional power supply



Chubb style, serial numbered keys

HAZARDOUS STORAGE

Medium duty secure ‘walk-in’ hazardous storage units for fixed installation

FLAMSTOR™
COLLAPSIBLE



Lifting eyes for crane loading

Red paint and galvanised finish for ultimate durability

Optional internal shelves available

Heavy duty lockable doors

Raised and removable open-steel floor

Fully welded and tested sump to prevent leakage

High and low level ventilation

Built to specification for ½ hour fire resistance

Available in 3 standard sizes, but can be linked together

Man portable – erected simply and easily with no fuss! Instructions included.

Can be delivered already erected

Suitable for chemicals or flammables

FS4.0M

Walk-in storage container ideal for safely securing larger quantities of chemical or flammable substances. Whereas the standard FlamStor is a fully welded design, the FlamStor™ Collapsible is bolted together, making it ideal for areas of restricted access. It is manufactured to a very high standard, including heavy duty open steel floor, secure rigid doors and optional shelving available as an extra.



FS2.0M



FS3.0M

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) | Total Capacity (L) | Sump Capacity (L) |
|--------------|-------------|--------|------------------------------------|------------------------------------|--------------------|-------------------|
| FS2.0M | 2.0m Store | 520kg | 2160 × 2305 × 2200 | 2000 × 2000 × 2000 | 1600 | 680 |
| FS3.0M | 3.0m Store | 630kg | 2160 × 3080 × 2200 | 2000 × 3000 × 2000 | 2400 | 900 |
| FS4.0M | 4.0m Store | 780kg | 2160 × 4080 × 2200 | 2000 × 4000 × 2000 | 3200 | 1200 |

Note: weights and dimensions are approximate. External dimensions include handles.

HAZARDOUS STORAGE

TUFFCAGE™




TC1.2

Folding cage for securing gas cylinders or expensive equipment

- One piece construction with no removable parts – very quickly erected and dismantled
- Folds down to 180mm high
- Galvanised to sustain all weather conditions
- 2 padlock points
- Easily stacked when folded down, with the fork skids on the base
- Suitable as a secure cage for tools and equipment

A robust, versatile high security cage, ideal for storing gas cylinders or expensive equipment. A unique innovative design allows it to fold down to just 180mm in seconds, without removing or detaching any parts. Benefitting from a fully galvanised heavy duty construction, the TuffCage is guaranteed to save you time, space and money!



Just 180mm high when folded flat



Stackable when folded with fork skids on base



Suitable as a secure cage for tools and equipment

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) |
|--------------|-------------|--------|------------------------------------|------------------------------------|
| TC1.2 | TuffCage | 120kg | 1200 x 1200 x 1800 | 1190 x 1190 x 1790 |

Note: weights and dimensions are approximate



See it in action at
www.armorgardsecurity.com

HAZARDOUS STORAGE

Medium duty hazardous cabinets designed to comply with all regulations

SAFESTOR™



Reinforced doors, powder coated paint finish and relevant warning signs

Spill retaining galvanised shelves

Flush handles with two point locking

Liquid-tight sump to contain spillages

Built to specification for ½ hour fire resistance

Suitable for chemicals or flammables



HFC1

Robust range of cabinets designed to be used internally for the safe storage of flammables and chemicals, such as paint and other hazardous substances as defined by COSHH guidelines.

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) | Total Capacity (L) | Sump Capacity (L) |
|--------------|-----------------|--------|------------------------------------|------------------------------------|--------------------|-------------------|
| HFC1 | SafeStor | 33kg | 900 x 460 x 700 | 890 x 450 x 690 | 50 | 30 |
| HFC2 | SafeStor | 12kg | 350 x 300 x 700 | 340 x 290 x 690 | 20 | 7 |
| HFC3 | SafeStor | 38kg | 900 x 460 x 900 | 890 x 450 x 890 | 90 | 30 |
| HFC4 | SafeStor | 23kg | 460 x 460 x 900 | 450 x 450 x 890 | 65 | 17 |
| HFC5 | SafeStor | 45kg | 900 x 460 x 1200 | 890 x 450 x 1190 | 110 | 30 |
| HFC6 | SafeStor | 75kg | 1200 x 460 x 1800 | 1190 x 450 x 1790 | 170 | 45 |
| HFC7 | SafeStor | 66kg | 900 x 460 x 1800 | 890 x 450 x 1790 | 125 | 35 |
| HMC1 | SafeStor Mobile | 35kg | 900 x 460 x 840 | 890 x 450 x 690 | 50 | 30 |
| HMC2 | SafeStor Mobile | 40kg | 900 x 460 x 1040 | 890 x 450 x 890 | 90 | 30 |
| HCS1 | SafeStor Stand | 10kg | 460 x 460 x 500 | — | — | — |
| HCS2 | SafeStor Stand | 10kg | 900 x 460 x 500 | — | — | — |
| HCS3 | SafeStor Stand | 5kg | 350 x 300 x 500 | — | — | — |

Note: weights and dimensions are approximate. External dimensions include handles.



HFC2



HFC4



HFC7



HMC2



HFC3



HCS3

HAZARDOUS STORAGE

DRUMBANK™

Enclosed stores and spill pallets for the safe storage of oil drums



- Strong gas struts fitted as standard – conform to industry standards
- Built to specification for ½ hour fire resistance
- Suitable for chemicals or flammables
- Fully welded leak proof sump
- Very robust build quality
- Heavy duty door fitted with two 5 lever deadlocks
- Raised & removable open floor
- Fork Skids with fixing slots

DB2

The DrumBank™ is designed for the safe storing and dispensing of fuel in drums up to 205 litres in size. Fully complies to all regulations for the safe storage of 205 litre drums. The enclosed version can be used to protect high value oils and fuels from potential theft.

| Product Code | Description | Weight | External Dimensions W x D x H (mm) | Internal Dimensions W x D x H (mm) | Total Capacity (L) | Sump Capacity (L) |
|--------------|-----------------|--------|------------------------------------|------------------------------------|--------------------|-------------------|
| DB2 | DrumBank | 185kg | 1350 × 950 × 1350 | 1300 × 875 × 1000 | 600 | 250 |
| DB4 | DrumBank | 225kg | 1350 × 1250 × 1350 | 1300 × 1225 × 1050 | 1000 | 250 |
| DBP2 | DrumBank Pallet | 15kg | 1300 × 750 × 400 | — | 600 | 250 |
| DBP4 | DrumBank Pallet | 25kg | 1380 × 1290 × 280 | — | 1000 | 250 |

Note: weights and dimensions are approximate. External dimensions include handles.



DB4



Chubb style, serial numbered keys



DBP2



DBP4

HAZARDOUS STORAGE

Heavy duty stores for the safe storage of hazardous or flammable equipment

DRUMSTOR™



Finished in all-weather paint finish to offer maximum protection

High & low lever ventilation with lowered side panels

Fully welded all steel construction for ultimate strength

Relevant safety warning signs fitted as standard

Removable galvanised shelf and floor

Lockable doors to prevent theft or vandalism

Leak proof sump designed to contain in excess of the EPA recommendation

Delivered to site fully assembled

Full site survey available upon request

Built to specification for ½ hour fire resistance

Suitable for chemicals or flammables

Wide range of options available




The Armorgard DrumStor™ is designed for the safe, secure storage of 205 litre drums and 1000 litre IBC's. Manufactured to order, and customisable to your spec, they will prevent any potentially hazardous situations by containing accidental spills within the unit.

| Product Code | Description | External Dimensions W x D x H (mm) | Total Capacity (L) | Sump Capacity (L) |
|--------------|---------------------------|------------------------------------|--------------------|-------------------|
| DS8/1 | 8 Drum Store | 3200x1900x2630 | 1640 | 550 |
| DS16/1 | 16 Drum Store – One Level | 5900x1900x2630 | 3280 | 1200 |
| DS16/2 | 16 Drum Store – Two Level | 3200x1900x3430 | 3280 | 900 |
| DS32 | 32 Drum Store | 5900x1900x3430 | 6560 | 1800 |
| DS48 | 48 Drum Store | 8800x1900x3430 | 9840 | 2700 |

Note: weights and dimensions are approximate. External dimensions include handles.



ADDITIONAL PRODUCTS & SERVICES



**ARMORGARD GO THE
EXTRA MILE**

ADDITIONAL PRODUCTS & SERVICES

SPILL CONTROL

Drip trays and spill kits for accidental spillage and leakages

If you are storing hazardous substances, by law you are required to have spill response equipment strategically located both near the storage container, and also remote from it. Armorgard stock a small range of 'essentials' to ensure that you can be compliant.



| | |
|---------------|---|
| Product Code: | OP25 |
| Description: | 25 x Oil & Fuel Spill Pads |
| Contents: | Packaged in a carry handled dispenser box. 25 x Heavy weight pads. Each pads absorbs up to 1.5 litres of oil. |



| | |
|---------------|--|
| Product Code: | OSK20 |
| Description: | 20 Litre Oil & Fuel Spill Kit |
| Contents: | 2 x 120cm oil socks 15 heavy weight oil pads 1 x disposal bag 1 x instruction sheet |



| | |
|---------------|--|
| Product Code: | OB100X |
| Description: | 100 x Oil & Fuel Spill Pads (bulk pack) |
| Contents: | Packaged in a low cost polythene wrap. 100 x Heavy weight pads. Each pads absorbs up to 1.5 litres of oil. |



| | |
|---------------|--|
| Product Code: | OSK90 |
| Description: | 90 Litre Oil & Fuel Spill Kit |
| Contents: | 4 x 300cm oil socks 30 heavy weight oil pads 2 x disposal bag 1 x instruction sheet |



| | |
|---------------|---|
| Product Code: | BT2/25 |
| Description: | 2 x 25 litre Drum Tray |
| Design: | Stores up to 2 x 25 litre drums. 28 litre capacity meets regulations. Comes with grid base. Made from high impact polyethylene. Measures 64cm x 49cm x 12cm |



| | |
|---------------|--|
| Product Code: | BT6/25 |
| Description: | 6 x 25 litre Drum Tray |
| Design: | Stores up to 6 x 25 litre drums. 60 litre capacity meets regulations. Comes with grid base. Made from high impact polyethylene. Measures 100cm x 55cm x 15cm |



| | |
|---------------|--|
| Product Code: | BT9/25 |
| Description: | 9 x 25 litre Drum Tray |
| Design: | Stores up to 9 x 25 litre drums. 100 litre capacity meets regulations. Comes with grid base. Made from high impact polyethylene. Measures 101cm x 100cm x 12cm |

ADDITIONAL PRODUCTS & SERVICES

FIRE EXTINGUISHERS

A range of four different types of fire extinguishers. HSE guidelines advise that a fire extinguisher should be kept near to locations where flammable substances are stored.

- Fully CE Marked
- Fire Test Certified by Lloyds Register
- Manufactured in accordance with BS EN3
- Powder coated corrosion-resistant finish

FOAM

| Type | FOAM | |
|-------------------|----------|----------|
| Part No. | FFE6 | FFE9 |
| Capacity (L) | 6 | 9 |
| Fire Rating | 8A/34B | 13A/113B |
| Content | Foam | Foam |
| Working Pressure | 14 bar | 14 bar |
| Temperature (°C) | 0 - +60 | 0 - +60 |
| Cylinder Material | Steel | Steel |
| Pressurising Gas | Nitrogen | Nitrogen |



CO₂

| Type | CO ₂ | |
|-------------------|-----------------|-----------------|
| Part No. | COFE2 | COFE5 |
| Capacity (Kg) | 2 | 5 |
| Fire Rating | 34B | 70B |
| Content | CO ₂ | CO ₂ |
| Working Pressure | 56 bar | 56 bar |
| Temperature (°C) | -20 - +60 | -20 - +60 |
| Cylinder Material | Aluminum | Aluminum |



WATER

| Type | WATER | |
|-------------------|----------|----------|
| Part No. | WFE6 | WFE9 |
| Capacity (L) | 6 | 9 |
| Fire Rating | 13A | 21A |
| Content | Water | Water |
| Working Pressure | 14 bar | 14 bar |
| Temperature (°C) | 0 - +60 | 0 - +60 |
| Cylinder Material | Steel | Steel |
| Pressurising Gas | Nitrogen | Nitrogen |



DRY POWDER

| Type | DRY POWDER | | |
|-------------------|------------|-----------|-----------|
| Part No. | DPFE2 | DPFE6 | DPFE9 |
| Capacity (Kg) | 2 | 6 | 9 |
| Fire Rating | 13A/89B | 34A/183B | 43A/233B |
| Content | ABC40 | ABC40 | ABC40 |
| Working Pressure | 14 bar | 14 bar | 14 bar |
| Temperature (°C) | -20 - +60 | -20 - +60 | -20 - +60 |
| Cylinder Material | Steel | Steel | Steel |
| Pressurising Gas | Nitrogen | Nitrogen | Nitrogen |



FUEL CANS



STEEL FUEL CAN

- Manufactured from 0.9mm pickled steel sheet with fuel resistant lining
- Includes unique wide channel breather for smoother pouring
- Lined inner tank to prevent rusting
- The bayonet is additionally secured with a locking pin to prevent accidental opening
- Manufactured and tested to comply with UN Dangerous Goods, DIN and TUV/GS standards
- Optional spout for pouring

| Product Code | Description | Size (litres) | Material | Colour |
|--------------|---------------------|---------------|----------|--------|
| PC5R | Petrol Can | 5 | Plastic | Red |
| PC5G | Petrol Can | 5 | Plastic | Green |
| JC20 | Jerry Can | 20 | Metal | Khaki |
| JC20-S | Spout For Jerry Can | N/A | Metal | Khaki |

PLASTIC FUEL CAN

- EN and UN approved
- 5L Plastic fuel can with flexible pouring spout
- Colour coded green for unleaded fuel



ADDITIONAL PRODUCTS & SERVICES

BESPOKE PRODUCTS

If our extensive 'off the shelf' range of products does not quite fit your particular requirements, we can manufacture to order. Our in-house fabrication department has the facilities to produce any storage solution to virtually any size or specification. Here's a small selection of some of the many products we can build to order.



REFURBISHMENT


Like any well used product, wear and tear begins to show on site boxes over time. Whether it was manufactured by Armorgard or not, our refurbishment department will bring redundant or damaged boxes back into excellent working order.




REPLACEMENT PARTS

Locks and gas struts may need replacing due to wear and tear from continual usage or as a result of damage. We supply replacement parts for vaults the very next day, limiting the inconvenience caused when tool and equipment security is compromised.

| PRODUCT CODE | DESCRIPTION |
|--------------|---|
| KEY | Replacement key for Armorgard deadlocks |
| LOCK2 | Pair deadlocks |
| LOCK1 | Single deadlock |
| LOCKH | Lock housing for Armorgard deadlocks |
| G300 | 300N gas strut |
| G450 | 450N gas strut |
| G1000 | 1000N gas strut |
| G1200 | 1200N gas strut |
| CAS | 6" casters supplied |
| CASF | 6" casters fitted |
| CAS4 | 4" casters supplied |
| CAS4F | 4" casters fitted |
| CASFK | 6" caster fixing kit |
| SH2 | TBC/FBC 2' shelf |
| SH4 | TBC/FBC 4' shelf |
| SH5 | TBC/FBC 5' shelf |
| DT22 | 2' x 2' drip tray |
| DT42 | 4' x 2' drip tray |
| DT52 | 5' x 2' drip tray |
| SHTC1 | TSC1 shelf |
| SHTC2 | TSC2 shelf |
| SHTC3 | TSC3 shelf |
| SHFC1 | FSC1 shelf |
| SHFC2 | FSC2 shelf |
| SHFC3 | FSC3 shelf |
| SHS4 | SET 4 shelf supports for FSC and TSC |
| PRLK | PipeRack linking kit |
| PRUK | PipeRack upgrade kit |





Armorgard Security Products

Castle Trading Estate, Portchester, Fareham
Hampshire PO16 9SF United Kingdom
Tel: 023 9238 0280 Fax: 023 9220 0715
Email: sales@a-sp.co.uk www.armorgardsecurity.com



ARMORGARD
security products