



Product Overview - 2016

Mild Steel

Boxes
Cabinets
Desks/Consoles
PC Cabinets
Out Door Cabinets

Stainless Steel

Boxes
Cabinets
Desks/Consoles
Suspension Arms

Polyester

Boxes

Aluminium

Out Door Cabinets
Junction Boxes
Suspension Arms



WELCOME TO ETA UK

ETA UK

Logistics and Assembly



Since 1999 we've been setting the pace in the UK enclosures market offering Market leading products and exceptional customer service. We operate from a spacious 20000 sq ft purpose built logistics centre in the industrial heartland of South Yorkshire where we have over 10000 products available for immediate shipment.

As well as our standard programme of enclosures we also offer a machining service allowing holes, cut-outs and special paint colours in short lead times and at prices that resemble standard products.

Our business has grown significantly over the years, be part of it and experience the difference between our competitors and a forward facing organisation always striving to be the best.



UK Logistics Centre



UK Sales Office

Enclosure Solutions from ETA

TABLE OF CONTENTS



Free-Standing Cabinets:

Mild Steel

ENUX Modular	Page 4-7
EMOX Mono-Bloc	Page 8-9
ECOMP Compact	Page 10-11

Stainless Steel

ENUX Modular	Page 12-13
EMOX Mono-Bloc	Page 14-15
ECOMP Compact	Page 16-17

Wall-Mount Enclosures:

Mild Steel

ST Plain Door	Page 18-19
STP Plexi Door	Page 18-19

Stainless Steel

ECOR Plain Door	Page 20-21
ECOR Plexi Door	Page 20-21



Terminal Boxes:

Mild Steel

SDV Plain Sides	Page 22-23
SDF Flanged Sides	Page 22-23
SDP Hinged Lid	Page 22-23

Stainless Steel

EGRAN Plain sides	Page 24-25
SHX Push-button	Page 24-25

Polyester Wall-Mount Enclosures:

Hinged Plain Door	Page 26-27
Hinged Glazed Door	Page 26-27

Die-Cast Aluminium Boxes:

Painted, Screw Cover	Page 28-29
----------------------	------------



Desks + Console Systems:

ZBA Solid Back	Page 30-31
SBA Removable Back	Page 30-31
Stainless Steel	
ZBX Solid Back	Page 30-31
AE Modular System	Page 32-33

Industrial PC Cabinets:

ENUX PC Cabinet	Page 34-35
-----------------	------------

Operator Interface & Suspensions Arms:

ERAM Stainless Steel	Page 36-39
----------------------	------------

Thermal Management Solutions:

CVE Air-Conditioners	Page 40-41
X-LINE. Heat Exchangers	Page 40-41
GHV / GHF Fans & Filters	Page 40-41
Other	Page 42
Specials	Page 43



ENUX – MODULAR CABINETS

MILD STEEL RAL7035

IP55/NEMA 12

Multiple choice options for configurations



ENUX Modular cabinets offer the very best in style and functionality and are provided in over 90 different frame dimensions. Available fully assembled or supplied Flat-pack, these modular cabinets provide a sturdy structure with many standard features including:

- Fully assembled or supplied Flat-Pack
- Over 90 Frame sizes available
- Removable Roof Panel
- Unique lever handle system
- Front / Side inserted Mounting Plate options
- IP55 [NEMA 12] RAL7035
- Machining and different paint colours on request

ENUX Modular cabinets can be assembled to customer specific requirements including doors front and rear, fitted glazed doors and Plinth bases. To compliment the range, a full offering of standard accessories are available that provides a complete modular system offering.




Enux Selection Tables



Dimensions WxHxD	Ordering Code Plain door/Rear	No of Doors	Mtg Plate	Divider Panel	Infil Plate	Side Covers [2]	Joining Kit Heavy Duty	Internal Joining Kit	Lifting Eyes
600x1600x400	ENUX061604PR	1	EUPA060160	EUDI040160	EUPN001600	EUFI040160	EUKU002	EUKU003	WTGS001
600x1600x500	ENUX061605PR	1	EUPA060160	EUDI050160	EUPN001600	EUFI050160	EUKU002	EUKU003	WTGS001
600x1600x600	ENUX061606PR	1	EUPA060160	EUDI060160	EUPN001600	EUFI060160	EUKU002	EUKU003	WTGS001
600x1800x400	ENUX061804PR	1	EUPA060180	EUDI040180	EUPN001800	EUFI040180	EUKU002	EUKU003	WTGS001
600x1800x500	ENUX061805PR	1	EUPA060180	EUDI050180	EUPN001800	EUFI050180	EUKU002	EUKU003	WTGS001
600x1800x600	ENUX061806PR	1	EUPA060180	EUDI060180	EUPN001800	EUFI060180	EUKU002	EUKU003	WTGS001
600x1800x800	ENUX061808PR	1	EUPA060180	EUDI080180	EUPN001800	EUFI080180	EUKU002	EUKU003	WTGS001
600x2000x400	ENUX062004PR	1	EUPA060200	EUDI040200	EUPN002000	EUFI040200	EUKU002	EUKU003	WTGS001
600x2000x500	ENUX062005PR	1	EUPA060200	EUDI050200	EUPN002000	EUFI050200	EUKU002	EUKU003	WTGS001
600x2000x600	ENUX062006PR	1	EUPA060200	EUDI060200	EUPN002000	EUFI060200	EUKU002	EUKU003	WTGS001
600x2000x800	ENUX062008PR	1	EUPA060200	EUDI080200	EUPN002000	EUFI080200	EUKU002	EUKU003	WTGS001
800x1400x400	ENUX081404PR	1	EUPA080140	EUDI040140	EUPN001400	EUFI040140	EUKU001	EUKU003	WTGS001
800x1400x500	ENUX081405PR	1	EUPA080140	EUDI050140	EUPN001400	EUFI050140	EUKU001	EUKU003	WTGS001
800x1600x400	ENUX081604PR	1	EUPA080160	EUDI040160	EUPN001600	EUFI040160	EUKU002	EUKU003	WTGS001
800x1600x500	ENUX081605PR	1	EUPA080160	EUDI050160	EUPN001600	EUFI050160	EUKU002	EUKU003	WTGS001
800x1600x600	ENUX081606PR	1	EUPA080160	EUDI060160	EUPN001600	EUFI060160	EUKU002	EUKU003	WTGS001
800x1800x400	ENUX081804PR	1	EUPA080180	EUDI040180	EUPN001800	EUFI040180	EUKU002	EUKU003	WTGS001
800x1800x500	ENUX081805PR	1	EUPA080180	EUDI050180	EUPN001800	EUFI050180	EUKU002	EUKU003	WTGS001
800x1800x600	ENUX081806PR	1	EUPA080180	EUDI060180	EUPN001800	EUFI060180	EUKU002	EUKU003	WTGS001
800x1800x800	ENUX081808PR	1	EUPA080180	EUDI080180	EUPN001800	EUFI080180	EUKU002	EUKU003	WTGS001
800x2000x400	ENUX082004PR	1	EUPA080200	EUDI040200	EUPN002000	EUFI040200	EUKU002	EUKU003	WTGS001
800x2000x500	ENUX082005PR	1	EUPA080200	EUDI050200	EUPN002000	EUFI050200	EUKU002	EUKU003	WTGS001
800x2000x600	ENUX082006PR	1	EUPA080200	EUDI060200	EUPN002000	EUFI060200	EUKU002	EUKU003	WTGS001
800x2000x800	ENUX082008PR	1	EUPA080200	EUDI080200	EUPN002000	EUFI080200	EUKU002	EUKU003	WTGS001
1000x1600x400	ENUX101604PR **	1	EUPA100160	EUDI040160	EUPN001600	EUFI040160	EUKU002	EUKU003	WTGS001
1000x1600x500	ENUX101605PR **	1	EUPA100160	EUDI050160	EUPN001600	EUFI050160	EUKU002	EUKU003	WTGS001
1000x1600x600	ENUX101606PR **	1	EUPA100160	EUDI060160	EUPN001600	EUFI060160	EUKU002	EUKU003	WTGS001
1000x1800x400	ENUX101804PR **	1	EUPA100180	EUDI040180	EUPN001800	EUFI040180	EUKU002	EUKU003	WTGS001
1000x1800x500	ENUX101805PR **	1	EUPA100180	EUDI050180	EUPN001800	EUFI050180	EUKU002	EUKU003	WTGS001
1000x1800x600	ENUX101806PR **	1	EUPA100180	EUDI060180	EUPN001800	EUFI060180	EUKU002	EUKU003	WTGS001
1000x1800x800	ENUX101808PR **	1	EUPA100180	EUDI080180	EUPN001800	EUFI080180	EUKU002	EUKU003	WTGS001
1000x2000x400	ENUX102004PR **	1	EUPA100200	EUDI040200	EUPN002000	EUFI040200	EUKU002	EUKU003	WTGS001
1000x2000x500	ENUX102005PR **	1	EUPA100200	EUDI050200	EUPN002000	EUFI050200	EUKU002	EUKU003	WTGS001
1000x2000x600	ENUX102006PR **	1	EUPA100200	EUDI060200	EUPN002000	EUFI060200	EUKU002	EUKU003	WTGS001
1200x1600x400	ENUX121604PR	2	EUPA120160	EUDI040160	EUPN001600	EUFI040160	EUKU002	EUKU003	WTGS001
1200x1600x500	ENUX121605PR	2	EUPA120160	EUDI050160	EUPN001600	EUFI050160	EUKU002	EUKU003	WTGS001
1200x1600x600	ENUX121606PR	2	EUPA120160	EUDI060160	EUPN001600	EUFI060160	EUKU002	EUKU003	WTGS001
1200x1800x400	ENUX121804PR	2	EUPA120180	EUDI040180	EUPN001800	EUFI040180	EUKU002	EUKU003	WTGS001
1200x1800x500	ENUX121805PR	2	EUPA120180	EUDI050180	EUPN001800	EUFI050180	EUKU002	EUKU003	WTGS001
1200x1800x600	ENUX121806PR	2	EUPA120180	EUDI060180	EUPN001800	EUFI060180	EUKU002	EUKU003	WTGS001
1200x1800x800	ENUX121808PR	2	EUPA120180	EUDI080180	EUPN001800	EUFI080180	EUKU002	EUKU003	WTGS001
1200x2000x400	ENUX122004PR	2	EUPA120200	EUDI040200	EUPN002000	EUFI040200	EUKU002	EUKU003	WTGS001
1200x2000x500	ENUX122005PR	2	EUPA120200	EUDI050200	EUPN002000	EUFI050200	EUKU002	EUKU003	WTGS001
1200x2000x600	ENUX122006PR	2	EUPA120200	EUDI060200	EUPN002000	EUFI060200	EUKU002	EUKU003	WTGS001
1200x2000x800	ENUX122008PR	2	EUPA120200	EUDI080200	EUPN002000	EUFI080200	EUKU002	EUKU003	WTGS001
1400x2000x400	ENUX142004PR	2	EUPA140200	EUDI040200	EUPN002000	EUFI040200	EUKU002	EUKU003	WTGS001
1400x2000x500	ENUX142005PR	2	EUPA140200	EUDI050200	EUPN002000	EUFI050200	EUKU002	EUKU003	WTGS001
1400x2000x600	ENUX142006PR	2	EUPA140200	EUDI060200	EUPN002000	EUFI060200	EUKU002	EUKU003	WTGS001
1600x2000x400	ENUX162004PR	2	EUPA160200	EUDI040200	EUPN002000	EUFI040200	EUKU002	EUKU003	WTGS001
1600x2000x500	ENUX162005PR	2	EUPA160200	EUDI050200	EUPN002000	EUFI050200	EUKU002	EUKU003	WTGS001
1600x2000x600	ENUX162006PR	2	EUPA160200	EUDI060200	EUPN002000	EUFI060200	EUKU002	EUKU003	WTGS001

* For each mounting plate order 1pk WTKB-002. ** Available with double doors. Glazed doors available on request.



EMOX – MONO BLOC CABINETS

MILD STEEL RAL7035

IP66/55 NEMA 4/12

Single / double door with mounting plate



EMOX Mono-bloc cabinets offers similar features to the ENUX Modular cabinet but with a fully welded construction offering IP66 [Single Door] as standard. These sturdy cabinets come complete with mounting plate and modular base plate providing a ready-to-use solution with a single ordering code. Unique lever style handles are standard along with a removable rear cover that can be replaced with an additional door. Standard features include:

- Sturdy construction offering IP66 for single doors. IP55 For double doors
- Supplied with Mounting Plate
- Unique lever style handle comes as standard
- Optional internal accessories provide possibility to assemble ENUX internal components
- Internal sliding guides provides easy installation of the Mounting Plate
- Wide range of standard accessories
- Machining and different paint colours on request



Dimensions WxHxD	Ordering Code Door/Rear Cover	No of Doors	Lifting Eyes [2]	Plinth Corner H=100MM	Plinth Corner H=200MM	Plinth Side Trims H=100MM*	Plinth Front/Rear Trims H=100MM*	Internal Uprights [2]
600X1600X400	EMOX061604PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET0600	EUMI001600
600X1800X400	EMOX061804PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET0600	EUMI001800
600X1800X500	EMOX061805PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0500M	EUZET0600	EUMI001800
600X2000X400	EMOX062004PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET0600	EUMI002000
600X2000X500	EMOX062005PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0500M	EUZET0600	EUMI002000
800X1600X400	EMOX081604PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET0800	EUMI001600
800X1800X400	EMOX081804PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET0800	EUMI001800
800X1800X500	EMOX081805PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0500M	EUZET0800	EUMI001800
800X2000X400	EMOX082004PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET0800	EUMI002000
800X2000X500	EMOX082005PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0500M	EUZET0800	EUMI002000
1000X1600X400	EMOX101604PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET1000	EUMI001600
1000X1800X400	EMOX101804PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET1000	EUMI001800
1000X1800X500	EMOX101805PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0500M	EUZET1000	EUMI001800
1000X2000X400	EMOX102004PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET1000	EUMI002000
1000X2000X500	EMOX102005PR	1	WTGS003	EUZEA100	EUZEA200	EUZET0500M	EUZET1000	EUMI002000
1200X800X400	EMOX120804PR	2	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET1200	EUMI001800
1200X1000X400	EMOX121004PR	2	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET1200	EUMI001000
1200X1600X400	EMOX121604PR	2	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET1200	EUMI001600
1200X1800X400	EMOX121804PR	2	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET1200	EUMI001800
1200X1800X500	EMOX121805PR	2	WTGS003	EUZEA100	EUZEA200	EUZET0500M	EUZET1200	EUMI001800
1200X2000X400	EMOX122004PR	2	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET1200	EUMI002000
1200X2000X500	EMOX122005PR	2	WTGS003	EUZEA100	EUZEA200	EUZET0500M	EUZET1200	EUMI002000
1400X1000X400	EMOX141004PR	2	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET1400	EUMI001000
1600X1000X400	EMOX161004PR	2	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET1600	EUMI001000
1600X1800X400	EMOX161804PR	2	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET1600	EUMI001800
1600X2000X400	EMOX162004PR	2	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET1600	EUMI002000
1800X1000X400	EMOX181004PR	2	WTGS003	EUZEA100	EUZEA200	EUZET0400M	EUZET1800	EUMI001000

* For 200mm high plinth, order 2 sets of side/front rear trims.

ECOMP – COMPACT CABINETS

MILD STEEL RAL7035

IP 55/NEMA 12

Single / double door with mounting plate



ECOMP Compact enclosures offers the ideal solution to meet the needs of both free-standing and wall-mounting applications and come complete with mounting plate. A stylised handle comes as standard along with a standard range of accessories. Standard features include:

- 12 Standard dimensions with single and double door
- Complete with Mounting Plate
- Stylised handle as standard
- Internal door rails as standard provides for both assembly of components as well as providing improved door rigidity
- Wide range of standard accessories including plinth bases for floor mounting and wall brackets for wall mounting
- Machining and different paint colours on request.



Dimensions WxHxD	Ordering Code Door/Rear Cover	No of Doors	Lifting Eyes [2]	Plinth Corner H=100MM	Plinth Corner H=200MM	Plinth Front/ RearTrims H=100MM*	Plinth Side Trims H=100MM *
600X1200X400	ECOMP61240	1	WTGS003	EUZEA100	EUZEA200	EUZET0600	EUZET0400C
600X1400X300	ECOMP61430	1	WTGS003	EUZEA100	EUZEA200	EUZET0600	EUZET0300S
600X1400X400	ECOMP61440	1	WTGS003	EUZEA100	EUZEA200	EUZET0600	EUZET0400C
800X1200X400	ECOMP81240	1	WTGS003	EUZEA100	EUZEA200	EUZET0800	EUZET0400C
800X1400X300	ECOMP81430	1	WTGS003	EUZEA100	EUZEA200	EUZET0800	EUZET0300S
800X1400X400	ECOMP81440	1	WTGS003	EUZEA100	EUZEA200	EUZET0800	EUZET0400C
1000X1200X400	ECOMP101240	2	WTGS003	EUZEA100	EUZEA200	EUZET1000	EUZET0400C
1000X1400X300	ECOMP101430	2	WTGS003	EUZEA100	EUZEA200	EUZET1000	EUZET0300S
1000X1400X400	ECOMP101440	2	WTGS003	EUZEA100	EUZEA200	EUZET1000	EUZET0400C
1200X1200X400	ECOMP121240	2	WTGS003	EUZEA100	EUZEA200	EUZET1200	EUZET0400C
1200X1400X300	ECOMP121430	2	WTGS003	EUZEA100	EUZEA200	EUZET1200	EUZET0300S
1200X1400X400	ECOMP121440	2	WTGS003	EUZEA100	EUZEA200	EUZET1200	EUZET0400C



Dimensions WxHxD	Wall Brackets	Internal Door	Vertical Inner rails	Horizontal Rails =D
600X1200X400	SDWC010	EPP01612	WTPR050120P	WTPR050032R
600X1400X300	SDWC010	EPP01614	WTPR050140P	WTPR050022R
600X1400X400	SDWC010	EPP01614	WTPR050140P	WTPR050032R
800X1200X400	SDWC010	ECPO1812	WTPR050120P	WTPR050032R
800X1400X300	SDWC010	ECPO1814	WTPR050140P	WTPR050022R
800X1400X400	SDWC010	ECPO1814	WTPR050140P	WTPR050032R
1000X1200X400	SDWC010		WTPR050120P	WTPR050032R
1000X1400X300	SDWC010		WTPR050140P	WTPR050022R
1000X1400X400	SDWC010		WTPR050140P	WTPR050032R
1200X1200X400	SDWC010		WTPR050120P	WTPR050032R
1200X1400X300	SDWC010		WTPR050140P	WTPR050022R
1200X1400X400	SDWC010		WTPR050140P	WTPR050032R

* For 200mm high plinth, order 2 sets of side/front rear trims.

ENUX – MODULAR CABINETS STAINLESS STEEL 304L

IP55/NEMA 12

Multiple choice options for configurations




ENUX Stainless Steel Modular cabinets offers the very best in style and functionality and comes as standard in grade 304L Stainless steel with high grade 316L available on request. Available in 16 standard dimensions with single door, double door and Glazed doors. Based on the ENUX Modular cabinet platform, many accessories from the Mild steel version are compatible. Standard features include:

- 16 Standard sizes in single door and double door variations
- Grade 304L Stainless steel. Grade 316L on short lead times
- Unique lever style handle as standard
- High performance silicone seals as standard
- Provided with protective film on external doors and covers
- Wide range of standard accessories available
- Machining available on request



Dimensions WxHxD	Ordering Code Door/Rear Cover	No of Doors	Side Covers [2]	Mounting Plate **	Lifting Eyes [2] Stainless	Plinth Corner H=100MM	Plinth Corner H=200MM
600X1800X400	ENUX061804PRX	1	EUFX040180	EUPA060180	WTGS001X	EUZA100	EUZA200
600X1800X500	ENUX061805PRX	1	EUFX050180	EUPA060180	WTGS001X	EUZA100	EUZA200
600X2000X500	ENUX062005PRX	1	EUFX050200	EUPA060200	WTGS001X	EUZA100	EUZA200
600X2000X600	ENUX062006PRX	1	EUFX060200	EUPA060200	WTGS001X	EUZA100	EUZA200
800X1800X400	ENUX081804PRX	1	EUFX040180	EUPA080180	WTGS001X	EUZA100	EUZA200
800X1800X500	ENUX081805PRX	1	EUFX050180	EUPA080180	WTGS001X	EUZA100	EUZA200
800X2000X500	ENUX082005PRX	1	EUFX050200	EUPA080200	WTGS001X	EUZA100	EUZA200
800X2000X600	ENUX082006PRX	1	EUFX060200	EUPA080200	WTGS001X	EUZA100	EUZA200
1000X1800X500	ENUX101805PRX	1	EUFX050180	EUPA100180	WTGS001X	EUZA100	EUZA200
1000X1800X600	ENUX101806PRX	1	EUFX060180	EUPA100180	WTGS001X	EUZA100	EUZA200
1000X2000X500	ENUX102005PRX	1	EUFX050200	EUPA100200	WTGS001X	EUZA100	EUZA200
1000X2000X600	ENUX102006PRX	1	EUFX060200	EUPA100200	WTGS001X	EUZA100	EUZA200
1200X1800X400	ENUX121804PRX	2	EUFX040180	EUPA120180	WTGS001X	EUZA100	EUZA200
1200X1800X500	ENUX121805PRX	2	EUFX050180	EUPA120180	WTGS001X	EUZA100	EUZA200
1200X2000X500	ENUX122005PRX	2	EUFX050200	EUPA120200	WTGS001X	EUZA100	EUZA200
1200X2000X600	ENUX122006PRX	2	EUFX060200	EUPA120200	WTGS001X	EUZA100	EUZA200



Dimensions WxHxD	Plinth Front/ Rear Trims H=100MM *	Plinth Side Trims H=100MM *	Cabinet Joining Kit	Lifting Brackets	Internal Joining Kit
600X1800X400	EUZXT0600	EUZXT0400	EUKU002X	WTSS001	EUKU003
600X1800X500	EUZXT0600	EUZXT0500	EUKU002X	WTSS001	EUKU003
600X2000X500	EUZXT0600	EUZXT0500	EUKU002X	WTSS001	EUKU003
600X2000X600	EUZXT0600	EUZXT0600	EUKU002X	WTSS001	EUKU003
800X1800X400	EUZXT0800	EUZXT0400	EUKU002X	WTSS001	EUKU003
800X1800X500	EUZXT0800	EUZXT0500	EUKU002X	WTSS001	EUKU003
800X2000X500	EUZXT0800	EUZXT0500	EUKU002X	WTSS001	EUKU003
800X2000X600	EUZXT0800	EUZXT0600	EUKU002X	WTSS001	EUKU003
1000X1800X500	EUZXT1000	EUZXT0500	EUKU002X	WTSS001	EUKU003
1000X1800X600	EUZXT1000	EUZXT0600	EUKU002X	WTSS001	EUKU003
1000X2000X500	EUZXT1000	EUZXT0500	EUKU002X	WTSS001	EUKU003
1000X2000X600	EUZXT1000	EUZXT0600	EUKU002X	WTSS001	EUKU003
1200X1800X400	EUZXT1200	EUZXT0400	EUKU002X	WTSS001	EUKU003
1200X1800X500	EUZXT1200	EUZXT0500	EUKU002X	WTSS001	EUKU003
1200X2000X500	EUZXT1200	EUZXT0500	EUKU002X	WTSS001	EUKU003
1200X2000X600	EUZXT1200	EUZXT0600	EUKU002X	WTSS001	EUKU003

Glazed door versions on request. * For 200mm high plinth, order 2 sets of side/front rear trims. ** For each mounting plate order 1pk WTKB-002. For high grade 316 material, add "H" to cabinet part reference. IE: ENUX061804PRXH.

EMOX – MONO BLOC CABINETS

STAINLESS STEEL 304L

IP66/55 NEMA 12

Single / double door with mounting plate



EMOX Stainless steel Mono Bloc cabinets offer a sturdy, fully welded structure providing IP 66 as standard. Available in 15 standard dimensions in grade 304L Stainless steel with high grade 316L on request cabinets are available with single and double door and complete with mounting plate. Unique lever style handle as standard along with removable rear cover that can be replaced with an additional door. Standard features include:

- 15 Standard dimensions
- Supplied with Mounting Plate
- Unique lever comes as standard
- High performance Silicone seals as standard
- IP66 Protection
- Provided with protective film on external doors and covers
- Machining available on request



Dimensions WxHxD	Ordering Code Door/Rear Cover	No of Doors	Lifting Eyes [2]	Plinth Corner H=100MM	Plinth Corner H=200MM	Plinth Front/ Rear Trims H=100MM *	Plinth Side Trims H=100MM *
600X1600X400	EMOX061604PRX	1	WTGS003	EUZXA100	EUZXA200	EUZXT0600	EUZXT0400M
600X1800X400	EMOX061804PRX	1	WTGS003	EUZXA100	EUZXA200	EUZXT0600	EUZXT0400M
600X1800X500	EMOX061805PRX	1	WTGS003	EUZXA100	EUZXA200	EUZXT0600	EUZXT0500M
600X2000X400	EMOX062004PRX	1	WTGS003	EUZXA100	EUZXA200	EUZXT0600	EUZXT0400M
600X2000X500	EMOX062005PRX	1	WTGS003	EUZXA100	EUZXA200	EUZXT0600	EUZXT0500M
800X1600X400	EMOX081604PRX	1	WTGS003	EUZXA100	EUZXA200	EUZXT0800	EUZXT0400M
800X1800X400	EMOX081804PRX	1	WTGS003	EUZXA100	EUZXA200	EUZXT0800	EUZXT0400M
800X1800X500	EMOX081805PRX	1	WTGS003	EUZXA100	EUZXA200	EUZXT0800	EUZXT0500M
800X2000X400	EMOX082004PRX	1	WTGS003	EUZXA100	EUZXA200	EUZXT0800	EUZXT0400M
800X2000X500	EMOX082005PRX	1	WTGS003	EUZXA100	EUZXA200	EUZXT0800	EUZXT0500M
1000X1800X400	EMOX101804PRX	1	WTGS003	EUZXA100	EUZXA200	EUZXT1000	EUZXT0400M
1000X2000X400	EMOX102004PRX	1	WTGS003	EUZXA100	EUZXA200	EUZXT1000	EUZXT0400M
1200X1800X400	EMOX121804PRX	2	WTGS003	EUZXA100	EUZXA200	EUZXT1200	EUZXT0400M
1200X1800X500	EMOX121805PRX	2	WTGS003	EUZXA100	EUZXA200	EUZXT1200	EUZXT0500M
1200X2000X400	EMOX122004PRX	2	WTGS003	EUZXA100	EUZXA200	EUZXT1200	EUZXT0400M

Glazed door versions on request. * For 200mm high plinth, order 2 sets of side/front rear trims. For high grade 316 material, add “H” to cabinet part reference. IE: EMOX061604PRXH.

ECOMP – COMPACT CABINETS

STAINLESS STEEL 304L

IP55/NEMA 12

Single / double door with mounting plate



ECOMP Stainless steel enclosures offers the ideal solution to meet the needs of both free standing and wall mounting applications and come complete with Mounting Plate. A stylised handle comes as standard. Available in standard grade 304L Stainless steel with high grade 316L on request. Standard features include:

- 12 Standard dimensions
- Supplied with Mounting Plate
- Stylised handle as standard
- High performance silicone seals as standard
- Provided with protective film on external doors and covers
- Machining available on request



Dimensions WxHxD	Ordering Code Door/Rear Cover	No of Doors	Lifting Eyes [2]	Plinth Corner H=100MM	Plinth Corner H=200MM	Plinth Front/Rear Trims H=100MM *	Plinth Side Trims H=100MM *	Wall Brackets Stainless
600X1200X400	ECOMP61240X	1	WTGS003	EUZXA100	EUZXA200	EUZXT0600	EUZXT0400C	SDWCX010
600X1400X300	ECOMP61430X	1	WTGS003	EUZXA100	EUZXA200	EUZXT0600	EUZXT0300S	SDWCX010
600X1400X400	ECOMP61440X	1	WTGS003	EUZXA100	EUZXA200	EUZXT0600	EUZXT0400C	SDWCX010
800X1200X400	ECOMP81240X	1	WTGS003	EUZXA100	EUZXA200	EUZXT0800	EUZXT0400C	SDWCX010
800X1400X300	ECOMP81430X	1	WTGS003	EUZXA100	EUZXA200	EUZXT0800	EUZXT0300S	SDWCX010
800X1400X400	ECOMP81440X	1	WTGS003	EUZXA100	EUZXA200	EUZXT0800	EUZXT0400C	SDWCX010
1000X1200X400	ECOMP101240X	2	WTGS003	EUZXA100	EUZXA200	EUZXT1000	EUZXT0400C	SDWCX010
1000X1400X300	ECOMP101430X	2	WTGS003	EUZXA100	EUZXA200	EUZXT1000	EUZXT0300S	SDWCX010
1000X1400X400	ECOMP101440X	2	WTGS003	EUZXA100	EUZXA200	EUZXT1000	EUZXT0400C	SDWCX010
1200X1200X400	ECOMP121240X	2	WTGS003	EUZXA100	EUZXA200	EUZXT1200	EUZXT0400C	SDWCX010
1200X1400X300	ECOMP121430X	2	WTGS003	EUZXA100	EUZXA200	EUZXT1200	EUZXT0300S	SDWCX010
1200X1400X400	ECOMP121440X	2	WTGS003	EUZXA100	EUZXA200	EUZXT1200	EUZXT0400C	SDWCX010

* For 200mm high plinth, order 2 sets of side/front rear trims.

ST WALL-MOUNT BOXES MILD STEEL RAL7035

IP66/55 NEMA 4/12

Single / double door / glazed door with mounting plate



ST Wall Mount enclosures offers a wide range of standard sizes in single door, double door and with glazed doors with IP66 protection for single doors, IP55 for double doors and supplied in standard RAL7035. A single ordering code provides both the gland plate and Mounting plate. These high quality enclosures come with a host of standard accessories. Standard features include:

- 40 sizes with plain door and 19 sizes with Glazed door
- Complete with mounting plate and detachable door rails
- IP66 Protection for single doors. IP55 For double doors
- High quality RAL7035 Powder finish
- Full range of standard accessories
- Machining and different paint colours on request



Dimensions WxHxD	Ordering Code Plain Door	Ordering Code Glazed Door	Wall Brackets	Inner Door	Modular ** Frame	Roof Canopy	Horizontal Door Rails	Door Stop	Key Type Lock
200x300x150	ST2315		SDWC010					WA060	WE235
300x300x150	ST3315		SDWC010				WC001	WA060	WE235
300x400x150	ST3415		SDWC010				WC001	WA060	WE235
300x500x150	ST3515		SDWC010				WC001	WA060	WE235
400x300x150	ST4315		SDWC010				WC002	WA060	WE235
400x500x150	ST4515		SDWC010				WC002	WA060	WE235
500x600x150	ST5615		SDWC010				WC003	WA060	WE235 [2]
300x300x200	ST3320		SDWC010				WC001	WA060	WE235
300x400x200	ST3420		SDWC010				WC001	WA060	WE235
400x300x200	ST4320	STP4320	SDWC010		MDST4300	TT104	WC002	WA060	WE235
400x400x200	ST4420	STP4420	SDWC010		MDST4400	TT104	WC002	WA060	WE235
400x500x200	ST4520	STP4520	SDWC010	STP0145	MDST4500	TT104	WC002	WA060	WE235
400x600x200	ST4620	STP4620	SDWC010	STP0146	MDST4600	TT104	WC002	WA060	WE235 [2]
500x500x200	ST5520		SDWC010			TT105	WC003	WA060	WE235
500x600x200	ST5620		SDWC010			TT105	WC003	WA060	WE235 [2]
500x700x200	ST5720	STP5720	SDWC010	STP0157		TT105	WC003	WA060	WE235 [2]
600x400x200	ST6420	STP6420	SDWC010	STP0164			WC004	WA060	WE235
600x600x200	ST6620		SDWC010		MDST6600		WC004	WA060	WE235 [2]
600x800x200	ST6820	STP6820	SDWC010	STP0168	MDST6800		WC004	WA060	WE235 [2]
800x800x200	ST8820		SDWC010				WC005	WA060	WE235 [2]
1000x800x200*	ST10820		SDWC010					WA060	WE235 [2]
400x500x250	ST4525	STP4525	SDWC010	STP0145	MDST4500	TT204	WC002	WA060	WE235
400x600x250	ST4625	STP4625	SDWC010	STP0146	MDST4600	TT204	WC002	WA060	WE235 [2]
500x700x250	ST5725	STP5725	SDWC010	STP0157		TT205	WC003	WA060	WE235 [2]
600x600x250	ST6625		SDWC010		MDST6600	TT106	WC004	WA060	WE235 [2]
600x800x250	ST6825	STP6825	SDWC010	STP0168	MDST6800	TT106	WC004	WA060	WE235 [2]
600x1000x250	ST61025	STP61025	SDWC010	STP01610	MDST61000	TT106	WC004	WA060	WE235 [2]
800x800x250	ST8825		SDWC010				WC005	WA060	WE235 [2]
800x1000x250	ST81025		SDWC010	STP01810			WC005	WA060	WE235 [2]
600x400x300	ST6430	STP6430	SDWC010	STP0164		TT206	WC004	WA060	WE235
600x600x300	ST6630	STP6630	SDWC010		MDST6600	TT206	WC004	WA060	WE235 [2]
600x800x300	ST6830	STP6830	SDWC010	STP0168	MDST6800	TT206	WC004	WA060	WE235 [2]
800x800x300	ST8830		SDWC010			TT208	WC005	WA060	WE235 [2]
600x1000x300	ST61030	STP61030	SDWC010	STP01610	MDST61000	TT206	WC004	WA060	WE235 [2]
600x1200x300	ST61230	STP61230	SDWC010	STP01612	MDST61200	TT206	WC004	WA060	WE230
800x1000x300	ST81030	STP81030	SDWC010	STP01810		TT208	WC005	WA060	WE235 [2]
800x1200x300	ST81230	STP81230	SDWC010	STP01812		TT208	WC005	WA060	WE230
1000x800x300*	ST10830		SDWC010					WA060	WE230
1000x1000x300*	ST101030		SDWC010					WA060	WE230
1000x1200x300*	ST101230		SDWC010					WA060	WE230
1200x1200x300*	ST121230		SDWC010					WA060	WE230
400x600x400	ST4640		SDWC010				WC002	WA060	WE235 [2]
600x600x400	ST6640		SDWC010		MDST6600		WC004	WA060	WE235 [2]
600x800x400	ST6840		SDWC010	STP0168	MDST6800		WC004	WA060	WE235 [2]
600x1000x400	ST61040		SDWC010	STP01610	MDST61000		WC004	WA060	WE235 [2]
800x800x400	ST8840		SDWC010				WC005	WA060	WE235 [2]
800x1000x400	ST81040		SDWC010	STP01810			WC005	WA060	WE235 [2]
800x1200x400	ST81240		SDWC010	STP01812			WC005	WA060	WE230

*Double door . ** Blank panels available on request. [2] = 2pc required. Alternative lock inserts available. Some sizes available in white RAL9010.

ECOR WALL-MOUNT STAINLESS STEEL 304L


IP66/55 NEMA 4X/12

Single / double door / glazed door with mounting plate



ECOR Stainless steel boxes provides the ultimate in protection for harsh environments in standard grade 304L Stainless steel with high grade 316L on request. Available in 27 standard dimension with single door, double door and glazed door variations. Supplied with mounting plates and internal doors rails on most sizes. High performance silicone seals are standard providing a superior seal. A full range of standard accessories are available along with multiple choice door locks. Standard features include:

- 27 Standard sizes available with single / double and glazed doors
- IP66 Protection as standard
- Formed door corners provides a clean appearance
- Provided with protective film on external surfaces
- High performance silicone seals as standard
- Door opening within enclosure body allowing joining together of enclosures
- Machining available on request



Dimensions WxHxD	Ordering Code Plain Door	Ordering Code Glazed Door	Wall Brackets	Inner Door	Roof Canopy	Door Stop
200x300x150	ECOR2315X		SDWCX010			WA061X
300x300x150	ECOR3315X		SDWCX010			WA061X
300x400x150	ECOR3415X		SDWCX010			WA061X
400x300x150	ECOR4315X		SDWCX010			WA061X
300x400x200	ECOR3420X	ECOR3420PVX	SDWCX010	ECPO134X		WA061X
400x400x200	ECOR4420X		SDWCX010		ECTT104X	WA061X
400x500x200	ECOR4520X	ECOR4520PVX	SDWCX010	ECPO145X	ECTT104X	WA061X
400x600x200	ECOR4620X	ECOR4620PVX	SDWCX010	ECPO146X	ECTT104X	WA061X
500x500x200	ECOR5520X		SDWCX010		ECTT105X	WA061X
500x700x200	ECOR5720X		SDWCX010	ECPO157X	ECTT105X	WA061X
600x400x200	ECOR6420X		SDWCX010			WA061X
600x600x200	ECOR6620X		SDWCX010			WA061X
600x800x200	ECOR6820X	ECOR6820PVX	SDWCX010	ECPO168X		WA061X
400x400x250	ECOR4425X		SDWCX010			WA061X
400x600x250	ECOR4625X		SDWCX010	ECPO146X		WA061X
500x500x250	ECOR5525X		SDWCX010		ECTT205X	WA061X
500x700x250	ECOR5725X	ECOR5725PVX	SDWCX010	ECPO157X	ECTT205X	WA061X
600x600x250	ECOR6625X		SDWCX010		ECTT106X	WA061X
600x800x250	ECOR6825X	ECOR6825PVX	SDWCX010	ECPO168X	ECTT106X	WA061X
600x600x300	ECOR6630X		SDWCX010			WA061X
600x800x300	ECOR6830X		SDWCX010	ECPO168X		WA061X
800x800x300	ECOR8830X		SDWCX010		ECTT208X	WA061X
600x1200x300	ECOR61230X		SDWCX010			WA061X
800x1000x300	ECOR81030X	ECOR81030PVX	SDWCX010	ECPO1810X	ECTT208X	WA061X
800x1200x300	ECOR81230X		SDWCX010		ECTT208X	WA061X
1000x1000x300*	ECOR101030X		SDWCX010			WA061X
1000x1200x300*	ECOR101230X		SDWCX010			WA061X

*Double door. For high grade 316 Stainless Steel, add "H" to ordering code, I.e. ECOR2315XH.

TERMINAL BOXES – MILD STEEL RAL7035

IP66/65 NEMA 4/12

Plain / flanged sides. Screw cover / hinged door.



Small terminal type boxes are available with both screw fixed and hinge lids and come in a full range of standard dimensions. SDV / SDF type enclosures are available with screw fixed lids in either plain sides or with gland plates. SDP type enclosures are offered with a hinged lockable door. IP66 is standard for SDV enclosures whilst SDF/SDP are rated IP55 and come in standard RAL7035 Powder finish. Internal mounting rails are standard for assembly of optional mounting plates and Din type rails. Standard features include:

- Screw Lid / Hinged lid variations with and without gland plates
- RAL7035 Powder finish
- IP66 for SDV versions. IP55 for SDF /SDP versions
- Internal mounting rail as standard for component mounting
- Machining available on request



Dimensions WxHxD	Ordering Code Plain Sides	Ordering Code Flanged Sides	Ordering Code Hinged Door	Mounting Plate	Wall Brackets	Hinge Kit - SDV/SDF*
150x150x80	SDV1108			SDPA11	SDWC010	SDWA005
200x200x80	SDV2208		SDP2208	SDPA22	SDWC010	SDWA005
200x300x80			SDP2308	SDPA32	SDWC010	SDWA005
300x200x80	SDV3208			SDPA32	SDWC010	SDWA005
200x400x80			SDP2408	SDPA42	SDWC010	SDWA005
400x200x80	SDV4208			SDPA42	SDWC010	SDWA005
500x200x80	SDV5208			SDPA52	SDWC010	SDWA005
600x200x80	SDV6208			SDPA62	SDWC010	SDWA005
800x200x80	SDV8208			SDPA82	SDWC010	SDWA005
150x150x120	SDV1112			SDPA11	SDWC010	SDWA005
200x200x120	SDV2212		SDP2212	SDPA22	SDWC010	SDWA005
200x300x120			SDP2312	SDPA32	SDWC010	SDWA005
200x400x120			SDP2412	SDPA42	SDWC010	SDWA005
200x500x120	SDV5212		SDP2512	SDPA52	SDWC010	SDWA005
300x150x120	SDV3112			SDPA31	SDWC010	SDWA005
300x200x120	SDV3212	SDF3212		SDPA32	SDWC010	SDWA005
300x300x120	SDV3312	SDF3312	SDP3312	SDPA33	SDWC010	SDWA005
300x400x120			SDP3412	SDPA43	SDWC010	SDWA005
400x200x120	SDV4212	SDF4212		SDPA42	SDWC010	SDWA005
400x300x120	SDV4312	SDF4312		SDPA43	SDWC010	SDWA005
400x400x120	SDV4412	SDF4412		SDPA44	SDWC010	SDWA005
500x200x120	SDV5212	SDF5212		SDPA52	SDWC010	SDWA005
500x300x120	SDV5312	SDF5312		SDPA53	SDWC010	SDWA005
600x200x120	SDV6212	SDF6212		SDPA62	SDWC010	SDWA005
600x300x120	SDV6312	SDF6312		SDPA63	SDWC010	SDWA005
600x400x120	SDV6412	SDF6412		SDPA64	SDWC010	SDWA005
800x200x120	SDV8212	SDF8212		SDPA82	SDWC010	SDWA005
800x400x120	SDV8412	SDF8412		SDPA84	SDWC010	SDWA005

*Pk = 6pc.

TERMINAL BOXES – PUSHBUTTON BOXES STAINLESS STEEL 304L

IP66/69K NEMA 4X

With rapid lid fixing screws



EGRAN Stainless steel terminal boxes come in standard grade 304L material with high grade 316L on request. Enclosure lids have formed corners providing a clean appearance along with high performance silicone seals suitable for IP66/69K high pressure clean down applications. 8 Standard dimensions are available each with rapid lid fixing screws requiring minimal turns to close. Lid screws are held captive within the lid. Standard features include:

- 8 standard sizes
- Rapid turn fixing screws as standard
- IP66/69K Standard protection
- Internal mounting rails as standard for component mounting
- High performance silicone seals as standard
- Provided with protective film on external surfaces

Egran Version



Dimensions WxHxD	Ordering Code	Mounting Plate	Wall Brackets
150x150x80	EGRAN1108X	SDPA11	SHWCX010
200x200x80	EGRAN2208X	SDPA22	SHWCX010
300x200x80	EGRAN3208X	SDPA32	SHWCX010
150x150x120	EGRAN1112X	SDPA11	SHWCX010
200x200x120	EGRAN2212X	SDPA22	SHWCX010
300x200x120	EGRAN3212X	SDPA32	SHWCX010
400x200x120	EGRAN4212X	SDPA42	SHWCX010
300x300x120	EGRAN3312X	SDPA33	SHWCX010

SHX Push-Button enclosures are available in 4 standard sizes with pre-drilled lids for push buttons or supplied plain. Supplied in standard grade 304L Stainless steel with high grade 316L on request. Standard features include:

- 4 Standard sizes
- Pre-drilled lids for 22mm push buttons or supplied with plain lid
- Captive lid screws in stainless steel
- Optional mounting plates on request

SHX Version



Dimensions WxHxD	Ordering Code Punched Lid	No of Holes	Ordering Code Plain Lid	Mounting Plate	Wall Bracket
100x100x90	SHX1109F	1	SHX1109C		SHWCX010
100x160x90	SHX1169F	2	SHX1169C	SHPA16	SHWCX010
100x220x90	SHX1229F	3	SHX1229C	SHPA22	SHWCX010
100x280x90	SHX1289F	4	SHX1289C	SHPA28	SHWCX010

POLYESTER BOXES – RAL7035


IP66

Plain door / glazed door. Multiple choice accessories



Polyester hinged door enclosures provide outstanding protection and conform to IP66 Protection both for plain door and glazed door variations. Polyester enclosures offer rugged durability in the most demanding of environments. Manufactured from high quality Glass reinforced polyester and available in 7 popular dimensions with plain door and glazed door. A host of easy to install accessories are available that require only a screw driver to install. An integral drip shield directs liquids away from the door seal. Standard features include:

- 7 Standard dimensions with plain door and glazed door
- Heavy duty Glass reinforced Polyester
- Multiple choice of accessories. Easy install, only screw driver required to install
- IP66 For all models
- Lightweight material makes handling easier and reduces shipping cost
- Low solar heat absorption. Operating temperature -25 to +60 Degrees
- High impact strength and rigidity.



Dimensions WxHxD	Ordering Code Plain Door	Ordering Code Glazed Door	Metal MTG Plate	Polyester MTG Plate	Inner Door	Mounting Panel with slot	No. of Modules
265x300x165	E-FG04601	E-FG04621G	E-MP04670	EPP-04690			
325x425x180	E-FG04602	E-FG04622G	E-MP04671	EPP-04691	E-ID04631	EMF-04640	3 Rows x 12
430x500x210	E-FG04603	E-FG04623G	E-MP04672	EPP-04692	E-ID04632	EMF-04641	3 Rows x 18
430x650x210	E-FG04604	E-FG04624G	E-MP04673	EPP-04693	E-ID04633	EMF-04641	4 Rows x 18
540x650x260	E-FG04605	E-FG04625G	E-MP04674	EPP-04694	E-ID04634	EMF-04642	4 Rows x 24
615x805x315	E-FG04606	E-FG04626G	E-MP04675	EPP-04695	E-ID04635	EMF-04643	5 Rows x 28
810x1060x355	E-FG04608	E-FG04628G	E-MP04677		E-ID04637	EMF-04644	5 Rows x 38



Dimensions WxHxD	Modular Panel Blank	Modular Panel Double Blank	Din Rail Assembly	Din Rail Frame Assembly	Plate Adjustment Brackets (1)	Key Lock	Wall Brackets Galvanised *	Wall Brackets Stainless *
265x300x165						E-KL04681	E-MB04680	E-MB04688
325x425x180	EBP-04645	EBPD-04696	EDR-04660	EVF-04651	EPAB-04682	E-KL04681	E-MB04680	E-MB04688
430x500x210	EBP-04646	EBPD-04697	EDR-04661	EVF-04652	EPAB-04682	E-KL04681	E-MB04680	E-MB04688
430x650x210	EBP-04646	EBPD-04697	EDR-04661	EVF-04653	EPAB-04682	E-KL04681	E-MB04680	E-MB04688
540x650x260	EBP-04647	EBPD-04698	EDR-04662	EVF-04653	EPAB-04682	E-KL04681	E-MB04680	E-MB04688
615x805x315	EBP-04648	EBPD-04699	EDR-04663	EVF-04654	EPAB-04682	E-KL04681	E-MB04680	E-MB04688
810x1060x355	EBP-04649	EBPD-04679	EDR-04664	EVF-04655	EPAB-04682	E-KL04681	E-MB04680	E-MB04688

* Pk = 4pc. (1) = 2pc.

DIE-CAST ALUMINIUM BOXES

IP66/67 Exe/Exi Certified

Painted or un-painted Ral 7001



Die-cast Aluminium enclosures from ETA offer the very best in protection and come in a wide range of standard dimensions. Product is cast in AL Si 12 Aluminium alloy and offer high impact strength and light weight design making them an ideal choice for housing electrical and electronic equipment in aggressive and hazardous environments. Standard protection is guaranteed IP66 with IP67 available on request. A full machining service is also available along with different paint colour options. Features at a glance:

- IP66 Standard protection. IP67 On request
- Exe / Exi Certified
- 30 Standard Sizes
- Customising service available
- Alternative paint colours
- Operating temperature -40 to + 80 Degree C.



Dimensions WxHxD	Ordering Code	Wall Brackets	Mounting Plate	Hinge Kit
50x45x30	E-AL504530-I			
98x64x34	E-AL986434-I	E-ALWB1		
150x64x34	E-AL156434-I	E-ALWB1	E-MP15064	E-ALH1
58x64x34	E-AL586434-I			
75x80x57	E-AL758057-I	E-ALWB1		
125x80x57	E-AL128057-I	E-ALWB1	E-MP12580	E-ALH1
175x80x57	E-AL178057-I	E-ALWB1	E-MP17580	E-ALH1
250x80x57	E-AL258057-I	E-ALWB1	E-MP25080	E-ALH1
122x120x81	E-AL121280-I	E-ALWB1	E-MP12212	E-ALH1
220x120x81	E-AL221280-I	E-ALWB1	E-MP22012	E-ALH1
220x120x90	E-AL221290-I	E-ALWB2	E-MP22012	E-ALH1
260x160x90	E-AL261690-I	E-ALWB2	E-MP26016	E-ALH1
360x160x90	E-AL361690-I	E-ALWB2	E-MP36016	E-ALH1
160x160x90	E-AL161690-I	E-ALWB2	E-MP1616	E-ALH1
122x120x91	E-AL121290-I	E-ALWB1	E-MP12212	E-ALH1
280x230x110	E-AL282311-I	E-ALWB2	E-MP28023	E-ALH1
330x230x111	E-AL332311-I	E-ALWB2	E-MP33023	E-ALH1
230x200x113	E-AL232011-I	E-ALWB2	E-MP23020	E-ALH1
330x230x180	E-AL332318-I	E-ALWB2	E-MP33023	E-ALH1
280x180x100	E-AL281810-I	E-ALWB2	E-MP28018	E-ALH1
180x180x100	E-AL181810-I	E-ALWB2	E-MP1818	E-ALH1
400x310x110	E-AL403111-I	E-ALWB2	E-MP40031	E-ALH1
400x310x180	E-AL403118-I	E-ALWB2	E-MP40031	E-ALH1
400x230x110	E-AL402311-I	E-ALWB2	E-MP40023	E-ALH1
600x310x180	E-AL603118-I	E-ALWB2	E-MP60031	E-ALH1
100x100x80	E-AL101080-I	E-ALWB1		
600x310x110	E-AL603111-I	E-ALWB2	E-MP60031	E-ALH1
160x100x80	E-AL161080-I	E-ALWB2	E-MP16010	E-ALH1
140x140x90	E-AL141490-I	E-ALWB2	E-MP1414	E-ALH1
200x140x90	E-AL201490-I	E-ALWB2	E-MP20014	E-ALH1

IP67 versions available on request. Please add “U” to the part reference for un-painted versions. IE: E-AL504530-IU.

ZBA/SBA MONO BLOC DESKS MILD STEEL RAL7035

ZBX MONO BLOC DESK STAINLESS STEEL 304L IP55/NEMA 12

Solid rear or rear door. Complete with mounting plate



A range of free-standing desks with solid rear back or with hinged rear doors are available in 4 standard dimensions and offering a robust solution for plant floor applications. Top sloping lid is hinged and locked open with a mechanical door stay. The front door/s are hinged and lockable. Standard supply comes with internal mounting plate.

- 4 Standard dimensions
- Robust Powder paint to RAL7035
- Complete with Mounting Plate
- Machining options available
- IP55 – NEMA Type 12 Protection

To compliment the painted steel versions, high grade Stainless steel options are also available in 4 popular dimensions, ideal for food processing applications or area's that have an aggressive corrosive atmosphere.

Solid Back Version



Dimensions WxHxD	Ordering Code	Plinth Corner H=100MM	Plinth Corner H=200MM	Plinth Side Trims H=100MM **	Plinth Front/Rear Trims H=100MM **	Castors
600x1000x400	ZBA601	EUZE100	EUZEA200	EUZE-T0400C	EUZE-T0600	WTRU001
800x1000x400	ZBA801	EUZE100	EUZEA200	EUZE-T0400C	EUZET0800	WTRU001
1000x1000x400*	ZBA001	EUZE100	EUZEA200	EUZE-T0400C	EUZET1000	WTRU001
1200x1000x400*	ZBA201	EUZE100	EUZEA200	EUZE-T0400C	EUZET1200	WTRU001

Rear Door Version



Dimensions WxHxD	Ordering Code	Plinth Corner H=100MM	Plinth Corner H=200MM	Plinth Side Trims H=100MM **	Plinth Front/Rear Trims H=100MM **	Castors
600x1000x400	SBA601	EUZE100	EUZEA200	EUZE-T0400B	EUZET0600	WTRU001
800x1000x400	SBA801	EUZE100	EUZEA200	EUZE-T0400B	EUZET0800	WTRU001
1000x1000x400*	SBA001	EUZE100	EUZEA200	EUZE-T0400B	EUZET1000	WTRU001
1200x1000x400*	SBA201	EUZE100	EUZEA200	EUZE-T0400B	EUZET1200	WTRU001

Stainless Steel. Solid Back Version



Dimensions WxHxD	Ordering Code	Plinth Corner H=100MM	Plinth Corner H=200MM	Plinth Side Trims H=100MM **	Plinth Front/Rear Trims H=100MM **	Castors
600x1000x400	ZBX601	EUZX100	EUZXA200	EUZXT0400C	EUZXT0600	WTRU001
800x1000x400	ZBX801	EUZX100	EUZXA200	EUZXT0400C	EUZXT0800	WTRU001
1000x1000x400*	ZBX001	EUZX100	EUZXA200	EUZXT0400C	EUZXT1000	WTRU001
1200x1000x400*	ZBX201	EUZX100	EUZXA200	EUZXT0400C	EUZXT1200	WTRU001

* Double Door. **For 200mm high plinth, order 2 sets of side/front rear trims.

AE MODULAR DESK ASSEMBLY MILD STEEL RAL7035

IP55/NEMA 12

Multiple choice options for configurations



A range of high quality Modular desks provide convenient operator use in plant floor applications. These versatile products allow for different configurations to be assembled providing a customer specific product. With depths of 400 & 500mm deep and widths of 600/800/1200 & 1600mm wide options. Conforming to IP55 and complete with base plates [AE BASE] and lockable doors with Panel stays for the upper sections.

These products are well suited for machine control applications that require a high level of protection for automation controls and HMI Systems.



Dimensions WxD	Ordering Code AE BASE UNIT	Ordering Code SHELVE UNIT	Ordering Code SLOPING TOP	Ordering Code SLOPING SHELF	Ordering Code COVER FOR LE SHELF
600X400	AE601	LE601	PE601	ME601	TL601
800X400	AE801	LE802	PE801	ME801	TL802
1200X400	AE123	LE123	PE123	ME123	TL123
1600X400	AE164	LE164	PE164	ME164	TL164
800X500	AE8025	LE8025	PE8025	ME8025	TL8025
1200X500	AE1235	LE1235	PE1235	ME1235	TL1235
1600X500	AE1645	LE1645	PE1645	ME1645	TL1645

PLINTH ASSEMBLY



AE BASE	Plinth Corner H=100MM	Plinth Corner H=200MM	Plinth Side * Trims H=100MM	Plinth Front/ Rear * Trims H=100MM
600X400	EUZEA100	EUZEA200	EUZET0400C	EUZET0600
800X400	EUZEA100	EUZEA200	EUZET0400C	EUZET0800
1200X400	EUZEA100	EUZEA200	EUZET0400C	EUZET1200
1600X400	EUZEA100	EUZEA200	EUZET0400C	EUZET1600
800X500	EUZEA100	EUZEA200	EUZET0500B	EUZET0800
1200X500	EUZEA100	EUZEA200	EUZET0500B	EUZET1200
1600X500	EUZEA100	EUZEA200	EUZET0500B	EUZET1600

* For 200mm high plinth, order 2 sets of side/front rear trims. Also available in Stainless Steel. Mounting plate included in AE base.

ENUX INDUSTRIAL PC CABINETS MILD STEEL RAL7035

IP55/NEMA 12

Fully Assembled. Optional front cover variations



ENUX PC Cabinets are designed to protect commercial grade computers working in harsh process environments. These stylised cabinets are offered in 4 popular standard sizes with depths of 600&800 mm deep and heights of 1800 & 2000mm. PC Cabinets provide an IP55 Protection even with the Pull-out keyboard section open. Optional front covers are available if required.

A full range of standard accessories are available providing a complete system solution that will stand well in today's high tech environment.



Dimensions WxHxD	Ordering Code Pre-Configured	Side Covers [2]	Castors	Fixed Shelf D=600MM	Fixed Shelf D=800MM
600X1800X600	EUPC061806CEC	EUFI060180	WTRU001	WTRP060060	
600X1800X800	EUPC061808CEC	EUFI080180	WTRU001		WTRP060080
600X2000X600	EUPC062006CEC	EUFI060200	WTRU001	WTRP060060	
600X2000X800	EUPC062008CEC	EUFI080200	WTRU001		WTRP060080



Dimensions WxHxD	Plinth Corner H=100MM	Plinth Corner H=200MM	Plinth Side * Trims H=100MM	Plinth Front * Rear Trims H=100MM
600X1800X600	EUZEA100	EUZEA200	EUZET0600	EUZET0600
600X1800X800	EUZEA100	EUZEA200	EUZET0800	EUZET0600
600X2000X600	EUZEA100	EUZEA200	EUZET0600	EUZET0600
600X2000X800	EUZEA100	EUZEA200	EUZET0800	EUZET0600



* For 200mm high plinth, order 2 sets of side/front rear trims. Alternative front cover options available on request. Available in Stainless Steel.

ERAM OPERATOR INTERFACE & SUSPENSION SYSTEM – STAINLESS STEEL 304L


IP66/69K

Multiple choice options



A new stainless steel suspension arm and operator enclosure system is available from ETA offering a very high level of protection for internal control components. These enclosures and suspension arm assemblies are well suited for wash-down applications and provide protection to IP69K. A number of standard enclosure options are available along with multiple choice arm systems allowing a complete user friendly system to be configured. High quality couplings are used for both the arm system and enclosure attachment in many configurations. A full machining service is also available allowing the enclosure to be machined to fit a specific PC system.

I Version Section Stainless Steel




Dimensions	Ordering Code
L=500	ERI-0500X
L=750	ERI-0750X
L=1000	ERI-100X

Operator Enclosure Housing 304 Stainless Steel

Dimensions A1-L-A	Ordering Code
300x300x150	ERAM3-315X
400x300x150	ERAM4-315X
400x400x150	ERAM4-415X
600x400x150	ERAM6-415X

J Version Section Stainless Steel




Dimensions A1 - L - A	Ordering Code
300X500X300	ERJ-030503X
500X500X300	ERJ-050503X
750X750X300	ERJ-070703X

Optional Accessories


Description	Ordering Code
Handles [2]	ERM-02

L Version Section Stainless Steel



Dimensions L-A	Ordering Code
300X500	ERL-0305X
500X500	ERL-0505X
750X500	ERL-0705X

S Version Section Stainless Steel



Dimensions A1-L-A	Ordering Code
250-1000	On Request
250-1000	On Request
250-1000	On Request

COMBINATION COUPLINGS




304 Stainless Steel

A wide range of fixed/swivel joints, base attachments and mounting brackets made from AISI303 or AISI304L stainless steel, all of which can be easily assembled by the end user. The interchangeability of the components allows for the complete customization of both the combinations and their final applications.

FIXED 10° ANGLE FOR HOUSING

ERCF-010X




Made from AIS303 stainless steel.
Complete with fastening screws.



FIXED ATTACHMENT FOR HOUSING

ERCF-001X




Made from AIS303 stainless steel.
Complete with fastening screws.



SWIVEL ATTACHMENT FOR HOUSING

ERCG-001X




Made from AIS303 stainless steel.
Complete with fastening screws and swivel locking system.



FIXED WALL-MOUNTING BASE ATTACHMENT

ERPF-001X




Made from AIS303 stainless steel.
Complete with fastening screws.



SWIVEL WALL-MOUNTING BASE ATTACHMENT

ERPG-001XA



Made from AIS303 stainless steel.
Complete with fastening screws and swivel locking system. Front fastening.



SWIVEL WALL-MOUNTING BASE ATTACHMENT

ERPG-001XP




Made from AIS303 stainless steel.
Complete with fastening screws and swivel locking system. Rear fastening.



WALL-MOUNTING BRACKET

ERPS-001XA




Made from AIS304L stainless steel.
Allows for the wall-mounting of the base attachments. Front fastening.
To be combined with: ERPF-001X or ERPG-001XP.



WALL-MOUNTING BRACKET

ERPS-001XP




Made from AIS304L stainless steel.
Allows for the wall-mounting of the base attachments. Rear fastening.
To be combined with: ERPF-001X or ERPG-001XP.



* FIXED DIRECT BASE ATTACHMENT

ERDF-001X




Made from AIS303 stainless steel.
Complete with fastening screws.



* SWIVEL DIRECT BASE ATTACHMENT

ERDG-001XA




Made from AIS303 stainless steel.
Complete with fastening screws and swivel locking system. Front fastening.



* SWIVEL DIRECT BASE ATTACHMENT

ERDG-001XP

Made from AIS303 stainless steel.
Complete with fastening screws and swivel locking system. Rear fastening.



* **Note:** for the container drilling template, please refer to the ERCF-001X

THERMAL MANAGEMENT SOLUTIONS

Air-Conditioners / Heat Exchangers / Fans & Filters

In-door / out-door solutions



Side/Door Mounting Air-Conditioners. Indoor Applications

Dimensions WxHxD	Capacity [W]	Voltage [V]	Current [A]	Weight	Ordering Code
324x442x206	360W	230V-1-50/60	1.3	17KGS	CVE0300220
313x642x313	550W	230V-1-50/60	1.5	23KGS	CVE05002208000
313X642X223	850W	230V-1-50/60	2.6	26KGS	CVE08002208000
410X912X248	1100W	230V-1-50/60	2.8	42KGS	CVE11002208000
410X912X248	1500W	230V-1-50/60	3.9	42KGS	CVE15002208000
409X1005X263	2100W	230V-1-50/60	4.8	44KGS	CVE20008808000
511X1217X347	3000W	230V-1-50/60	5.0	86KGS	CVE30002208000
511X1217X347	4000W	230V-1-50/60	8.2	83KGS	CVE40002208000
554X1405X404	5600W	400-460V-3-50/60	4.2	95KGS	CVE60002618000

Other sizes available on request.
115V Versions available on request.
Out-door versions available on request.

Top Mounting Air-Conditioners. Indoor Applications

Dimensions WxHxD	Capacity [W]	Voltage [V]	Current [A]	Weight	Ordering Code
476X180X324	330W	230V-1-50/60	1.4	17KGS	ETE0300220
600X335X343	600W	230V-1-50/60	2.2	29.5KGS	ETE06012207000
600X335X343	900W	230V-1-50/60	3.2	31.5KGS	ETE09012207000
600X450X408	1400W	230V-1-50/60	5.2	48KGS	ETE14002207000
600X450X408	2000W	230V-1-50/60	5.7	51.5KGS	ETE20002207000
800X480X450	2700W	230V-1-50/60	7.0	74.5KGS	ETE28002207000
800X480X450	3800W	230V-1-50/60	9.0	76.5KGS	ETE41002207000

Other sizes available on request.
115V versions available on request.

Heat Exchangers Air/Air. Indoor Applications

Dimensions WxHxD	Capacity [W/K]	Voltage [V]	Current [A]	Weight	Ordering Code
204x410x109	16 W/K	230V-1-50/60	0.60	5.0KGS	XVA1600320
254X780X124	35 W/K	230V-1-50/60	0.72	7.5KGS	XVA3500320
312X780X125	50 W/K	230V-1-50/60	0.72	9.5KGS	XVA5000320
311X1250X108	80 W/K	230V-1-50/60	1.00	20KGS	XVA8000320

115V versions available on request.

Filter Fans and Grills

Ordering code	Air flow m3/hr	Power Supply	External Dimen- sions	Cut-Out Dimensions
GHF10	Filter Only		119X119	92X92
GHF15	Filter Only		152X152	125X125
GHF20	Filter Only		204X204	177X177
GHF25	Filter Only		250X250	223X223
GHF30	Filter Only		318X318	291X291
GHV1000220	35	230V-1-50/60	119X119	92X92
GHV1000203	35	115V-1-50/60	119X119	92X92
GHV1500220	67	230V-1-50/60	152X152	125X125
GHV1500203	67	115V-1-50/60	152X152	125X125
GHV2000220	108	230V-1-50/60	204X204	177X177
GHV2000203	108	115V-1-50/60	204X204	177X177
GHV2500220	190	230V-1-50/60	250X250	223X223
GHV2500203	190	115V-1-50/60	250X250	223X223
GHV3000220	500	230V-1-50/60	318X318	291X291
GHV3000203	500	115V-1-50/60	318X318	291X291

24VDC versions available on request.

OTHER PRODUCTS AVAILABLE FROM ETA

ECOR-TX Sloped Roof Stainless Steel Boxes

Suitable for Hygienic applications and produced from grade 304L Stainless steel, these enclosures are offered in 7 popular standard dimensions and complete with sloped pitch roof. Enclosures are rated to IP66/69K suitable for high pressure hose-down. Supplied with Mounting plate.



Power Distribution Products

ETA is partnering with leading power distribution company, WOHNER who offer a comprehensive range of products available from stock. **Catalogue Available.**



Suspension Arm Assemblies

A stylised range of Suspension arms and enclosures are available providing convenient operator viewing of operator interface systems. **Catalogue Available!**




EMC Enclosures

EMC Compliant enclosures are available to order and are available in wall-mount formats and free-standing configurations.



CR Double Hinge Electronic Enclosures

Ideal for 19" applications that also require a rear mounting plate option. Available in a number of popular sizes with glazed front viewing window.



MODIFIED ENCLOSURES

As your requirements change so do our capabilities

When our standard range of enclosures doesn't meet with your application, ETA will work with you in developing a product that best suits your requirements. Standard ETA products can be modified quickly and cost-effectively using our advanced machinery technology including rapid hole punching and laser cutting technology.

Using our modification services, you can select from 100's of standard products and apply holes and cut-outs, special brackets and alternative paint colours and finishes. Our modified enclosures offer the same quality as you'd expect from our standard products. Large quantities are not always necessary

Some products have minimum ordering quantities [MOQ] but in most cases we can work with you based on your actual requirements and provide a scheduled delivery service for on-going requirements.

AETAS3D - Easy, Fast and Effective

The new software designed for the modification of enclosure solutions, the programme allows the user to easily add holes, cut-outs to the selected enclosure and send the drawing to ETA for processing and manufacture.

Thanks to the technologically advanced laser machinery installed at ETA and the use Of AETAS3D, you will benefit from a great advantage in terms of time saving. In a few steps, Your customised enclosure will become our standard goal.

aetas3D





innovative
enclosure solutions
for industrial & electronic
applications

E.T.A. ENCLOSURES (UK) LIMITED
Unit 2, Ignite, Magna Way
Rotherham, South Yorkshire, S60 1FD
t. +44 01709 386630 f. +44 01709 369524
info@eta-enclosures.co.uk
www.eta-enclosures.co.uk

