

# 15W 2D LED Retrofit Trays & Bulkheads

# **UNIVERSAL TRAYS & DURABLE POLYCARBONATE BULKHEADS**

THE ULTIMATE CHOICE FOR LED LIGHTING IN THE UK

Issue: July 2013



Available from all good wholesalers

### 15W 2D LED

An excellent range of retrofit 2D LED trays, reducing energy consumption by over 40%. They offer excellent light output, are instant start-up and flicker free.

We offer retro fit trays that are a direct replacement for 28W CFL 2D trays, and complete 15W LED fittings in a variety of housings. In addition to the electricity consumption savings, the LED trays have a much longer life expectancy (around 50,000 hours), so maintenance and lamp replacement costs are vastly reduced.

With multiple fixing points the ONE LED trays are suitable for use with many brands of 2D fittings, which allow a quick retrofit and cost effective alternative to replacing the whole fitting.bAs well as the standard 15W tray, they are available with microwave sensors, and dimming functions for extra energy saving. We also offer emergency versions of all the trays and fittings.

### **TESTIMONIAL**

We look after a number clients, which across their portfolio totals over 500 significant sites, so you can imagine the maintenance involved. With the One Electrical 15w LED tray however, we have found a product to reduce this mammoth task. Basically by replacing the 28w fluorescent, we can "fit & forget" for the next few years – whereas the fluorescent demanded us to revisit for one reason or another every 12-18months. Not only does it offer me this advantage, but our client is happy too with a 50% reduction in his energy consumption across these products; plus they're a tidy piece of kit!

And with the price I can obtain these at, through my local wholesaler, it is now "the way to go". It is so comparable to a standard 28w emergency gear tray, that this is now my product of choice. Like I say, the item was always desirable, but at the previous costings it couldn't be considered. One Electrical have now however released this product that I will be using for a long time to come!

Graham Dockray, Dockside Engineers Via Denmans Electrical, Preston

### PRICE

We are determined to ensure our products are the most competitive in the market. Prices are exclusively available to electrical wholesalers, where our products can be purchased from.

### QUALITY

Our 15W 2D LED trays and fittings have a life expectancy of 50,000 hours. They are supplied with a comprehensive 2 year warranty, and extended warranties are available.

### **APPROVALS**

All our products are fully certificated by accredited test houses and comply with current CE, RoHS, & EMC requirements. Independent UK and random batch testing is also carried out on all products.

### **TECHNOLOGY**

Supplied with a quality LED driver & the latest Epistar brand LED chips, our floodlights offer excellent lumens output & energy efficiency. We can supply with other brands of LED & drivers, see OEM below.

### **OEM**

We can manufacture & supply to specific requirements to include other brands of chips & drivers. A selection of those available are shown opposite.













# 15W 2D LED Universal Retrofit Trays

## 15W LED Retrofit 2D Gear Tray

| ITEM NO        | OE-2D-15W              |
|----------------|------------------------|
| INPUT VOLTAGE  | 110-230V AC 50-60Hz    |
| LED QTY        | 216PCS LED SMD Epistar |
| WATTAGE        | 15W                    |
| LUMEN          | 1400Lm                 |
| COLOUR TEMP    | 6400k                  |
| CRI            | >75                    |
| LIFETIME       | 50,000hrs              |
| ALTERNATIVE TO | 28W 2D CFL             |
| ENERGY SAVING  | >40%                   |
|                |                        |





## 15W LED Retrofit 2D Gear Tray With Microwave Sensor

| ITEM NO        | OE-2D-15W-S            |
|----------------|------------------------|
| INPUT VOLTAGE  | 110-230V AC 50-60Hz    |
| LED QTY        | 216PCS LED SMD Epistar |
| WATTAGE        | 15W                    |
| LUMEN          | 1400Lm                 |
| COLOUR TEMP    | 6400k                  |
| CRI            | >75                    |
| LIFETIME       | 50,000hrs              |
| ALTERNATIVE TO | 28W 2D CFL             |
| ENERGY SAVING  | >40%                   |






Complete with integral microwave sensor switching on when required and off when the room is unoccupied. The sensor has adjustable time sensitivity and lux settings for optimum energy savings.

# 15W 2D LED Universal Retrofit Trays

## 15W LED Retrofit 2D Gear Tray With Microwave Sensor & Dimming Function

**ITEM NO** OE-2D-15W-SD INPUT VOLTAGE 110-230V AC 50-60Hz LED QTY 216PCS LED SMD Epistar WATTAGE 15W LUMEN 1400Lm **COLOUR TEMP** 6400k CRI >75 LIFETIME 50.000hrs **ALTERNATIVE TO** 28W 2D CFL **ENERGY SAVING** >40%





15<br/>Watt50,000<br/>Hours1400<br/>Lumens6400<br/>Kelvins2 Year<br/>WarrantyCE<br/>EMC

Complete with integral microwave sensor and dimmer, switching on to full power when required and dimming down to 30% power when the room is unoccupied. The sensor has adjustable time, sensitivity and lux settings for optimum energy savings.

# 15W LED Retrofit 2D Gear Tray With 3 Hour Emergency Function

| ITEM NO        | OE-2D-15W-EM           |
|----------------|------------------------|
| INPUT VOLTAGE  | 110-230V AC 50-60Hz    |
| LED QTY        | 216PCS LED SMD Epistar |
| WATTAGE        | 15W                    |
| LUMEN          | 1400Lm                 |
| COLOUR TEMP    | 6400k                  |
| CRI            | >75                    |
| LIFETIME       | 50,000hrs              |
| ALTERNATIVE TO | 28W 2D CFL             |
| ENERGY SAVING  | >40%                   |





Complete with integral 3 hour backup emergency function. If mains power fails the unit will automatically switch to emergency mode. The unit will run at 20% power and operate for a minimum of 3 hours in backup mode.





# 15W 2D LED Universal Retrofit Trays

## 15W LED Retrofit 2D Gear Tray With Microwave Sensor & Emergency Function

ar

| ITEM NO        | OE-2D-15W-SEM        |
|----------------|----------------------|
| INPUT VOLTAGE  | 110-230V AC 50-60Hz  |
| LED QTY        | 216PCS LED SMD Epist |
| WATTAGE        | 15W                  |
| LUMEN          | 1400Lm               |
| COLOUR TEMP    | 6400k                |
| CRI            | >75                  |
| LIFETIME       | 50,000hrs            |
| ALTERNATIVE TO | 28W 2D CFL           |
| ENERGY SAVING  | >40%                 |
|                |                      |






Complete with integral microwave sensor switching on when required and

off when the room is unoccupied. The sensor has adjustable time sensitivity and

lux settings for optimum energy savings. Also with 3 hour backup emergency function. If mains power fails the unit will automatically switch to emergency mode. The unit will run at 20% power and operate for a minimum of 3 hours in backup mode.

## 15W LED Retrofit 2D Gear Tray With Microwave Sensor, Dimmer & Emergency Function

| ITEM NO        | OE-2D-15W-SDEM        |
|----------------|-----------------------|
| INPUT VOLTAGE  | 110-230V AC 50-60Hz   |
| LED QTY        | 216PCS LED SMD Epista |
| WATTAGE        | 15W                   |
| LUMEN          | 1400Lm                |
| COLOUR TEMP    | 6400k                 |
| CRI            | >75                   |
| LIFETIME       | 50,000hrs             |
| ALTERNATIVE TO | 28W 2D CFL            |
| ENERGY SAVING  | >40%                  |





Complete with integral microwave sensor and dimmer, switching on to full

power when required and dimming down to 30% power when the room is unoccupied.

The sensor has adjustable time, sensitivity and lux settings for optimum energy savings. Also with 3 hour backup emergency function. If mains power fails the unit will automatically switch to emergency mode. The unit will run at 20% power and operate for a minimum of 3 hours in backup mode.

# 15W 2D LED **Fittings**

## 15W 2D LED IP54 Lunar Fitting

| CODE      | OE-2D-15W-LUN       |
|-----------|---------------------|
| WATTAGE   | 15W                 |
| LUMENS    | 1400Lm              |
| IP RATING | IP54                |
| BODY      | White Polycarboante |
| DIFFUSER  | Opal                |
| SIZE      | 320 x 125mm         |
|           |                     |

1400 Lumens

6400 Kelvins

2 Year Warranty



#### **OPTIONS**

15 Watt

50,000 Hours

| Code               | Description   |
|--------------------|---|
| OE-2D-15W-LUN-S    | 15W LED Lunar with microwave sensor                                     |
| 0E-2D-15W-LUN-SD   | 15W LED Lunar with microwave sensor & dimmer                            |
| 0E-2D-15W-LUN-EM   | 15W LED Lunar with 3 hour emergency function                            |
| 0E-2D-15W-LUN-SEM  | 15W LED Lunar with microwave sensor & 3 hour emergency function         |
| 0E-2D-15W-LUN-SDEM | 15W LED Lunar with microwave sensor, dimmer & 3 hour emergency function |


CE

EMC

IP54

# 15W 2D LED IP65 Drum Fitting

| CODE      | OE-2D-15W-BK-PRIS   |
|-----------|---------------------|
| WATTAGE   | 15W                 |
| LUMENS    | 1400Lm              |
| IP RATING | IP65                |
| BODY      | Black Polycarboante |
| DIFFUSER  | Prismatic           |
| SIZE      | 275 x 85mm          |





### **OPTIONS**

| Code                   |
|------------------------|
| 0E-2D-15W-BK-PRIS-S    |
| 0E-2D-15W-BK-PRIS-SD   |
| OE-2D-15W-BK-PRIS-EM   |
| 0E-2D-15W-BK-PRIS-SEM  |
| 0E-2D-15W-BK-PRIS-SDEM |

### Description

15W LED Drum with microwave sensor 15W LED Drum with microwave sensor & dimmer

- 15W LED Drum with 3 hour emergency function
- 15W LED Drum with microwave sensor & 3 hour emergency function
- 15W LED Drum with microwave sensor, dimmer & 3 hour emergency function



# 15W 2D LED Fittings

# 15W 2D LED IP65 Drum Fitting

| CODE      | OE-2D-15W-WH-OP     |
|-----------|---------------------|
| WATTAGE   | 15W                 |
| LUMENS    | 1400Lm              |
| IP RATING | IP65                |
| BODY      | White Polycarboante |
| DIFFUSER  | Opal                |
| SIZE      | 275 x 85mm          |
|           |                     |

1400 Lumens 6400 Kelvins 2 Year Warranty



#### OPTIONS

15 Watt 50,000 Hours

| Code                 | Description  |
|----------------------|--|
| OE-2D-15W-WH-OP-S    | 15W LED Drum with microwave sensor                                     |
| OE-2D-15W-WH-OP-SD   | 15W LED Drum with microwave sensor & dimmer                            |
| OE-2D-15W-WH-OP-EM   | 15W LED Drum with 3 hour emergency function                            |
| OE-2D-15W-WH-OP-SEM  | 15W LED Drum with microwave sensor & 3 hour emergency function         |
| OE-2D-15W-WH-OP-SDEM | 15W LED Drum with microwave sensor, dimmer & 3 hour emergency function |

CE

EMC

IP65

### Over 150 products in our LED range including:



Visit our website or request a full catalogue to view all our LED products

#### **HEAD OFFICE - ENGLAND**

ONE Electrical Ltd Bankfield Rd Manchester M29 8QH England Tel +44 161 703 2201 Fax +44 161 703 9939 sales@oneelectrical.com

#### DUBAI OFFICE

ONE Electrical Ltd (MSS Electrical LLc) PO Box 83608 Dubai United Arab Emirates Tel +9714 2691775; Fax +9714 2659767 dubai@oneelectrical.com

#### SOUTH AFRICA OFFICE

ONE LED (Pty)Ltd 50 Electron Road Isando Johannesburg Gauteng Tel +27 11 022 5977 Fax 086 247 1621 sales@oneled.co.za

#### **BELFAST OFFICE**

Omak Agencies Ltd Unit 6C Dundonald Enterprise Park Carrowreagh Belfast, BT16 1QT Tel 02890 550 202 Fax 02890 550 203 belfast@oneelectrical.com



### Your nearest stockist is;

Add company stamp here

Available from all good wholesalers