



Cable protection solutions
High-quality products for the food and
beverage industry

PMA

Power and productivity
for a better world™



We protect the cables you use during food processing against mechanical and other environmental factors, in a manufacturing sector which has strict requirements for hygiene and cleanliness.

New cable protection solutions for the food industry

The requirements for production equipment used in the food industry are particularly stringent. Our new, easy-to-clean JFBD conduit has been specially developed to meet these requirements. Manufactured using an innovative overextrusion technology, it is the solution you have been looking for. Our conduit lets you run cable looms, bundled and protected, through a tube, minimizing both the risk of fouling and the time and cost involved in cleaning which is usually incurred if cables are openly exposed or run in basket trays.

This new innovative manufacturing technology includes a second production stage which overextrudes a smooth, extremely easy-to-clean coating onto the conduit. The coating meets the FDA's CFR 21 / EU 10/2011 standards (up to 65°C). This innovative combination, consisting of the easy-to-clean surface and the well-proven, highly-flexible, mechanically durable conduit, satisfies the food industry's high requirements in the most effective way.



PMA's JFBD conduit is available by itself or combined with Pflitsch blueglobe CLEAN® Plus cable glands in nominal widths of 12, 17, 23, 29, 36 and 48.

Impressive test results

The JFBD conduit offers reliable protection for cables, not only in the food processing sector, but wherever there are strict requirements for cleanability. The food industry sometimes employs aggressive cleaning agents, conduits must therefore be highly resistant to them. The JFBD's high resistance to cleaning agents has been confirmed by the award of an ECOLAB certificate. We also prepared an info paper for you where we listed all the chemicals our conduit is resistant to. Please check our website for detailed information. When we talk about cleanability, we are not only talking about the cleaning method. It is just as important that after cleaning no residues are left behind. How can we be sure, when there are so many microparticles to be eliminated, which cannot be seen with our eyes? The answer is a Riboflavin test. A fluorescence test, which uses UV light to show evidence of contamination. Here, it is possible to make the invisible visible and allows confirmation of the excellent cleanability of our JFBD over-extruded conduit.

Combining the JFBD conduit with the Pflitsch blueglobe CLEAN® Plus cable gland and the stainless steel P-Clip for reliable fixation, offers end-to-end cable protection solutions for the food production sector. From connection to connection, food residues are denied the cavities, gaps and exposed threads where they might otherwise be deposited and can be easily removed by usual cleaning methods before they settle.


Nominal width	PMA F&B Conduit	Pflitsch F&B Cable gland
NW12	JFBDT-12C01	BG225VACP
NW17	JFBDG-17C01	BG232VACP
NW23	JFBDG-23C01	BG240VACP
NW29	JFBDG-29C01	BG250VA35HTSCP
NW36	JFBDG-36C01	BG263VA43HTSCP
NW48	JFBDG-48C01	BG263VA55HTSCP

Your key benefits:

- High resistance to cleaning agents and chemicals
- Corrosion-resistant, excellent mechanical properties
- Outstanding flexibility combined with tight bending radii
- Efficient, space-saving assembly



From the raw product to the packed foodstuff: PMA cable protection solutions help the food industry to produce cleanly, efficiently and sustainably. For a complete end-to-end solution, a cable glands and a stainless steel P-Clips provides reliable fixation and meets the food and beverage requirements.



Contact us

ABB Switzerland Ltd.

PMA Cable Protection
Aathalstrasse 90 | CH-8610 Uster
Tel. +41 (0)44 905 61 11 | Fax +41 (0)44 905 61 22
pma-info@ch.abb.com | www.pma.ch

PMA Sales offices

Austria
ABB AG | Electrification Products
Clemens-Holzmeister-Strasse 4 | A-1109 Wien
Phone +43 / 1 60109 6530 | Fax +43 / 1 60109 8600
abb.lpvs@at.abb.com | www.pma-at.com

France
ABB France
18, Avenue du Québec | Néflier, Villebon Silic 607
F-91945 Courtaboeuf Cédex
Phone +33 / 169 59 16 66 | Fax +33 / 169 59 16 69
FR-pma.info@fr.abb.com | www.pma.ch

Germany
PMA Deutschland GmbH
Robert-Bosch-Straße 7 | D-97437 Haßfurt
Phone +49 / 9521 957 71-0 | Fax +49 / 9521 957 71-11
pma-de.info@tnb.com | www.pma-de.com

Great Britain
PMA UK Limited
Unit 4 Imperial Court, Magellan Close
Walworth Business Park | Andover, Hampshire, SP10 5NT
Phone +44 / 1264 333527 | Fax +44 / 1264 333643
pma-uk.info@tnb.com | www.pma.ch

Italy
ABB S.P.A.
Via Luciano Lama 33 | IT-20099 Sesto S. Giovanni (MI)
Phone +39 02 2415 0000 | Fax +39 02 2414 8008
contact.center@it.abb.com | www.abb.it/lowvoltage

Spain
Asea Brown Boveri, S.A. | Electrification Products
C/San Romualdo, 13 | ES-28037 Madrid
Phone +34 (0) 915 81 93 93 | Fax +34 (0) 917 54 51 50
ES-PMA_info@abb.com | www.pma.ch

USA
Thomas & Betts Corporation | A Member of the ABB Group
8155 T&B Boulevard | US-Memphis, TN 38125
Phone +1 / 901 252 8000 | Fax +1 / 901 252 1354
elec_custserv@tnb.com | www.tnb.com

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders and/or contracts, the agreed particulars shall prevail. ABB does not accept any responsibility whatsoever for potential errors or possible lack of information in this document. We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilization of its contents – in whole or in parts – is forbidden without prior written consent of ABB.

© Copyright 2015, 2016 ABB. All Rights Reserved.

