


CABLE MANAGEMENT

Parts List



CONTENTS – PARTS LIST


1	Data Trunking	03
1.1	COMPACT data 140x50mm	04
1.2	PROFILA data 180x65mm	07
1.3	Antimicrobial Trunking - COMPACT Data	11
1.4	Antimicrobial Trunking - PROFILA Data,	13
1.5	Bench Trunking	15
2	Perimeter Trunking	19
2.1	PROFILA 2 Two Compartment System 130x50mm	20
2.2	PROFILA 3 Three Compartment System 175x50mm, 220x50mm	25
2.3	Max Routing Trunking	31
3	Other Solutions and Ranges	35
4	Article Number Index	38



REHAU DATA TRUNKING

COMPACT Data

1.1 COMPACT DATA



COMPACT data	
Height/Width	140/50

Main Profile






Base	RAL 9003 Signal White Art.No.	734006	
	Pack/mtr	12	
Top Lid	RAL 9003 Signal White Art.No.	734007	
	Pack/mtr	12	
Main Lid	RAL 9003 Signal White Art.No.	733469-200	
	RAL 7012 Grey Art.No.	733469-777	
	Pack/mtr	12	









Dividers

PVC Divider (3m)	Art.No.	734009	
	Pack/mtr	24	
Steel Divider (2m)	Art.No.	289325	
	Pack/mtr	24	
Cable Separator (2m)	Art.No.	701810	
	Pack/mtr	40	

Corner Sets

External Corner Set	RAL 9003 Signal White Art.No.	288515	
	Cover Dimensions "a" mm	46	
	Base Dimensions "b" mm	23	
	Pack/pc	4	
Internal Corner Set	RAL 9003 Signal White Art.No.	288525	
	Cover Dimensions "a" mm	106	
	Base Dimensions "b" mm	83	
	Pack/pc	4	

COMPACT data			
Height/Width	140/50		
Accessories			
Joint Cover	RAL 9003 Signal White Art.No.	288555	
	Pack/pc	5	
Endcap	RAL 9003 Signal White Art.No.	288565	
	Pack/pc	5	
Lid Spacer	RAL 9003 Signal White Art.No.	766034-001	
	RAL 7012 Grey Art.No.	766034-777	
	Pack/pc	5	
Flat Angle Up & Down	RAL 9003 Signal White Art.No.	288545	
	Base Dimensions "a" mm	138	
	Cover Dimensions "b" mm	190	
	Pack/pc	1	
Tee Piece Up & Down	RAL 9003 Signal White Art.No.	288535	
	Cover Dimensions "a,b" mm	173,207	
	Base Dimensions "a,b" mm	191,238	
	Pack/pc	1	
Adapter Set (base & cover) to PROFILA Data	RAL 9003 Signal White Art.No.	288575	
	Pack/pc	1	
RCD Assembly	RAL 9003 Signal White Art.No.	289315	
	Pack/pc	1	
Dowel / Coupling Clips	Steel Art.No.	265921	
	Pack/pc	100	
Security Rivets	White Art.No.	289585	
	Pack/pc	1000	

		COMPACT data	
Height/Width		140/50	
Adjustable Single Socket 38-50mm (Max. 42mm with COMPACT data)	RAL 9003 Signal White Art.No. Pack/pc	202415 20	
Adjustable Double Socket 38-50mm (Max. 42mm with COMPACT data)	RAL 9003 Signal White Art.No. Pack/pc	202425 10	
Single Socket 25mm	RAL 9010 Pure White Art.No. Pack/pc	242191 20	
Double Socket 25mm	RAL 9010 Pure White Art.No. Pack/pc	242201 10	
Contrasting Socket Module	RAL 7012 Art.No. Pack/pc	205460 20	
Earthing Clip for Steel Separator	Art.No. Pack/pc	726854 20	
Earthing Lead Spade Terminal	Art.No. Pack/pc	727471 10	
Earthing Clip for Spade Terminal	Art.No. Pack/pc	725568 100	

REHAU DATA TRUNKING









PROFILA Data











1.2 PROFILA DATA








PROFILA data	
Width/Height	180/65
Main Profile	
Base	RAL 9003 Signal White Art.No. 733349
Pack/mtr	12
Cover Set - Small & Main Cover	RAL 9003 Signal White Art.No. 733489-001
Pack/mtr	12
Main Cover	RAL 7012 Grey Art.No. 733469-777
Pack/mtr	12
Small Cover	RAL 9003 Signal White Art.No. 733359
Pack/mtr	12
Corner Sets	
Variable Internal Corner Set	RAL 9003 Signal White Art.No. 766004
Base Dimensions "a" mm	110
Cover Dimensions "b" mm	132
Pack/pc	4
Variable External Corner Set	RAL 9003 Signal White Art.No. 766014
Base Dimensions "a" mm	15
Cover Dimensions "b" mm	40
Pack/pc	4
Accessories	
Joint Cover	RAL 9003 Signal White Art.No. 733369
Pack/pc	5
End Cap	RAL 9003 Signal White Art.No. 733379
Pack/pc	5

		PROFILA data	
Width/Height		180/65	
Lid Spacer	RAL 9003 Signal White Art.No.	766034-001	
	RAL 7012 Grey Art.No.	766034-777	
	Pack/pc	5	
Flat Angle Up & Down	RAL 9003 Signal White Art.No.	212670	
	Base Dimensions "a" mm	180	
	Cover Dimensions "b" mm	222	
	Pack/pc	1	
Tee Piece Up & Down	RAL 9003 Signal White Art.No.	212660	
	Base Dimensions "a" mm	180, 180	
	Cover Dimensions "b" mm	260, 218	
	Pack/pc	1	
RCD Housing Assembly	RAL 9003 Signal White Art.No.	766623	
	Pack/pc	1	
Steel Separator Strip 2m	Art.No.	766743	
	Pack/pc	24	
Cable Separator 2m	Art.No.	701810	
	Pack/mtr	40	
Security Rivets	White Art.No.	766026	
	Pack/pc	1000	
Dowel Coupling Pin	Steel Art.No.	265921	
	Pack/pc	100	
Cable Retainer Clip	RAL 9003 Signal White Art.No.	766713	
	Pack/pc	50	





		PROFILA data	
Width/Height		180/65	
Adjustable Single Socket 38-50mm (Max. 46mm with PROFILA data)	RAL 9003 Signal White Art.No.	202415	
	Pack/pc	20	
Adjustable Double Socket 38-50mm (Max. 46mm with PROFILA data)	RAL 9003 Signal White Art.No.	202425	
	Pack/pc	10	
Single Socket 25mm	RAL 9010 Pure White Art.No.	242191	
	Pack/pc	20	
Double Socket 25mm	RAL 9010 Pure White Art.No.	242201	
	Pack/pc	10	
Contrasting Socket Module	RAL7012 Basalt Grey Art.No.	205460	
	Pack/pc	20	
Earthing Clip for Steel Separator	Art.No.	726854	
	Pack/pc	20	
Earthing Lead Spade Terminal	Art.No.	727471	
	Pack/pc	10	
Earthing Clip for Spade Terminal	Art.No.	725568	
	Pack/pc	100	

1.3 ANTIMICROBIAL TRUNKING - COMPACT DATA




COMPACT data			
	Width/Height	140/50	
Base	RAL 9003 Signal White Art.No.	730015-444	
	Pack/mtr	12	
Top Lid	RAL 9003 Signal White Art.No.	730025-444	
	Pack/mtr	12	
Main Lid (White)	RAL 9003 Signal White Art.No.	730035-444	
	Pack/mtr	12	
Main Lid (Grey)	RAL 7012 Basalt Grey Art.No.	730035-777	
	Pack/mtr	12	
External Corner	RAL 9003 Signal White Art.No.	205750-444	
	Pack/pc	4	
Internal Corner	RAL 9003 Signal White Art.No.	205760-444	
	Pack/pc	4	
Tee Piece	RAL 9003 Signal White Art.No.	205770-444	
	Pack/pc	1	
Flat Angle	RAL 9003 Signal White Art.No.	205780-444	
	Pack/pc	1	

COMPACT data			
Width/Height		140/50	
Joint Cover	RAL 9003 Signal White Art.No.	205790-444	
	Pack/mtr	5	
End Cap	RAL 9003 Signal White Art.No.	205800-444	
	Pack/mtr	5	
Contrasting Socket Module	RAL7012 Basalt Grey Art.No.	205460-444	
	Pack/mtr	20	

1.4 ANTIMICROBIAL TRUNKING - PROFILA DATA

		PROFILA data	
Width/Height		180/65	
Base	RAL 9003 Signal White Art.No.	722005-444	
	Pack/mtr	12	
Small Lid	RAL 9003 Signal White Art.No.	722035-444	
	Pack/mtr	12	
Main Lid (White)	RAL 9003 Signal White Art.No.	730035-444	
	Pack/mtr	12	
Main Lid (Grey)	RAL 7012 Basalt Grey Art.No.	730035-777	
	Pack/mtr	12	
External Corner	RAL 9003 Signal White Art.No.	204475-444	
	Pack/pc	4	
Internal Corner	RAL 9003 Signal White Art.No.	204485-444	
	Pack/pc	4	
Tee Piece	RAL 9003 Signal White Art.No.	204495-444	
	Pack/pc	1	
Flat Angle	RAL 9003 Signal White Art.No.	204505-444	
	Pack/pc	1	

		PROFILA data	
Width/Height		180/65	
Joint Cover	RAL 9003 Signal White Art.No.	204515-444	
	Pack/pc	5	
End Cap	RAL 9003 Signal White Art.No.	204525-444	
	Pack/pc	5	
Contrasting Socket Module	RAL7012 Basalt Grey Art.No.	205460-444	
	Pack/pc	20	














REHAU DATA TRUNKING

Bench Trunking

1.5 BENCH TRUNKING

PROFILA Bench Trunking		
Width/Height	180/65	
Antimicrobial as standard		
Profile Set (base and lid)	RAL 9003 Signal White Art.No.	204945
	Pack/mtr	8
Single Endcap Set (left and right)	RAL 9003 Signal White Art.No.	214880
	Pack/pc	10
Twin Endcap	RAL 9003 Signal White Art.No.	215810
	Pack/pc	5
Joint Cover	RAL 9003 Signal White Art.No.	214780
	Pack/pc	5
External Corner (high configuration)	RAL 9003 Signal White Art.No.	214770
	Pack/pc	1
Internal Corner	RAL 9003 Signal White Art.No.	214760
	Pack/pc	1
Single Pod with 1 Gang	RAL 9003 Signal White Art.No.	214840
	Pack/pc	1

PROFILA Bench Trunking			
	Width/Height	180/65	
Single Pod with 2 Gang	RAL 9003 Signal White Art.No.	214850	
	Pack/pc	1	
			
Twin Pod with 1 Gang (high configuration)	RAL 9003 Signal White Art.No.	214860	
	Pack/pc	1	
			
Twin Pod with 2 Gang (high configuration)	RAL 9003 Signal White Art.No.	214870	
	Pack/pc	1	
			
Accessories			
Adjustable Single Socket Box	RAL 9003 Signal White Art.No.	202415	
	Pack/pc	20	
			
Adjustable Double Socket Box	RAL 9003 Signal White Art.No.	202425	
	Pack/pc	10	
			
Contrasting Socket Module	RAL 7012 Basalt Grey Art.No.	205460	
	Pack/pc	20	
			
Cable Separator Single	RAL 9003 Signal White Art.No.	701810	
	Pack/mtr	40	
			
Cable Separator Double	RAL 9003 Signal White Art.No.	726667	
	Pack/mtr	40	
			


PROFILA Bench Trunking			
Width/Height		180/65	
Flange	RAL 9003 Signal White Art.No.	214820	
	Pack/pc	5	
			
RCD Assembly	RAL 9003 Signal White Art.No.	214830	
	Pack/pc	1	
			
Security Rivets	RAL 9003 Signal White Art.No.	289585	
	Pack/pc	100	
			
Security Rivets	RAL 9003 Signal White Art.No.	265921	
	Pack/pc	100	
			

REHAU PERIMETER TRUNKING

PROFILA 2, 3 and MAX Trunking







2.1 PROFILA 2



	PROFILA 2	PROFILA 2
Set	J	K
Height/Width	130x50	130x50



Main Profile

Base Profile	RAL 9010 Pure White Art.No.	732996	732996
	Pack/mtr	12	12
Main Cover	RAL 9010 Pure White Art.No.	732633	732633
	RAL 7012 Grey Art.No.	733469-777	733469-777
	Pack/mtr	12	12
Chamfered Cover	RAL 9010 Pure White Art.No.	-	732603
	Pack/mtr	-	12
Square Cover	RAL 9010 Pure White Art.No.	732613	-
	Pack/mtr	12	-



Moulded Internal Corners

Set J	RAL 9010 Pure White Art.No.	246306	-
	Dimension "a" mm	22	-
	Pack/pc	5	-
Set K	RAL 9010 Pure White Art.No.	-	246316
	Dimension "a" mm	-	22
	Pack/pc	-	5








Moulded External Corners

Set J	RAL 9010 Pure White Art.No.	246276	-
	Dimension "a" mm	75	-
	Pack/pc	5	-
Set K	RAL 9010 Pure White Art.No.	-	246286
	Dimension "a" mm	-	75
	Pack/pc	-	5





	PROFILA 2	PROFILA 2
Set	J	K
Height/Width	130x50	130x50

Fabricated Flat Angles








Base up	RAL 9010 Pure White Art.No.	245936	245936	
	Dimension "a" mm	250	250	
	Pack/pc	1	1	
Base Down	RAL 9010 Pure White Art.No.	245926	245926	
	Dimension "a" mm	250	250	
	Pack/pc	1	1	
Cover Set	RAL 9010 Pure White Art.No.	245896	-	
J Up	Dimension "a,b,c" mm	171,214,300	-	
	Pack/pc	1	-	
Cover Set	RAL 9010 Pure White Art.No.	245866	-	
J Down	Dimension "a,b,c" mm	300,257,171	-	
	Pack/pc	1	-	
Cover Set	RAL 9010 Pure White Art.No.	-	245906	
K Up	Dimension "a,b,c" mm	-	171,214,300	
	Pack/pc	-	1	
Cover Set	RAL 9010 Pure White Art.No.	-	245876	
K Down	Dimension "a,b,c" mm	-	300,257,171	
	Pack/pc	-	1	




Joint Covers

Set J	RAL 9010 Pure White Art.No.	246006	-	
	Pack/pc	5	-	
Set K	RAL 9010 Pure White Art.No.	-	246016	
	Pack/pc	-	5	


	PROFILA 2	PROFILA 2
Set	J	K
Height/Width	130x50	130x50

Accessories

Circuit Breaker Housing	RAL 9010 Pure White Art.No.	242291	242291	
	Pack/pc	1	1	
Lid Spacer	RAL 9010 Pure White Art.No.	242381	242381	
	RAL 7012 Grey Art.No.	766034-777	766034-777	
	Pack/pc	5	5	
Adjustable Single Socket 38-50mm (Max. 38mm with PROFILA 2)	RAL 9003 Signal White Art.No.	202415	202415	
	Pack/pc	20	20	
Adjustable Double Socket 38-50mm (Max. 38mm with PROFILA 2)	RAL 9003 Signal White Art.No.	202425	202425	
	Pack/pc	10	10	
Double Socket Outlet Box 25mm	RAL 9010 Pure White Art.No.	242201	242201	
	Pack/pc	10	10	
Single Socket Outlet Box 25mm	RAL 9010 Pure White Art.No.	242191	242191	
	Pack/pc	20	20	
Contrasting Socket Module	RAL 9010 Pure White Art.No.	205460	205460	
	Pack/pc	20	20	

		PROFILA 2	PROFILA 2
Set		J	K
Height/Width		130x50	130x50
DCrossover Bridge (main)	RAL 9010 Pure White Art.No.	241621	241621
	Pack/pc	5	5
			
Cable Clip (main)	RAL 9010 Pure White Art.No.	241631	241631
	Pack/pc	50	50
			
Cable Clip (square/chamfered)	Art.No.	241641	241641
	Pack/pc	50	50
			





2.2 PROFILA 3



	PROFILA 3	PROFILA 3	PROFILA 3
Set	A	B	D
Height/Width	175x50	175x50	175x50

Main Profile


Base Profile	RAL 9010 Pure White Art.No.	732333	732333	732333
	Pack/mtr	12	12	12
Main Cover	RAL 9010 Pure White Art.No.	732633	732633	732633
	RAL 7012 Grey Art.No.	733469-777	733469-777	733469-777
	Pack/mtr	12	12	12
Chamfered Cover	RAL 9010 Pure White Art.No.	-	732603	732603
	Pack/mtr	-	12	12
Square Cover	RAL 9010 Pure White Art.No.	732613	732613	-
	Pack/mtr	12	12	-



Moulded Internal Corners






Set A	RAL 9010 Pure White Art.No.	241421	-	-
	Dimension "a" mm	22	-	-
	Pack/pc	5	-	-
Set B	RAL 9010 Pure White Art.No.	-	241431	-
	Dimension "a" mm	-	22	-
	Pack/pc	-	5	-




		PROFILA 3	PROFILA 3	PROFILA 3	
Set		A	B	D	
Height/Width		175x50	175x50	175x50	
Set D	RAL 9010 Pure White Art.No.	-	-	241451	
	Dimension "a" mm	-	-	22	
	Pack/pc	-	-	5	
Moulded External Corners					
Set A	RAL 9010 Pure White Art.No.	241481	-	-	
	Dimension "a" mm	75	-	-	
	Pack/pc	5	-	-	
Set B	RAL 9010 Pure White Art.No.	-	241491	-	
	Dimension "a" mm	-	75	-	
	Pack/pc	-	5	-	
Set D	RAL 9010 Pure White Art.No.	-	-	241511	
	Dimension "a" mm	-	-	75	
	Pack/pc	-	-	5	



	PROFILA 3	PROFILA 3	PROFILA 3
Set	A	B	D
Height/Width	175x50	175x50	175x50

Fabricated Flat Angles

Base	RAL 9010 Pure White Art.No.	733233	733233	733233
	Dimension "a" mm	250	250	250
	Pack/pc	1	1	1
				
Set A	RAL 9010 Pure White Art.No.	733243	-	-
	Dimension "a,b,c" mm	127,257,300	-	-
	Pack/pc	1	-	-
				
Set B Up	RAL 9010 Pure White Art.No.	-	733253	-
	Dimension "a,b,c" mm	-	127,257,300	-
	Pack/pc	-	1	-
				
Set B Down	RAL 9010 Pure White Art.No.	-	733263	-
	Dimension "a,b,c" mm	-	300,257,127	-
	Pack/pc	-	1	-
				
Set D	RAL 9010 Pure White Art.No.	-	-	733283
	Dimension "a,b,c" mm	-	-	127,257,300
	Pack/pc	-	-	1
				

Tee Pieces

Tee Piece	RAL 9010 Pure White Art.No.	242925	242925	242925
	Pack/pc	1	1	1
				




		PROFILA 3	PROFILA 3	PROFILA 3	
Set		A	B	D	
Height/Width		175x50	175x50	175x50	
Tee Piece	RAL 9010 Pure White Art.No.	242075	-	-	
Set A	Pack/pc	1	-	-	
Tee Piece	RAL 9010 Pure White Art.No.	-	-	242095	
Set D	Pack/pc	-	-	1	
End Caps					
Set A	RAL 9010 Pure White Art.No.	241361	-	-	
	Pack/pc	5	-	-	
Set B	RAL 9010 Pure White Art.No.	-	241371	-	
Left	Pack/pc	-	5	-	
Set B	RAL 9010 Pure White Art.No.	-	733363	-	
Right	Pack/pc	-	5	-	
Set D	RAL 9010 Pure White Art.No.	-	-	241391	
	Pack/pc	-	-	5	








		PROFILA 3	PROFILA 3	PROFILA 3
Set		A	B	D
Height/Width		175x50	175x50	175x50

Joint Covers


Set A	RAL 9010 Pure White Art.No.	241541	-	-	
	Pack/pc	5	-	-	
Set B	RAL 9010 Pure White Art.No.	-	241551	-	
	Pack/pc	-	5	-	
Set D	RAL 9010 Pure White Art.No.	-	-	241571	
	Pack/pc	-	-	5	









Accessories

Circuit Breaker Housing	RAL 9010 Pure White Art.No.	242291	242291	242291	
	Pack/pc	1	1	1	
Lid Spacer	RAL 9010 Pure White Art.No.	242381	242381	242381	
	RAL 7012 Grey Art.No.	766034-777	766034-777	766034-777	
	Pack/pc	5	5	5	
Adjustable Single Socket 38-50mm (Max. 38mm with PROFILA 3)	RAL 9003 Signal White Art.No.	202415	202415	202415	
	Pack/pc	20	20	20	

		PROFILA 3	PROFILA 3	PROFILA 3	
Set		A	B	D	
Height/Width		175x50	175x50	175x50	
Adjustable Double Socket 38-50mm (Max. 38mm with PROFILA 3)	RAL 9003 Signal White Art.No. Pack/pc	202425 10	202425 10	202425 10	
Double Socket Outlet Box 25mm	RAL 9010 Pure White Art.No. Pack/pc	242201 10	242201 10	242201 10	
Single Socket Outlet Box 25mm	RAL 9010 Pure White Art.No. Pack/pc	242191 20	242191 20	242191 20	
Contrasting Socket Module	RAL 9010 Pure White Art.No. Pack/pc	205460 20	205460 20	205460 20	
DCrossover Bridge (main)	RAL 9010 Pure White Art.No. Pack/pc	241621 5	241621 5	241621 5	
Cable Clip (main)	RAL 9010 Pure White Art.No. Pack/pc	241631 50	241631 50	241631 50	
Cable Clip (square/chamfered)	Grey Art.No. Pack/pc	241641 50	241641 50	241641 50	


2.3 MAX TRUNKING









		MAX 50x50	MAX 75x50	MAX 75x75	
Base & Cover	RAL 9010 Pure White Art.No.	733735	733665	733705	
	Pack/mtr	24	24	24	
Internal Corner (moulded)	RAL 9010 Pure White Art.No.	240166 *	240186 *	240206 **	
	Dimension "a,b" mm	75,24	75,24	100,24	
	Pack/pc	5	5	5	
External Corner (moulded)	RAL 9010 Pure White Art.No.	240176 *	240196 *	240216 **	
	Dimension "a,b" mm	75,24	75,24	100,24	
	Pack/pc	5	5	5	
Internal Corner	RAL 9010 Pure White Art.No.	240386	240396	240406	
	Dimension "a,b" mm	160,147	160,147	135,147	
	Pack/pc	1	1	1	
External Corner	RAL 9010 Pure White Art.No.	240326	240336	240346	
	Dimension "a,b" mm	200,147	200,147	200,147	
	Pack/pc	1	1	1	
Flat Angle	RAL 9010 Pure White Art.No.	240446	240456	240466	
	Dimension "a,b" mm	200,147	200,147	200,147	
	Pack/pc	1	1	1	
Flat Tee	RAL 9010 Pure White Art.No.	240566	240576	240586	
	Dimension "a,b,c,d" mm	270,210,90,60	270,210,90,60	270,210,90,60	
	Pack/pc	1	1	1	
Cable Shelf - 50mm	RAL 9010 Pure White Art.No.	-	733971	-	
	Pack/pc	-	12	-	
End Cap	RAL 9010 Pure White Art.No.	240106	240116	240126	
	Pack/pc	5	5	5	

* Use of standard mouldings is only possible with columns equal to or greater than 120mm deep x 70mm wide.

** Use of standard mouldings is only possible with columns equal to or greater than 145mm deep x 70mm wide.







		MAX	MAX	MAX
	Height/Width	100x50	100x100	150x150
Base & Cover	RAL 9010 Pure White Art.No.	733760	733685	733635
	Pack/mtr	12	12	6
Internal Corner (moulded)	RAL 9010 Pure White Art.No.	240226 *	-	-
	Dimension "a,b" mm	75,24	-	-
	Pack/pc	5	-	-
External Corner (moulded)	RAL 9010 Pure White Art.No.	240236 *	-	-
	Dimension "a,b" mm	75,24	-	-
	Pack/pc	5	-	-
Internal Corner	RAL 9010 Pure White Art.No.	240416	240426	240436 **
	Dimension "a,b" mm	160,147	110,147	160,250
	Pack/pc	1	1	1
External Corner	RAL 9010 Pure White Art.No.	240356	240366	240376 **
	Dimension "a,b" mm	200,147	200,147	250,200
	Pack/pc	1	1	1
Flat Angle	RAL 9010 Pure White Art.No.	240476	240486	240496 **
	Dimension "a,b" mm	200,147	200,147	200,250
	Pack/pc	1	1	1



* Use of standard mouldings is only possible with columns equal to or greater than 120mm deep x 70mm wide.

** Please contact your regional sales office for lead-times.

		MAX	MAX	MAX	
	Height/Width	100x50	100x100	150x150	
Flat Tee	RAL 9010 Pure White Art.No.	240596	240606	240616 **	
	Dimension "a,b,c,d" mm	395,295,150,100	355,255,110,60	355,255,110,60	
	Pack/pc	1	1	1	
Cable Shelf	RAL 9010 Pure White Art.No.	733971 ***	733991 ****	-	
	Pack/pc	12	12	-	
End Cap	RAL 9010 Pure White Art.No.	240136	240146	240156 **	
	Pack/pc	5	5	5	
Cable Retainer	RAL 9010 Pure White Art.No.	240086 *	240086 *	-	
	Pack/pc	10	10	-	
Joint Cover	RAL 9010 Pure White Art.No.	245376	-	-	
	Pack/pc	5	-	-	

* 2 retainers are recommended per running metre.







** Please contact your regional sales office for lead-times.

*** Cable Shelf 50mm.

**** Cable Shelf 100mm.

MAX






Accessories

Single Socket Outlet Box 100/50	RAL 9010 Pure White Art.No.	240256	
35mm	Pack/pc	20	
Double Socket Outlet Box 100/50	RAL 9010 Pure White Art.No.	240246	
35mm	Pack/pc	10	
Single Socket Outlet Box 100/50	RAL 9010 Pure White Art.No.	243371	
35mm	Pack/pc	20	
Double Socket Outlet Box 100/50	RAL 9010 Pure White Art.No.	243391	
25mm	Pack/pc	10	
Coupler	RAL 9010 Pure White Art.No.	248394	
30 x 80 *	Pack/pc	50	
Coupler	RAL 9010 Pure White Art.No.	248404	
50 x 80 **	Pack/mtr	50	


* Coupler 30 x 80 for 50mm depth.

** Coupler 50 x 80 for 75mm and larger depth.

3 OTHER RANGES AVAILABLE

	Trunking Type	Material	Colour	Size
RAUTHERMO 	Fire Resistant Cable Trunking	Galvanised steel casing and non combustible glass fibre protection panels.	Galvanised steel.	30 minute preservation of function. 90 minute fire resistance:
	A Trunking System which offers a high degree of protection both in terms of resistance to fire, and preservation of function in the event of fire.			60 x 50, 110 x 50, 210 x 50, 160 x 105 and 260 x 105 90 minute preservation of function. 120 minute fire resistance: 60 x 60, 110 x 60, 210 x 60, 160 x 105 and 260 x 105
MS 	Low-Profile Mini Trunking	Base & cover - PVC 1309	RAL 9010 (Pure White)	22 x 10 30 x 10, 30 x 10TW 40 x 10TW 50 x 20, 50 x 20TW 75 x 20DT
	Domestic / Small Commercial Trunking			
BE-DIN 	Slotted Panel Wiring System in PVC-U	Base & cover - PVC-U 1309	RAL 7030 (Dark Grey)	25x25, 37.5x37.5, 37.5x50, 50x50, 62.5x50, 37.5x62.5, 50x62.5, 62.5x62.5, 87.5x62.5, 100x62.5, 125x62.5, 25x75, 37.5x75, 50x75, 75x75, 100x75, 125x75, 25x100, 62.5x100, 100x100 with adhesive tape
VF 	Flexible Halogen-Free Wiring Conduit	RAU-PP Halogen-free	RAL 9010 (Pure White)	11 x 9, 20, 30, 40 with or without adhesive tape
	(with or without adhesive tape)			
HF-VK 	Slotted Halogen-Free Panel Wiring System	Base & cover - RAU-PCAB Halogen-free	RAL 7035 (Light Grey)	38 x 38 38 x 50 50 x 50, 50 x 75 75 x 50, 75 x 75 100 x 50, 100 x 75 125 x 75

	Trunking Type	Material	Colour	Size
LEH Halogen Free Trunking				
	Halogen Free Cable Trunking	Profile: PC+ABS648 Self extinguishing classified according to UL94:V-0	RAL 9010 Pure White	20 x 20 45 x 30 60 x 40 60 x 40 twin compartment, 90 x 60 110 x 65 150 x 65
	Offers peace of mind in a wide range of installations. LEH Halogen free trunking has self-extinguishing properties and should be specified where low flammability and minimal release of toxic gases in the event of a fire are essential.	Mouldings: PC+ABS Self extinguishing classified according to UL94:V-0		
SIGNO LIGNUM				
	Commercial aluminium trunking	Based: Brushed Aluminium Lid: Real Wood Veneer		170 x 70
	A stylish new look, made from high grade aluminium with real wood veneer.			
SIGNO BK – PVC-U				
	Commercial PVC trunking	Profile: RAU PVC-U 1309 Self extinguishing classified according to UL94:V-0	RAL 9010 Pure White Over 180 RAL colours available on special order	110 x 70 130 x 70 170 x 70 220 x 70 twin compartment
		Mouldings: PC+ABS Self extinguishing classified according to UL94:V-0		
SIGNO BA – Aluminium				
	Aluminium Trunking Solution	Alloy: EN AW-06 60 T66	Silver anodised Powder coated RAL 9010 - lead time 4 weeks	110 x 70 130 x 70 170 x 70 220 x 70 twin compartment
	Ideal for environments in which a visually yet intrinsically strong system is necessary.			
SIGNO BS – Steel				
	Steel Cable Management System	Galvanised steel in accordance with EN 10142	Silver Galvanised Powder coated RAL 9010 - lead time on request	130 x 70 170 x 70
	An attractive, highly functional and versatile steel trunking system, suitable for the most demanding installations.			

Trunking Type	Material	Colour	Size
Power Poles (3.6mm) and Posts (690mm)			
	Power Poles and Posts Ideal for supplying data cabling to island desk locations.	High grade extruded Aluminium. Powder coated RAL 9010 Pure White	140 x 110 each compartment: 70 mm deep
SL Trunking			
	Slimline Trunking System Suitable for domestic and light commercial installations including hotels and houses. In particular for those faced with the challenge of achieving unobtrusive re-cabling in refurbishment projects.	Cover: PVC-U 1309 Base: PVC-U 1530 RAL 9010 Pure White	70 x 20 110 x 20
MKS Mini-Trunking			
	Mini Trunking System Manufactured from high grade PVC and offers excellent colour stability, available in 5 dimensions. Strong and robust, yet flexible enough to take up any surface irregularities when fitted.	PVC-U 1309 RAL 9010 Pure White	16 x 16 (option adhesive tape) 25 x 16 (option adhesive tape) 38 x 16 38 x 25 (option adhesive tape) 38 x 38
BES Steel Trunking			
	Steel Mini Trunking System Available in different sizes, with the base pre-punched for easier installation.	Powder-coated steel similar to RAL 9010 RAL 9010 Pure White	BES Mini 20 x 20 40 x 20 40 x 40 BES Available from 60 x 40 to 200 x 60
RAUTRIGO Cornice Trunking			
	Mini Cornice Trunking System Ensures discreet concealment of surface wiring in 90° angles. Can be easily painted or papered over, making it perfect for domestic applications	RAU-PVC 1309 Self extinguishing classified according to UL 94: V-0	35 x 35 50 x 50

4 ARTICLE NUMBER INDEX 202415 –246306

Art. No.	Page No.
202415	5, 8, 14, 19, 25
202425	5, 8, 14, 19, 26
204475-444	11
204485-444	11
204495-444	11
204505-444	11
204515-444	12
204525-444	12
204945	13
205460	5, 8, 10, 12, 14, 19, 26
205750	9
205760	9
205770	9
205780	9
205790	10
205800	10
212660	7
212670	7
214760	13
214770	13
214780	13
214820	15
214830	15
214840	13
214850	14
214860	14
214870	14
214880	13
215810	13
240086	29
240106	27
240116	27
240126	27
240136	29
240146	29
240156	29
240166	27
240176	27
240186	27
240196	27
240206	27
240216	27
240226	28
240236	28
240246	30
240256	30
240326	27
240336	27
240346	27
240356	28
240366	28
240376	28
240386	27
240396	27
240406	27
240416	28

Art. No.	Page No.
240426	28
240436	28
240446	27
240456	27
240466	27
240476	28
240486	28
240496	28
240566	27
240576	27
240586	27
240596	29
240606	29
240616	29
241361	24
241371	24
241391	24
241421	21
241431	21
241451	22
241481	22
241491	22
241511	22
241541	25
241551	25
241571	25
241621	20, 26
241631	20, 26
241641	20, 26
242075	24
242095	24
242191	5, 8, 19, 26
242201	5, 8, 19, 26
242291	19, 25
242381	19, 25
242925	23
243371	30
243391	30
245376	29
245866	17
245876	17
245896	17
245906	17
245926	17
245936	17
245946	18
245956	18
246006	17
246016	17
246036	18
246046	18
246056	18
246076	18
246276	16
246286	16
246306	16

ARTICLE NUMBER INDEX 246316 –766743

Art. No.	Page No.
246316	16
246366	18
248394	30
248404	30
265921	4, 7, 15
288515	3
288525	3
288535	4
288545	4
288555	4
288565	4
288575	4
289315	4
289325	3
289585	4, 15
701810	3, 7, 14
722005-444	11
722035-444	11
725568	5, 8
726667	14
726854	5, 8
730015-444	9
730025-444	9
730035-444	9, 11
730035-777	9, 11
732333	21
732603	16, 21
732613	16, 21
732633	16, 21
732996	16
733233	23
733243	23
733253	23
733263	23
733283	23
733349	6
733359	6
733363	24
733369	6
733379	6
733469-200	3
733469-777	3, 6, 21
733489-001	6
733635	28
733665	27
733685	27, 28
733705	27
733735	27
733760	28
733971	27, 29
733991	29
734006	3
734007	3
734009	3
766004	6
766014	6

Art. No.	Page No.
766026	7
766034-001	4, 7
766034-777	4, 7, 19, 25
766623	7
766713	7
766743	7

Follow REHAU Trunking



UK & IRELAND SALES OFFICE

Manchester, Brinell Drive, Irlam, Manchester M44 5BL Phone: 0161 777 7415 Fax: 0161 777 7438

Our verbal and written application engineering advice is based upon experience and the best of our knowledge. However it is to be regarded as non-binding information. Working conditions and use under conditions for which the product was not intended and over which we have no influence exclude any claim resulting from our information. We recommend that a suitable check is made as to whether the REHAU product is suitable for the envisaged purpose. Application, use and processing of the products is carried out beyond the scope of our control and are therefore carried out exclusively at your own responsibility. If liability should still apply, then this is restricted, in the case of all damage, to the value of the goods supplied by us and used by you. Our warranty applies to the consistent quality of our products as per our specification and in accordance with our general terms and conditions of delivery and payment. This document is protected by copyright. All rights based on this are reserved. No part of this publication may be translated, reproduced or transmitted in any form or by any similar means, electronic or mechanical, photocopying, recording or otherwise, or stored in a data retrieval system.