







UNICRIMP®

Electrical Accessories Catalogue - Issue 2

www.unicrimp.com

Welcome to UNICRIMP®



...a comprehensive range of cable accessories.

Unicrimp is the latest new business to emerge from the successful Scolmore Group of companies. Its formation brings to the electrical contracting industry a comprehensive range of cable accessory products.

Launched under the Qcrimp brand name and available exclusively through the electrical wholesale trade, the product offering comprises an extensive range of cable management consumables.

All products within the Qcrimp range are manufactured under stringent quality control systems and are fully compliant with the very latest industry regulations.


The range includes cable ties, crimp terminals, PVC tape, copper tube terminals, cable clips, and brass and nylon glands – providing everything required to harness cable between the consumer unit and the end accessory.

Aligned with the core values of the Scolmore group of companies, Unicrimp will offer the same levels of outstanding customer service, high quality products and commitment to new product development.

Located close to the Group Headquarters in the Midlands, the new Unicrimp distribution centre is ideally located to supply to all areas of the UK.

Email: sales@unicrimp.com **Visit:** www.unicrimp.com

Call: 01827 300600 **Fax:** 01827 300620



05

Pre-Insulated Terminals

Rings, push-ons, spades, blades, butts, pins, heat shrink butts, bullets, available in red, blue & yellow



09

Copper Tube Terminals

Available in a range of sizes with bell mouth cable entry



11

Cable Ties

Nylon and stainless steel cable ties available in a range of sizes and made to the highest of quality



15

Cable Tie Accessories

Eyelets, cradles, 2-way cable tie bases, mounts, earth sleeving



18

Brass Cable Glands

Industrial brass glands in a variety of sizes



20

Nylon Cable Glands

IP68 nylon glands available in a range of sizes and made to the highest of quality



21

Accessories

Quick fit grommets, standard grommets, earth clamps & terminal blocks





PVC Insulating Tapes

General purpose non-migratory plasticised insulation tape supplied in lengths of 20m and 33m with all colours as detailed

22



Cable Clips & Cleats

Available in a range of colours and sizes


23



Lock-Off Kits

Available in 2 different kits

24



Fixings

Tradesman tubs, wall plugs, fixings, bolts, screws, toggles & nuts/washers

25



Regs Books

IET wiring regs book and on-site guide

30



Adhesives

Silicone adhesives, fillers, expanding foams, putty...

31



Tools

Ratchets, crimpers, cutters, strippers and tensioning tools

33



Ring



Part Number	Stud Size	Pack Qty
QRR3	3mm	100
QRR37	3.7mm	100
QRR4	4mm	100
QRR5	5mm	100
QRR6	6mm	100
QRR8	8mm	100
QRR10	10mm	100
QRR12	12mm	100

Cable size range: 0.5-1.5mm sq.
Current rating (max): 19A Voltage (max): 600V

Male Push-on



Part Number	Tab Size mm	Pack Qty
QRPO28M5	2.8mm X 0.5mm	100
QRPO28M8	2.8mm X 0.8mm	100
QRPO48M5	4.8mm X 0.5mm	100
QRPO48M8	4.8mm X 0.8mm	100
QRPO63M	6.3mm X 0.8mm	100

Cable size range: 0.5-1.5mm sq.
Current rating (max): 10A Voltage (max): 600V

Female Push-on



Part Number	Tab Size mm	Pack Qty
QRPO28F5	2.8mm X 0.5mm	100
QRPO28F8	2.8mm X 0.8mm	100
QRPO48F5	4.8mm X 0.5mm	100
QRPO48F8	4.8mm X 0.8mm	100
QRPO63F	6.3mm X 0.8mm	100

Cable size range: 0.5-1.5mm sq.
Current rating (max): 10A Voltage (max): 600V

Butt



Part Number	Pack Qty
QRB	100

Cable size range: 0.5-1.5mm sq.
Current rating (max): 10A Voltage (max): 600V

Push-on Connector



Part Number	Tab Size mm	Pack Qty
QRPOA63	6.3mm	100

Cable size range: 0.5-1.5mm sq. Current rating (max): 10A Voltage (max): 600V

Pin



Part Number	Dia x Length mm	Pack Qty
QRP12	1.9mm X 12mm	100

Cable size range: 0.5-1.5mm sq.
Current rating (max): 19A Voltage (max): 600V



Spade



Part Number	Stud Size	Pack Qty
QRF3	3mm	100
QRF3N	3.5mm	100
QRF4N	4mm	100
QRF5	5mm	100
QRF6	6mm	100

Cable size range: 0.5-1.5mm sq.
Current rating (max): 19A Voltage (max): 600V

Female Push-on Fully Insulated



Part Number	Tab Size mm	Pack Qty
QRFPO28F5	2.8mm X 0.5mm	100
QRFPO28F8	2.8mm X 0.8mm	100
QRFPO48F5	4.8mm X 0.5mm	100
QRFPO48F8	4.8mm X 0.8mm	100
QRFPO63F	6.3mm X 0.8mm	100

Cable size range: 0.5-1.5mm sq.
Current rating (max): 10A Voltage (max): 600V

Blade



Part Number	Dia x Length mm	Pack Qty
QRBL10	2.3mm X 10mm	100
QRBL14	2.3mm X 14mm	100
QRBL18	2.3mm X 18mm	100

Cable size range: 0.5-1.5mm sq.
Current rating (max): 19A Voltage (max): 600V

Heat Shrink Butt



Part Number	Pack Qty
QHSB1	100

Cable size range: 0.5-1.5mm sq.
Current rating (max): 19A Voltage (max): 600V

Male Bullet



Part Number	Bullet Dia mm	Pack Qty
QRAB4M	4mm	100

Cable size range: 0.5-1.5mm sq.
Current rating (max): 10A Voltage (max): 600V

Female Bullet



Part Number	Bullet Dia mm	Pack Qty
QRAB4F	4mm	100

Cable size range: 0.5-1.5mm sq.
Current rating (max): 10A Voltage (max): 600V

Ring



Part Number	Stud Size	Pack Qty
QBR3	3mm	100
QBR37	3.7mm	100
QBR4	4mm	100
QBR5	5mm	100
QBR6	6mm	100
QBR8	8mm	100
QBR10	10mm	100
QBR12	12mm	100

Cable size range: 1.5-2.5mm sq.
Current rating (max): 24A Voltage (max): 600V

Male Push-on



Part Number	Tab Size mm	Pack Qty
QBPO48M5	4.8mm X 0.5mm	100
QBPO48M8	4.8mm X 0.8mm	100
QBPO63M	6.3mm X 0.8mm	100

Cable size range: 1.5-2.5mm sq.
Current rating (max): 15A Voltage (max): 600V

Female Push-on



Part Number	Tab Size mm	Pack Qty
QBPO48F5	4.8mm X 0.5mm	100
QBPO48F8	4.8mm X 0.8mm	100
QBPO63F	6.3mm X 0.8mm	100
QBPO85F	8.5mm X 0.8mm	100

Cable size range: 1.5-2.5mm sq.
Current rating (max): 15A Voltage (max): 600V

Spade



Part Number	Stud Size	Pack Qty
QBF3	3mm	100
QBF3N	3.5mm	100
QBF4N	4mm	100
QBF5	5mm	100
QBF6	6mm	100

Cable size range: 1.5-2.5mm sq.
Current rating (max): 24A Voltage (max): 600V

Female Push-on Fully Insulated



Part Number	Tab Size mm	Pack Qty
QBFPO48F5	4.8mm X 0.5mm	100
QBFPO48F8	4.8mm X 0.8mm	100
QBFPO63F	6.3mm X 0.8mm	100

Cable size range: 1.5-2.5mm sq.
Current rating (max): 15A Voltage (max): 600V

Blade



Part Number	Dia x Length mm	Pack Qty
QBBL9	2.8mm X 9mm	100
QBBL18	2.2mm X 18mm	100

Cable size range: 1.5-2.5mm sq.
Current rating (max): 24A Voltage (max): 600V

Butt



Part Number	Pack Qty
QBB	100

Cable size range: 1.5-2.5mm sq.
Current rating (max): 15A Voltage (max): 600V

Push-on Connector



Part Number	Tab Size mm	Pack Qty
QBPOA63	6.3mm	100

Cable size range: 1.5-2.5mm sq.
Current rating (max): 15A Voltage (max): 600V


Pin



Part Number	Dia x Length mm	Pack Qty
QBP12	1.9mm X 12mm	100

Cable size range: 1.5-2.5mm sq.
Current rating (max): 27A Voltage (max): 600V

Heat Shrink Butt



Part Number	Pack Qty
QHSEB2	100

Cable size range: 1.5-2.5mm sq.
Current rating (max): 27A Voltage (max): 600V


Male Bullet



Part Number	Bullet Dia mm	Pack Qty
QBAB4M	4mm	100
QBAB5M	5mm	100

Cable size range: 1.5-2.5mm sq.
Current rating (max): 15A Voltage (max): 600V

Female Bullet



Part Number	Bullet Dia mm	Pack Qty
QBAB4F	4mm	100
QBAB5F	5mm	100

Cable size range: 1.5-2.5mm sq.
Current rating (max): 15A Voltage (max): 600V

Ring



Part Number	Stud Size	Pack Qty
QYR4	4mm	100
QYR5	5mm	100
QYR6	6mm	100
QYR8	8mm	100
QYR10	10mm	100
QYR12	12mm	100

Cable size range: 2.5-4mm sq.
Current rating (max): 37A Voltage (max): 600V

Male Push-on



Part Number	Tab Size mm	Pack Qty
QYPO63M	6.3mm X 0.8mm	100

Cable size range: 2.5-4mm sq.
Current rating (max): 24A Voltage (max): 600V

Female Push-on



Part Number	Tab Size mm	Pack Qty
QYPO63F	6.3mm X 0.8mm	100
QYPO95F	9.4mm X 1.2mm	100

Cable size range: 2.5-4mm sq.
Current rating (max): 24A Voltage (max): 600V

Spade



Part Number	Stud Size	Pack Qty
QYF3N	3.5mm	100
QYF4N	4mm	100
QYF5	5mm	100
QYF6	6mm	100

Cable size range: 2.5-4mm sq.
Current rating (max): 37A Voltage (max): 600V

Female Push-on Fully Insulated



Part Number	Tab Size mm	Pack Qty
QYFPO63F	6.3mm X 0.8mm	100
QYFPO95F	9.4mm X 1.2mm	100

Cable size range: 2.5-4mm sq.
Current rating (max): 24A Voltage (max): 600V

Blade



Part Number	Dia x Length mm	Pack Qty
QYBL10	2.8mm X 10mm	100
QYBL18	4.5mm X 18mm	100

Cable size range: 2.5-4mm sq.
Current rating (max): 37A Voltage (max): 600V

Butt



Part Number	Pack Qty
QYB	100

Cable size range: 2.5-4mm sq.
Current rating (max): 24A Voltage (max): 600V

Push-on Connector



Part Number	Tab Size mm	Pack Qty
QYPOA63	6.3mm	100

Cable size range: 2.5-4mm sq.
Current rating (max): 24A Voltage (max): 600V

Pin



Part Number	Dia x Length mm	Pack Qty
QYP14	2.9mm X 14mm	100

Cable size range: 2.5-4mm sq.
Current rating (max): 37A Voltage (max): 600V

Heat Shrink Butt



Part Number	Pack Qty
QHSB5	100

Cable size range: 2.5-4mm sq.
Current rating (max): 37A Voltage (max): 600V

Male Bullet



Part Number	Bullet Dia mm	Pack Qty
QYAB5M	5mm	100

Cable size range: 2.5-4mm sq.
Current rating (max): 24A Voltage (max): 600V

Female Bullet




Part Number	Bullet Dia mm	Pack Qty
QYAB5F	5mm	100

Cable size range: 2.5-4mm sq.
Current rating (max): 24A Voltage (max): 600V

Copper Tube Terminals

Specification Requirements

- Finish: Electro tinned
- Copper conductivity to 97% IACS
- Copper tube double annealed
- All terminals up to 240mm² will have bell mouth cable entrance
- Working temperature up to 180°C (Standard)
- Working temperature with nickel plating up to 350°C (Special)



Part Number	Cable Size sq mm	Stud Size mm dia	ØA	B	D	ØE	F	G	H	J	K	Pack Qty
QCT015-3	1.5mm	3mm	1.8mm	5mm	8mm	3.2mm	1mm	4mm	5mm	16mm	2mm	25
QCT015-4	1.5mm	4mm	1.8mm	5mm	8mm	4.2mm	1mm	4mm	5mm	16mm	2mm	25
QCT015-5	1.5mm	5mm	1.8mm	5mm	8mm	5.2mm	1mm	4mm	5mm	16mm	2mm	25
QCT025-3	2.5mm	3mm	2.4mm	7mm	8mm	3.2mm	1mm	4mm	5mm	18mm	2mm	25
QCT025-4	2.5mm	4mm	2.4mm	7mm	8mm	4.2mm	1mm	4mm	5mm	18mm	2mm	25
QCT025-5	2.5mm	5mm	2.4mm	7mm	10mm	5.2mm	0.8mm	4mm	6mm	20mm	2mm	25
QCT025-6	2.5mm	6mm	2.4mm	7mm	10mm	6.5mm	0.8mm	4mm	9mm	21.5mm	1.5mm	25
QCT04-6	4mm	6mm	3.1mm	7mm	4.8mm	6.5mm	1.1mm	5mm	6mm	20mm	2mm	25
QCT04-8	4mm	8mm	3.1mm	7mm	12mm	8.2mm	1mm	6mm	9mm	24mm	2mm	25
QCT04-10	4mm	10mm	3.1mm	7mm	15mm	10.2mm	0.8mm	8mm	11mm	28mm	2mm	25
QCT06-4	6mm	4mm	3.8mm	9mm	10mm	4.2mm	1.2mm	5mm	6mm	23mm	3mm	25
QCT06-5	6mm	5mm	3.8mm	9mm	10mm	5.2mm	1.2mm	5mm	6mm	23mm	3mm	25
QCT06-6	6mm	6mm	3.8mm	9mm	12mm	6.5mm	1mm	6mm	9mm	27mm	3mm	25
QCT06-8	6mm	8mm	3.8mm	9mm	12mm	8.4mm	1mm	6mm	9mm	27mm	3mm	25
QCT06-10	6mm	10mm	3.8mm	9mm	15mm	10.2mm	1mm	8mm	11mm	31mm	3mm	25
QCT10-5	10mm	5mm	4.5mm	12mm	8.7mm	5.2mm	1.42mm	4mm	5mm	24mm	3mm	10
QCT10-6	10mm	6mm	4.5mm	12mm	12mm	6.2mm	1.3mm	5mm	6mm	26mm	3mm	10
QCT10-8	10mm	8mm	4.5mm	12mm	12mm	8.4mm	1.03mm	6mm	9mm	30mm	3mm	10
QCT10-10	10mm	10mm	4.5mm	12mm	19mm	10.5mm	1.8mm	10mm	10mm	35mm	3mm	10
QCT10-12	10mm	12mm	4.5mm	12mm	19mm	13mm	1.8mm	12mm	12mm	39mm	3mm	10
QCT16-6	16mm	6mm	5.5mm	15mm	11mm	6.5mm	1.4mm	5mm	9mm	33mm	4mm	10
QCT16-8	16mm	8mm	5.5mm	15mm	11mm	8.4mm	1.31mm	6mm	9mm	34mm	4mm	10
QCT16-10	16mm	10mm	5.5mm	15mm	19mm	10.3mm	1.8mm	10mm	10mm	39mm	4mm	10
QCT16-12	16mm	12mm	5.5mm	15mm	19mm	13mm	1.8mm	12mm	12mm	43mm	4mm	10
QCT25-5	25mm	5mm	7mm	15mm	12.6mm	5.2mm	2mm	5mm	6mm	30mm	4mm	5
QCT25-6	25mm	6mm	7mm	15mm	12.6mm	6.5mm	2mm	5mm	6mm	30mm	4mm	5
QCT25-8	25mm	8mm	7mm	15mm	16mm	8.4mm	1.6mm	6mm	9mm	34mm	4mm	5
QCT25-10	25mm	10mm	7mm	15mm	17.5mm	10.5mm	1.5mm	10mm	10mm	39mm	4mm	5
QCT25-12	25mm	12mm	7mm	15mm	17.5mm	13mm	1.5mm	12mm	12mm	43mm	4mm	5
QCT35-6	35mm	6mm	8.6mm	18mm	15.7mm	6.4mm	2.2mm	8mm	8mm	39mm	5mm	5
QCT35-8	35mm	8mm	8.6mm	18mm	15.7mm	8.4mm	2.2mm	8mm	8mm	39mm	5mm	5
QCT35-10	35mm	10mm	8.6mm	18mm	16.2mm	10.5mm	2mm	9mm	11mm	43mm	5mm	5
QCT35-12	35mm	12mm	8.6mm	18mm	18mm	13mm	1.8mm	9.2mm	10.8mm	43mm	5mm	5
QCT50-6	50mm	6mm	9.6mm	23mm	17.4mm	6.4mm	2.4mm	8.5mm	8.5mm	46mm	6mm	5
QCT50-8	50mm	8mm	9.6mm	23mm	17.4mm	8.4mm	2.4mm	8.5mm	8.5mm	46mm	6mm	5
QCT50-10	50mm	10mm	9.6mm	23mm	17.4mm	10.5mm	2.4mm	10mm	10mm	49mm	6mm	5
QCT50-12	50mm	12mm	9.6mm	23mm	17.2mm	13mm	2.4mm	12mm	13mm	54mm	6mm	5

Copper Tube Terminals

Part Number	Cable Size sq mm	Stud Size mm dia	ØA	B	D	ØE	F	G	H	J	K	Pack Qty
QCT70-6	70mm	6mm	11.2mm	23mm	22mm	6.5mm	3mm	11mm	13mm	53mm	6mm	5
QCT70-8	70mm	8mm	11.2mm	23mm	22mm	8.4mm	3mm	11mm	11mm	52mm	7mm	5
QCT70-10	70mm	10mm	11.2mm	23mm	21.5mm	10.5mm	3mm	11mm	11mm	52mm	7mm	5
QCT70-12	70mm	12mm	11.2mm	23mm	21.5mm	13mm	3mm	11mm	11mm	52mm	7mm	5
QCT70-14	70mm	14mm	11.2mm	23mm	25mm	15mm	3mm	12.5mm	12.5mm	55mm	7mm	5
QCT95-8	95mm	8mm	13.5mm	30mm	21.5mm	8.4mm	3.9mm	12mm	12mm	63mm	9mm	5
QCT95-10	95mm	10mm	13.5mm	30mm	25mm	10.5mm	3.9mm	12mm	12mm	63mm	9mm	5
QCT95-12	95mm	12mm	13.5mm	30mm	25mm	13mm	3.9mm	12mm	12mm	63mm	9mm	5
QCT95-14	95mm	14mm	13.5mm	30mm	28mm	4.7mm	3.9mm	14mm	14mm	67mm	9mm	5
QCT95-16	95mm	16mm	13.5mm	30mm	28mm	17mm	3.9mm	16mm	16mm	71mm	9mm	5
QCT120-8	120mm	8mm	15mm	25mm	27.5mm	8.4mm	3.9mm	12mm	12mm	59mm	10mm	5
QCT120-10	120mm	10mm	15mm	25mm	27.5mm	10.5mm	3.9mm	12mm	12mm	59mm	10mm	5
QCT120-12	120mm	12mm	15mm	25mm	27.5mm	13mm	3.9mm	12mm	12mm	59mm	10mm	5
QCT120-14	120mm	14mm	15mm	25mm	27.5mm	15mm	3.9mm	15mm	15mm	65mm	10mm	5
QCT120-16	120mm	16mm	15mm	25mm	27.5mm	17mm	3.9mm	15mm	15mm	65mm	10mm	5
QCT150-8	150mm	8mm	16.5mm	26mm	30mm	8.4mm	4.38mm	14mm	14mm	65mm	11mm	5
QCT150-10	150mm	10mm	16.5mm	26mm	30mm	10.5mm	4.38mm	14mm	14mm	65mm	11mm	5
QCT150-12	150mm	12mm	16.5mm	26mm	30mm	13mm	4.38mm	14mm	14mm	65mm	11mm	5
QCT150-14	150mm	14mm	16.5mm	27mm	30mm	15mm	4.38mm	14mm	14mm	69mm	11mm	5
QCT150-16	150mm	16mm	16.5mm	27mm	30mm	17mm	4.38mm	16mm	16mm	77mm	11mm	5
QCT150-20	150mm	20mm	16.5mm	27mm	30mm	21mm	4.38mm	17mm	20mm	77mm	11mm	5
QCT185-10	185mm	10mm	19mm	30mm	34mm	10.5mm	4mm	14mm	14mm	68mm	12mm	5
QCT185-12	185mm	12mm	19mm	30mm	34mm	13mm	4mm	14mm	14mm	68mm	12mm	5
QCT185-14	185mm	14mm	19mm	30mm	34mm	15mm	4mm	14mm	14mm	68mm	12mm	5
QCT185-16	185mm	16mm	19mm	28mm	34mm	17mm	4mm	16mm	16mm	72mm	12mm	5
QCT185-20	185mm	20mm	19mm	28mm	34mm	21mm	4mm	18mm	18mm	76mm	12mm	5
QCT240-10	240mm	10mm	21mm	33mm	37.6mm	10.5mm	5mm	15mm	15mm	77mm	14mm	5
QCT240-12	240mm	12mm	21mm	33mm	37.6mm	13mm	5mm	15mm	15mm	77mm	14mm	5
QCT240-14	240mm	14mm	21mm	33mm	37.6mm	15mm	5mm	15mm	15mm	77mm	14mm	5
QCT240-16	240mm	16mm	21mm	33mm	37.6mm	17mm	5mm	19mm	19mm	85mm	14mm	5

Copper Tube Butt Splices



Part Number	Description	Length	Width	Max. Dia.	Pack Qty
QB1-5	Copper Butt Splice Terminal 1.5 mm	12mm	1.8mm	3.7mm	25
QB2-5	Copper Butt Splice Terminal 2.5 mm	15mm	2.3mm	4mm	25
QB4-6	Copper Butt Splice Terminal 4-6 mm	15mm	3.8mm	5.5mm	25
QB10	Copper Butt Splice Terminal 10 mm	20mm	4.5mm	6mm	10
QB16	Copper Butt Splice Terminal 16 mm	20mm	5.5mm	6.8mm	10
QB25	Copper Butt Splice Terminal 25 mm	32mm	6.8mm	8.8mm	5
QB35	Copper Butt Splice Terminal 35 mm	36mm	8.6mm	10.8mm	5
QB50	Copper Butt Splice Terminal 50 mm	40mm	9.6mm	12mm	5
QB70	Copper Butt Splice Terminal 70 mm	40mm	11.2mm	14.7mm	5
QB95	Copper Butt Splice Terminal 95 mm	45mm	13.5mm	17.5mm	5
QB120	Copper Butt Splice Terminal 120 mm	45mm	15mm	19mm	5
QB150	Copper Butt Splice Terminal 150 mm	55mm	16.5mm	21mm	5
QB185	Copper Butt Splice Terminal 185 mm	65mm	19mm	23.5mm	5
QB240	Copper Butt Splice Terminal 240 mm	80mm	21mm	26mm	5

Note 1

Blank terminal palms are available from 10mm² to 240mm².

Note 2

When using flexible fine strand or welding cable it may be necessary to select the next larger terminal size, i.e. 70mm² fine strand, select 95mm² terminal.

Cable Ties

Unicrimp Cable Ties are produced on multi-impression tools which mould complete one piece ties with no metal parts.

They are manufactured from tough durable Nylon 6/6 which has been tested to underwriters laboratory UL94V2. The material is zero halogenated and also has a low smoke and fume capability when compared with materials such as PVC, PP, PE, ABS, POM, ect. The classified oxygen index at max 28% dry is considered excellent in halogen free and L.S.F. situations.

These specifications include for the performance testing requirements with regard to flammability, tensile strength, vibration, corrosion, etc., and in most cases exceed the

recommendations. The ties can be tensioned by hand or by the use of applied tensioning tools.

The colour shade of the standard ties is natural nylon or black, but other colours are available to special order. Black cable ties are recommended for general outdoor use and have a highly durable resistance to Ultra Violet Light.

Due to the variation in requirement for this type of application the cable ties can be manufactured from higher performance Nylon 6/6 with intensive weather resistance qualities. All general specification details are incorporated as indicated in Table 'A' and for any additional information please contact our offices.

Table A		Test Method
Material	Nylon 6/6	
Working Temperature Range	-40°C to 85°	
UL Flammability Rating	UL94	V2
Oxygen Index	25% - 28%	
Smoke Density	Flaming 35 Non Flaming 13	
Water Absorption (24 hours)	1.3%	

Loop Tensile Strength (kgs)	
Miniature	8.1kgs
Intermediate	18.2kgs
Standard	22.2kgs
Light Heavy	54.5kgs
Heavy	79.4kgs
Extra Heavy	113.5kgs



Miniature Range

Part Number	Colour	Length	Width	Max. Dia.	Min. Strength	Pack Qty
QT80M	Natural	80mm	2.5mm	14mm	8.1kg	100
QTB80M	Black	80mm	2.5mm	14mm	8.1kg	100
QT100M	Natural	100mm	2.5mm	20mm	8.1kg	100
QTB100M	Black	100mm	2.5mm	20mm	8.1kg	100
QTR100M	Red	100mm	2.5mm	20mm	8.1kg	100
QTBL100M	Blue	100mm	2.5mm	20mm	8.1kg	100
QTY100M	Yellow	100mm	2.5mm	20mm	8.1kg	100
QTG100M	Green	100mm	2.5mm	20mm	8.1kg	100
QT120M	Natural	120mm	2.5mm	24mm	8.1kg	100
QTB120M	Black	120mm	2.5mm	24mm	8.1kg	100
QT140MP	Natural	140mm	2.3mm	30mm	8kg	100
QT165M	Natural	165mm	2.5mm	36mm	8.1kg	100
QTB165M	Black	165mm	2.5mm	36mm	8.1kg	100
QT200M	Natural	200mm	2.5mm	50mm	8.1kg	100
QTB200M	Black	200mm	2.5mm	50mm	8.1kg	100

Intermediate Range

3.2mm
^
3.6mm



Part Number	Colour	Length	Width	Max. Dia.	Min. Strength	Pack Qty
QTB140MP	Black	140mm	3.2mm	30mm	8kg	100
QT150I	Natural	150mm	3.6mm	30mm	18.2kg	100
QTB150I	Black	150mm	3.6mm	30mm	18.2kg	100
QTR150I	Red	150mm	3.6mm	30mm	18.2kg	100
QTB150I	Blue	150mm	3.6mm	30mm	18.2kg	100
QTY150I	Yellow	150mm	3.6mm	30mm	18.2kg	100
QTG150I	Green	150mm	3.6mm	30mm	18.2kg	100
QT180IP	Natural	180mm	3.2mm	40mm	18kg	100
QTB180IP	Black	180mm	3.2mm	40mm	18kg	100
QT200I	Natural	200mm	3.6mm	50mm	18.2kg	100
QTB200I	Black	200mm	3.6mm	50mm	18.2kg	100
QT290I	Natural	290mm	3.6mm	75mm	18.2kg	100
QTB290I	Black	290mm	3.6mm	75mm	18.2kg	100
QT370I	Natural	370mm	3.6mm	100mm	18.2kg	100
QTB370I	Black	370mm	3.6mm	100mm	18.2kg	100

Standard Range

4.5mm
^
4.8mm



Part Number	Colour	Length	Width	Max. Dia.	Min. Strength	Pack Qty
QT120S	Natural	120mm	4.8mm	24mm	22.2kg	100
QTB120S	Black	120mm	4.8mm	24mm	22.2kg	100
QT160S	Cable Tie	160mm	4.8mm	36mm	22.2kg	100
QTB160S	Black	160mm	4.8mm	36mm	22.2kg	100
QT190S	Cable Tie	190mm	4.8mm	45mm	22.2kg	100
QTB190S	Black	190mm	4.8mm	45mm	22.2kg	100
QT200S	Natural	200mm	4.8mm	50mm	22.2kg	100
QTR200S	Red	200mm	4.8mm	50mm	22.2kg	100
QTB200S	Blue	200mm	4.8mm	50mm	22.2kg	100
QTY200S	Yellow	200mm	4.8mm	50mm	22.2kg	100
QTG200S	Green	200mm	4.8mm	50mm	22.2kg	100
QTB200S	Black	200mm	4.8mm	50mm	22.2kg	100
QT250S	Natural	250mm	4.8mm	70mm	22.2kg	100
QTB250S	Black	250mm	4.8mm	70mm	22.2kg	100
QT300SP	Natural	300mm	4.5mm	75mm	22kg	100
QTB300SP	Black	300mm	4.5mm	75mm	22kg	100
QT300S	Natural	300mm	4.8mm	75mm	22.2kg	100
QTB300S	Black	300mm	4.8mm	75mm	22.2kg	100
QTR300S	Red	300mm	4.8mm	75mm	22.2kg	100
QTB300S	Blue	300mm	4.8mm	75mm	22.2kg	100
QTY300S	Yellow	300mm	4.8mm	75mm	22.2kg	100
QTG300S	Green	300mm	4.8mm	75mm	22.2kg	100
QTS300S	Silver	300mm	4.8mm	75mm	22.2kg	100
QT370SP	Natural	368mm	4.5mm	95mm	22kg	100
QTB370SP	Black	368mm	4.5mm	95mm	22kg	100
QT370S	Natural	370mm	4.8mm	100mm	22.2kg	100
QTB370S	Black	370mm	4.8mm	100mm	22.2kg	100
QTR370S	Red	370mm	4.8mm	100mm	22.2kg	100
QTB370S	Blue	370mm	4.8mm	100mm	22.2kg	100
QTY370S	Yellow	370mm	4.8mm	100mm	22.2kg	100
QTG370S	Green	370mm	4.8mm	100mm	22.2kg	100
QTS370S	Silver	370mm	4.8mm	100mm	22.2kg	100
QT430S	Natural	430mm	4.8mm	115mm	22.2kg	100
QTB430S	Black	430mm	4.8mm	115mm	22.2kg	100

Extra Wide Ties



The Unicrimp range of heavy duty cable ties are designed for applications that require combined high strength fixing and a positive locking capability. They are particularly suitable in difficult situations frequently found in Petro Chemical or Marine Industries.

They are available in two colours natural or black. See Table A (page 11) for full specification of nylon material.



Light Heavy Range

Part Number	Colour	Length	Width	Max. Dia.	Min. Strength	Pack Qty
QT150LH	Natural	150mm	7.6mm	36mm	54.5kg	100
QTB150LH	Black	150mm	7.6mm	36mm	54.5kg	100
QT200LH	Natural	200mm	7.6mm	50mm	54.5kg	100
QTB200LH	Black	200mm	7.6mm	50mm	54.5kg	100
QT300LH	Natural	300mm	7.6mm	80mm	54.5kg	100
QTB300LH	Black	300mm	7.6mm	80mm	54.5kg	100
QT370LHP	Natural	368mm	7.2mm	95mm	53kg	100
QTB370LHP	Black	368mm	7.2mm	95mm	53kg	100
QT370LH	Natural	370mm	7.6mm	105mm	54.5kg	100
QTB370LH	Black	370mm	7.6mm	105mm	54.5kg	100



Heavy Range

Part Number	Colour	Length	Width	Max. Dia.	Min. Strength	Pack Qty
QT450H	Natural	450mm	8mm	115mm	62kg	100
QTB450H	Black	450mm	8mm	115mm	62kg	100
QT550H	Natural	550mm	8mm	140mm	62kg	100
QTB550H	Black	550mm	8mm	140mm	62kg	100
QT760H	Natural	760mm	9mm	190mm	79.4kg	100
QTB760H	Black	760mm	9mm	190mm	79.4kg	100
QT810H	Natural	810mm	9mm	230mm	79.4kg	100
QTB810H	Black	810mm	9mm	230mm	79.4kg	100



Extra Heavy Range

Part Number	Colour	Length	Width	Max. Dia.	Min. Strength	Pack Qty
QT230XH	Natural	230mm	12.7mm	50mm	113.5kg	100
QTB230XH	Black	230mm	12.7mm	50mm	113.5kg	100
QT280XH	Natural	280mm	12.7mm	70mm	113.5kg	100
QTB280XH	Black	280mm	12.7mm	70mm	113.5kg	100
QT380XH	Natural	380mm	12.7mm	100mm	113.5kg	100
QTB380XH	Black	380mm	12.7mm	100mm	113.5kg	100
QT480XH	Natural	480mm	12.7mm	130mm	113.5kg	100
QTB480XH	Black	480mm	12.7mm	130mm	113.5kg	100
QT550XH	Natural	550mm	12.7mm	150mm	113.5kg	100
QTB550XH	Black	550mm	12.7mm	150mm	113.5kg	100
QT730XH	Natural	730mm	12.7mm	185mm	113.5kg	100
QTB730XH	Black	730mm	12.7mm	185mm	113.5kg	100
QT880XH	Natural	880mm	12.7mm	250mm	113.5kg	100
QTB880XH	Black	880mm	12.7mm	250mm	113.5kg	100
QT1030XH	Natural	1030mm	12.7mm	310mm	113.5kg	100
QTB1030XH	Black	1030mm	12.7mm	310mm	113.5kg	100

Releasable Ties



Releasable cable ties, designed to facilitate routine changes and repairs. Press tab for easy removal. Mountable head cable ties used to secure bundled harnesses to panels. They may also be pre mounted to existing installation before final assembly.

See 'Table A' on page 11 for full specification of nylon material.



Part Number	Colour	Length	Width	Max. Dia.	Min. Strength	Pack Qty
QT200RE	Natural	200mm	4.8mm	50mm	22.2kg	100
QTB200RE	Black	200mm	4.8mm	50mm	22.2kg	100
QT300RE	Natural	300mm	4.8mm	83mm	22.2kg	100
QTB300RE	Black	300mm	4.8mm	83mm	22.2kg	100
QT370RE	Natural	370mm	4.8mm	96mm	22.2kg	100
QTB370RE	Black	370mm	4.8mm	96mm	22.2kg	100


Stainless Steel Roller Ball Cable Ties



- Made from 316 grade steel
- Minimum loop tensile strength 4.6mm wide = 44kg
- Minimum loop tensile strength 7.9mm wide = 110kg

Dimension A Nominal
Dimension B + -0.4mm
Dimension C + -0.04mm

Dimension D Nominal
Dimension E Nominal




Part Number	A	B	C	D	E	Max. Dia.	Pack Qty
QSST150S	150mm	4.6mm	0.25mm	6.4mm	4mm	35mm	100
QSST200S	200mm	4.6mm	0.25mm	6.4mm	4mm	50mm	100
QSST300S	300mm	4.6mm	0.25mm	6.4mm	4mm	83mm	100
QSST360S	370mm	4.6mm	0.25mm	6.4mm	4mm	100mm	100
QSST520S	520mm	4.6mm	0.25mm	6.4mm	4mm	150mm	100
QSST300LH	300mm	7.9mm	0.25mm	10.6mm	5.4mm	83mm	100
QSST360LH	360mm	7.9mm	0.25mm	10.6mm	5.4mm	100mm	100
QSST520LH	520mm	7.9mm	0.25mm	10.6mm	5.4mm	150mm	50
QSST840LH	840mm	7.9mm	0.25mm	10.6mm	5.4mm	250mm	50

Accessories


Unicrimp accessories are designed to incorporate the majority of features applicable to the positioning of cable ties. Self adhesive bases, cradles, eyelets and clamps are supplied and manufactured from A.B.S. or Nylon 6/6 material. In case of self adhesive components the adhesive pads themselves have a base synthetic rubber foundation which when applied gives a high permanent bond to most surfaces. On all applications a dual option of bolt fixings is designed into the base as a preference if required.

Eyelets




Part Number	Colour	A	B	C	F	H	Max. Dia.	Pack Qty
QTE	Natural	9.5mm	19mm	4.3mm	5mm	5mm	5mm	100
QTBE	Black	9.5mm	19mm	4.3mm	5mm	5mm	5mm	100

Cradles



Part Number	Colour	A	B	C	F	H	Max. Dia.	Pack Qty
QTC	Natural	16mm	23mm	5mm	9mm	9.8mm	9mm	100
QTBC	Black	16mm	23mm	5mm	9mm	9.8mm	9mm	100


2-Way Cable Tie Base



Part Number	Colour	A	B	C	F	H	Max. Dia.	Pack Qty
QTB12	Natural	18.9mm	18.9mm	4.8mm	4.2mm	4.6mm	3.6mm	100
QTB12	Black	18.9mm	18.9mm	4.8mm	4.2mm	4.6mm	3.6mm	100
QTB22	Natural	26.3mm	26.3mm	5mm	5.6mm	6mm	5.6mm	100
QTB22	Black	26.3mm	26.3mm	5mm	5.6mm	6mm	5.6mm	100


Mounts

- Designed for heavy duty harnessing applications
- Self adhesive
- Provides fast, strong mounting system for securing cables




Part Number	Colour	A	B	C	D	Pack Qty
QTM5	Natural	19mm	10mm	4.9mm	4.9mm	100
QTM5	Black	19mm	10mm	4.9mm	4.9mm	100
QTM11	Natural	26.8mm	12.3mm	8.3mm	11mm	100
QTM11	Black	26.8mm	12.3mm	8.3mm	11mm	100
QTM17	Natural	25.5mm	15.8mm	13.3mm	17mm	100
QTM17	Black	25.5mm	15.8mm	13.3mm	17mm	100

Wall Plug Mount



Part Number	Description	A	B	Pack Qty
QMM9	Wall Plug Mount Masonry Fixing For Cable Ties	9.5mm	42.6mm	100

Heat Shrink Sleeving



All heat shrink packs contain brown, green/yellow, blue, black, and grey sleeving.

Part Number	Description	Length	Pack Qty
QHS6MPKIT	Heat Shrink Pack 6.4mm x 1m	1m	1
QHS12MPKIT	Heat Shrink Pack 12.8mm x 1m	1m	1
QHS19MPKIT	Heat Shrink Pack 19.1mm x 1m	1m	1

Sleeving



Part Number	Description	Colour	Pack Qty
QES2	Green/ Yellow PVC Earth Sleeving 100m x 2mm	Green/Yellow	1
QES3	Green/ Yellow PVC Earth Sleeving 100m x 3mm	Green/Yellow	1
QES4	Green/ Yellow PVC Earth Sleeving 100m x 4mm	Green/Yellow	1
QES5	Green/ Yellow PVC Earth Sleeving 100m x 5mm	Green/Yellow	1

QES2BL	Blue PVC Sleeving 100m x 2mm	Blue	1
QES3BL	Blue PVC Sleeving 100m x 3mm	Blue	1
QES4BL	Blue PVC Sleeving 100m x 4mm	Blue	1


QES2BR	Brown PVC Sleeving 100m x 2mm	Brown	1
QES3BR	Brown PVC Sleeving 100m x 3mm	Brown	1
QES4BR	Brown PVC Sleeving 100m x 4mm	Brown	1

Cable Gland Selection Chart

The gland sizes recommended in this chart are for guidance only and are based on cables manufactured to BS 5467. Actual cable dimensions must be used for gland selection.

Cable Size	Single Core	2 Core	3 Core	4 Core	Number Of Cores							
					5	7	10	12	19	27	37	48
1.5	-	20S	20S	20S	20S	20	20	25	25	32	32	32
2.5	-	20S	20S	20S	20	20	25	25	25	32	40	40
4.0	-	20S	20S	20	20	20	25	25	32	40	40	50
6.0	-	20	20	20	20							
10.0	-	20	20	25	25							
16.0	-	25	25	25	25							
25.0	-	25	32	32	32							
35.0	-	32	32	32	40							
50.0	20	25	32	32	50							
70.0	20	32	32	40	50							
95.0	25	32	40	50S								
120	25	40	50S	50								
150	32	40	50S	50								
185	32	50S	50	63S								
240	32	50	63S	63								
300	40	63S	63	75S								
400	40	63S	75S	75								

Due to cable diameter variances between manufacturers, we strongly advise the cable diameter is checked where possible, prior to purchasing the products.




AE1W Industrial Brass Glands

Part Number	Description	Gland Size D	Std. Entry Thread (E)	Min Thread Length	Cable Dia. Max (A)	Cable Dia. Max (B)	Armour Wire Dia. (C)	Pack Qty
QAE1W20	AE1W Brass Gland 20mm	20	20mm	10mm	13.9mm	15/20.9mm	0.9/1.25mm	2
QAE1W20S	AE1W Brass Gland 20mm	20s	20mm	10mm	11.6mm	11.4/15.9mm	0.9/1.25mm	2
QAE1W25	AE1W Brass Gland 25mm	25	25mm	10mm	19.9mm	20.3/27.4mm	1.25/1.6mm	2
QAE1W32	AE1W Brass Gland 32mm	32	32mm	10mm	26.2mm	26/33.9mm	1.6/2mm	2

BW Industrial Brass Glands


- Tested and approved to BS6121 pt1
- Manufactured in cast brass to BS2874
- Supplied in kit form with Shrouds, Earth Tags & Steel Locknuts
- Standard 1.5mm Thread Pitch



Part Number	Description	Gland Size D	Std. Entry Thread (E)	Min Thread Length	Cable Dia. Max (A)	Cable Dia. Max (B)	Armour Wire Dia. (C)	Pack Qty
QBW20	BW Brass Gland 20mm	20	20mm	10mm	13.9mm	21.1mm	0.9/1.25mm	2
QBW20-LSF	BW LSF Brass Gland 20mm	20	20mm	10mm	13.9mm	21.1mm	0.9/1.25mm	2
QBW20S	BW Brass Gland 20mm	20s	20mm	10mm	11.6mm	16.1mm	0.9/1.25mm	2
QBW20S-LSF	BW LSF Brass Gland 20mm	20s	20mm	10mm	11.6mm	16.1mm	0.9/1.25mm	2
QBW25	BW Brass Gland 25mm	25	25mm	10mm	19.9mm	27.4mm	1.25/1.6mm	2
QBW25-LSF	BW LSF Brass Gland 25mm	25	25mm	10mm	19.9mm	27.4mm	1.25/1.6mm	2
QBW32	BW Brass Gland 32mm	32	32mm	10mm	26.2mm	34.4mm	1.6/2.0mm	2
QBW32-LSF	BW LSF Brass Gland 32mm	32	32mm	10mm	26.2mm	34.4mm	1.6/2.0mm	2
QBW40	BW Brass Gland 40mm	40	40mm	15mm	32.1mm	42.4mm	1.6/2.0mm	1
QBW50	BW Brass Gland 50mm	50	50mm	15mm	44mm	55.7mm	2.0/2.5mm	1
QBW50S	BW Brass Gland 50S mm	50s	50mm	15mm	38.1mm	50.1mm	2.0/2.5mm	1
QBW63	BW Brass Gland 63mm	63	63mm	15mm	55.9mm	68.2mm	2.5mm	1
QBW63S	BW Brass Gland 63 Smm	63s	63mm	15mm	50mm	62.4mm	2.5mm	1

CW Industrial Brass Glands

- Tested and approved to BS6121 pt1
- Manufactured in cast brass to BS2874
- Supplied in kit form with Shrouds, Earth Tags & Steel Locknuts
- Standard 1.5mm Thread Pitch



Part Number	Description	Gland Size D	Std. Entry Thread (E)	Min Thread Length	Cable Dia. Max (A)	Cable Dia. Max (B)	Armour Wire Dia. (C)	Pack Qty
QCW20	CW Brass Gland 20mm	20	20mm	10mm	13.9mm	15/20.9mm	0.9/1.25mm	2
QCW20-LSF	CW LSF Brass Gland 20mm	20	20mm	10mm	13.9mm	15/20.9mm	0.9/1.25mm	2
QCW20S	CW Brass Gland 20mm	20s	20mm	10mm	11.6mm	11.4/15.9mm	0.9/1.25mm	2
QCW20S-LSF	CW LSF Brass Gland 20mm	20s	20mm	10mm	11.6mm	11.4/15.9mm	0.9/1.25mm	2
QCW25	CW Brass Gland 25mm	25	25mm	10mm	19.9mm	20.3/27.4mm	1.25/1.6mm	2
QCW25-LSF	CW LSF Brass Gland 25mm	25	25mm	10mm	19.9mm	20.3/27.4mm	1.25/1.6mm	2
QCW32	CW Brass Gland 32mm	32	32mm	10mm	26.2mm	26/33.9mm	1.6/2mm	2
QCW32-LSF	CW LSF Brass Gland 32mm	32	32mm	10mm	26.2mm	26/33.9mm	1.6/2mm	2
QCW40	CW Brass Gland 40mm	40	40mm	15mm	32.1mm	31/40.4mm	1.6/2mm	1
QCW50	CW Brass Gland 50mm	50	50mm	15mm	44mm	43/53.1mm	2/2.5mm	1
QCW50S	CW Brass Gland 50mm	50s	50mm	15mm	38.1mm	36.5/46.7mm	2/2.5mm	1
QCW63	CW Brass Gland 63mm	63	63mm	15mm	55.9mm	58/65.9mm	2.5mm	1
QCW63S	CW Brass Gland 63mm	63s	63mm	15mm	50mm	48.9/59.4mm	2.5mm	1
QCW75	CW Brass Gland 75mm	75	75mm	15mm	67.9mm	64.9/78.5mm	2.5/3mm	1
QCW75S	CW Brass Gland 75mm	75s	75mm	15mm	61.9mm	60.6/72.1mm	2.5mm	1

Nylon Glands

- Made from Polyamide 6
- IP68 ingress protection
- Includes locknut & washer



Part Number	Description	Width	Length	Cable Diameter	Pack Qty
QCGM12BLK	Black Nylon 12mm Gland	12mm	15mm	3-6.5mm	10
QCGM16BLK	Black Nylon 16mm Gland	16mm	22mm	5-10mm	10
QCGM20BLK	Black Nylon 20mm Gland	20mm	24mm	6-12mm	10
QCGM20LBLK	Black Nylon 20mm Gland	20mm	27mm	10-14mm	10
QCGM25BLK	Black Nylon 25mm Gland	25mm	33mm	13-18mm	10
QCGM32BLK	Black Nylon 32mm Gland	32mm	42mm	18-25mm	10
QCGM40BLK	Black Nylon 40mm Gland	40mm	53mm	22-32mm	5
QCGM50BLK	Black Nylon 50mm Gland	50mm	60mm	30-38mm	5
QCGM63BLK	Black Nylon 63mm Gland	63mm	65mm	34-44mm	5
QCGM12GRY	Grey Nylon 12mm Gland	12mm	15mm	3-6.5mm	10
QCGM16GRY	Grey Nylon 16mm Gland	16mm	22mm	5-10mm	10
QCGM20GRY	Grey Nylon 20mm Gland	20mm	24mm	6-12mm	10
QCGM20LGRY	Grey Nylon 20mm Gland	20mm	27mm	10-14mm	10
QCGM25GRY	Grey Nylon 25mm Gland	25mm	33mm	13-18mm	10
QCGM32GRY	Grey Nylon 32mm Gland	32mm	42mm	18-25mm	10
QCGM40GRY	Grey Nylon 40mm Gland	40mm	53mm	22-32mm	5
QCGM50GRY	Grey Nylon 50mm Gland	50mm	60mm	30-38mm	5
QCGM63GRY	Grey Nylon 63mm Gland	63mm	65mm	34-44mm	5
QCGM12RED	Red Nylon 12mm Gland	12mm	15mm	3-6.5mm	10
QCGM16RED	Red Nylon 16mm Gland	16mm	22mm	5-10mm	10
QCGM20RED	Red Nylon 20mm Gland	20mm	24mm	6-12mm	10
QCGM20LRED	Red Nylon 20mm Gland	20mm	27mm	10-14mm	10
QCGM25RED	Red Nylon 25mm Gland	25mm	33mm	13-18mm	10
QCGM32RED	Red Nylon 32mm Gland	32mm	42mm	18-25mm	10
QCGM16WHT	White Nylon 16mm Gland	16mm	22mm	5-10mm	10
QCGM20WHT	White Nylon 20mm Gland	20mm	24mm	6-12mm	10
QCGM20LWHT	White Nylon 20mm Gland	20mm	27mm	10-14mm	10
QCGM25WHT	White Nylon 25mm Gland	25mm	33mm	13-18mm	10
QCGM32WHT	White Nylon 32mm Gland	32mm	42mm	18-25mm	10
QCGM40WHT	White Nylon 40mm Gland	40mm	53mm	22-32mm	5
QCGM50WHT	White Nylon 50mm Gland	50mm	60mm	30-38mm	5
QCGM63WHT	White Nylon 63mm Gland	63mm	65mm	34-44mm	5

Grommets - Quick Fit Type



Part Number	Description	Width	Pack Qty
QGROMQ20OPEN	Black Quick Fit Open Cable Grommets 20mm	20mm	100
QGROMQ25OPEN	Black Quick Fit Open Cable Grommets 25mm	25mm	100
QGROMQ20CLOSED	Black Quick Fit Closed Cable Grommets 20mm	20mm	100
QGROMQ25CLOSED	Black Quick Fit Closed Cable Grommets 25mm	25mm	100

Grommets - Standard Type



Part Number	Description	Width	Pack Qty
QGROM20OPEN	Black Open Cable Grommets 20mm	20mm	100
QGROM20CLOSED	Black Closed Cable Grommets 20mm	20mm	100
QGROM25OPEN	Black Open Cable Grommets 25mm	25mm	50
QGROM25CLOSED	Black Closed Cable Grommets 25mm	25mm	50

Earth Clamps

- Tested and approved to BS951



Part Number	Description	Pack Qty
QEC14	Earth Clamp EC 14 Dry Conditions	20
QEC15	Earth Clamp EC 15 Wet Conditions	20

Terminal Blocks

- PE material
- Brass insert
- Captive screw



Part Number	Description	Pack Qty
QTB5	Clear 5 Amp Terminal Block Strips	10
QTB15	Clear 15 Amp Terminal Block Strips	10
QTB30	Clear 30 Amp Terminal Block Strips	10

PVC Tapes

General purpose non-migratory plasticised insulation tape supplied in lengths of 20m and 33m with all colours as detailed.

Tested for: Thickness, Tensile Elongation, Adhesion, Adhesion to Backing, Flagging, Corrosive Sulphur, Flame Propagation (CAT 2), Plastic to 31/90 (PVCP), Working Temperature up to 80°C.

- Made from self extinguishing flame retardant PVC
- Manufactured to comply with BS EN 60454-3
- Ideal for electrical binding, colour coding and identification



Part Number	Colour	Length	Width	Pack Qty
1920B	Black	20m	19mm	10
1920BL	Blue	20m	19mm	10
1920BR	Brown	20m	19mm	10
1920GR	Green	20m	19mm	10
1920GY	Grey	20m	19mm	10
1920R	Red	20m	19mm	10
1920W	White	20m	19mm	10
1920Y	Yellow	20m	19mm	10
1920YG	Yellow/Green	20m	19mm	10

1933B	Black	33m	19mm	10
1933BL	Blue	33m	19mm	10
1933BR	Brown	33m	19mm	10
1933GR	Green	33m	19mm	10
1933GY	Grey	33m	19mm	10
1933R	Red	33m	19mm	10
1933W	White	33m	19mm	10
1933Y	Yellow	33m	19mm	10
1933YG	Yellow/Green	33m	19mm	10

Specialist Tapes



Part Number	Description	Length	Pack Qty
QUGT100X200	Underground Warning Tape 100mm x 200m Roll	200m	1
QDT50X50	Duct Tape 50mm x 50m Roll	50m	1

Cable Clips

- Self grip design
- Chemical inertness
- Stress crack resistance
- Thick steel nails prevents snapping
- Long nail for good pull out value
- High grade tough polyethylene for low temperature flexibility



Part Number	Description	Colour	Width	Pack Qty
QRC1	Clear Cable Clips For 2-3mm Round Cable	Clear	2-3mm	100
QRC2	Clear Cable Clips for 3-5mm Round Cable	Clear	3-5mm	100
QRC3	White Cable Clips for 3-5mm Round Cable	White	3-5mm	100
QRC4	Black Cable Clips for 5-7mm Round Cable	Black	5-7mm	100
QRC5	Clear Cable Clips for 5-7mm Round Cable	Clear	5-7mm	100
QRC6	White Cable Clips for 5-7mm Round Cable	White	5-7mm	100
QRC7	Black Cable Clips for 7-10mm Round Cable	Black	7-10mm	100
QRC8	Brown Cable Clips for 7-10mm Round Cable	Brown	7-10mm	100
QRC9	Red Cable Clips for 7-10mm Round Cable	Red	7-10mm	100
QRC10	White Cable Clips for 7-10mm Round Cable	White	7-10mm	100
QRC11	Black Cable Clips for 10-14mm Round Cable	Black	10-14mm	100
QRC12	White Cable Clips for 10-14mm Round Cable	White	10-14mm	100
QRC13	Black Cable Clips for 14-20mm Round Cable	Black	14-20mm	50
QRC14	White Cable Clips for 14-20mm Round Cable	White	14-20mm	50
QRC15	Black Cable Clips for 18-22mm Round Cable	Black	18-22mm	50
QRC16	White Cable Clips for 18-22mm Round Cable	White	18-22mm	50
QRC17	Black Cable Clips for 22-26mm Round Cable	Black	22-26mm	50
QRC18	White Cable Clips for 22-26mm Round Cable	White	22-26mm	50

QFC1	Clear Cable Clips for 2-4mm Bellwire	Clear	2-4mm	100
QFC2	Clear Cable Clips for 3-5mm Speaker Cable	Clear	3-5mm	100
QFC3	Clear Cable Clips for 4-6mm Twin Sheath Cable	Clear	4-6mm	100
QFC4	Grey Cable Clips for 1.0-1.5mm ² T&E Cable	Grey	5-8mm	100
QFC5	Grey Cable Clips for 2.5mm ² T&E Cable	Grey	6-10mm	100
QFC6	Grey Cable Clips for 4-6mm ² T&E Cable	Grey	7-14mm	100
QFC7	Grey Cable Clips for 10-16mm ² T&E Cable	Grey	9-18mm	100
QFWC1	White Cable Clips for 11-22mm Flat Oval Conduit	White	11-22mm	100
QFWC4	White Cable Clips for Flat 1-1.5mm ² T&E Cable	White	5-8mm	100
QFWC5	White Cable Clips for Flat 2 x 2.5mm ² T&E Cable	White	6-10mm	100
QDC1	Grey Double Cable Clips for Flat 2 x 1.0-1.5mm ² T&E Cable	Grey	5-8mm	100
QDC2	Grey Double Cable Clips for Flat 2 x 2.5mm ² T&E Cable	Grey	6-10mm	100
QJ12B	Black Cable Clips for Flat 4.0mm RG59 + 2C and HYCF Dual	Black	4mm	100
QJ12W	White Cable Clips for Flat 4.0mm RG59 + 2C and HYCF Dual	White	4mm	100

Cable Cleats

- Manufactured in high strength polypropylene not polythene
- High impact resistance
- Unaffected by corrosive environments
- Higher mechanical strength than polythene
- High level of resistance to ultra violet light
- Stability down to -35°C and up to 105°C constant



Part Number	Description	Width	Pack Qty
QC3	Black Cable Cleat 7.6mm	7.6mm	100
QC4	Black Cable Cleat 10.1mm	10.1mm	100
QC5	Black Cable Cleat 12.7mm	12.7mm	100
QC6	Black Cable Cleat 15.2mm	15.2mm	100
QC7	Black Cable Cleat 17.8mm	17.8mm	100
QC8	Black Cable Cleat 20.3mm	20.3mm	100
QC9	Black Cable Cleat 22.8mm	22.8mm	100
QC10	Black Cable Cleat 25.4mm	25.4mm	100
QC12	Black Cable Cleat 30.0mm	30mm	50
QC14	Black Cable Cleat 35.6mm	35.6mm	50
QC16	Black Cable Cleat 40.6mm	40.6mm	50
QC18	Black Cable Cleat 45.7mm	45.7mm	50
QC20	Black Cable Cleat 50.4mm	50.4mm	20

Lock-Offs Kits



QTAG5



QTAG4

Part Number	Description	Pack Qty
QTAG4	Contractor Lock Off Kit	1
QTAG5	Basic Lock Off Kit	1

Tradesman Tubs



Part Number	Description	Pack Qty
QTT2	Tradesman Tub - 400 x Red Plastic Wall Plugs & 400 x 8 x 1.5" Counter Sunk Screws	1
QTT3	Tradesman Tub - 200 x Cavity Screws & Fixings Tub	1
QTT4	Tradesman Tub - T&E Cable Clips Tub - 400 x 1.0mm ² & 400 x 2.5mm ²	1
QTT5	Tradesman Tub - 200 x Brown Plastic Wall Plugs & 200 x 10 x 2" Counter Sunk Screws	1

Wall Plugs



Part Number	Description	Drill Size	Screw Size	Max Fixture Thickness	Pack Qty
CC-04169	Red Plastic Wall Plugs Pack	6mm	4mm-5mm	5mm	100
CC-04171	Yellow Plastic Wall Plug Pack	5mm	3.5mm-4mm	5mm	100
CC-04173	Brown Plastic Wall Plugs Pack	7mm	5mm-6.5mm	5mm	100
CC-04187	Plasterboard Plugs Pack	7mm	4mm	5mm	100

Wall Plus - For securing light wall units, shelving, brackets and kitchen fittings. Suitable for solid brickwork, masonry or concrete.

Plasterboard Plugs - For installing ducting, light switches and light weight objects. Suitable for plasterboard, cavity walls and ceilings.

Frame Fixings



Part Number	Description	Length	Width	Drill Size	Drill Depth With Frame	Max Fixture Thickness	Pack Qty
CC-04111	Frame Fixing 8 x 80mm	80mm	8mm	8mm	95mm	35mm	16
CC-04112	Frame Fixing 8 x 100mm	100mm	8mm	8mm	115mm	50mm	16
CC-04113	Frame Fixing 8 x 120mm	120mm	8mm	8mm	135mm	70mm	16

Fast easy fixing of timber or metal door & window frames. Suitable for solid brickwork or blockwork.

Hammer Fixings



Part Number	Description	Length	Width	Drill Size	Drill Depth With Fixture	Max Fixture Thickness	Pack Qty
CC-04117	Hammer In Fixings 6 x 40mm	40mm	6mm	6mm	50mm	15mm	16
CC-04118	Hammer In Fixings 6 x 60mm	60mm	6mm	6mm	75mm	30mm	16
CC-04119	Hammer In Fixings 6 x 70mm	70mm	6mm	6mm	85mm	40mm	16
CC-04120	Hammer In Fixings 8 x 80mm	80mm	8mm	8mm	95mm	35mm	16
CC-04121	Hammer In Fixings 8 x 100mm	100mm	8mm	8mm	115mm	55mm	16
CC-04122	Hammer In Fixings 8 x 120mm	120mm	8mm	8mm	135mm	75mm	16

Fast easy fixing of battens, conduits, skirting boards & shelves. Suitable for solid brickwork, masonry or concrete.

Anchor Bolts



Part Number	Description	Length	Width	Drill Size	Drill Depth With Fixture	Max Fixture Thickness	Pack Qty
CC-04129	Anchor Bolt M6 x 60mm	60mm	M6	12mm	55mm	10mm	4
CC-04132	Anchor Bolt M8 x 65mm	65mm	M8	14mm	70mm	10mm	4
CC-04133	Anchor Bolt M8 x 80mm	80mm	M8	14mm	70mm	25mm	4
CC-04134	Anchor Bolt M8 x 95mm	95mm	M8	14mm	70mm	40mm	4
CC-04135	Anchor Bolt M10 x 75mm	75mm	M10	16mm	80mm	10mm	4
CC-04139	Anchor Bolt M10 x 80mm	80mm	M10	16mm	60mm	20mm	4
CC-04136	Anchor Bolt M10 x 90mm	90mm	M10	16mm	80mm	25mm	4
CC-04137	Anchor Bolt M10 x 105mm	105mm	M10	16mm	80mm	40mm	4
CC-04138	Anchor Bolt M10 x 125mm	125mm	M10	16mm	80mm	60mm	4

For installing garage doors, gate posts, steelwork and heavy equipment. Suitable for brickwork, masonry or concrete.

Projecting Anchor Bolts



Part Number	Description	Length	Width	Drill Size	Minimum Drill Depth	Max Fixture Thickness	Pack Qty
CC-04141	Projecting Anchor Bolt M6 x 115mm	115mm	M6	10mm	55mm	60mm	4
CC-04145	Projecting Anchor Bolt M8 x 125mm	125mm	M8	14mm	70mm	60mm	4
CC-04146	Projecting Anchor Bolt M10 x 135mm	135mm	M10	16mm	80mm	60mm	4
CC-04147	Projecting Anchor Bolt M10 x 155mm	155mm	M10	16mm	80mm	80mm	4
CC-04148	Projecting Anchor Bolt M10 x 175mm	175mm	M10	16mm	80mm	100mm	4

For installing radiator brackets, ducting, trunking, partitions & overhead objects. Suitable for use with solid brickwork, masonry or concrete.

Hollow Wall Anchors



Part Number	Description	Length	Width	Drill Size	Max Fixture Thickness	Pack Qty
CC-04200	Small M4 Hollow Wall Anchors	50mm	M4	8mm	16mm	10
CC-04202	Medium M5 Hollow Wall Anchors	45mm	M5	9mm	12mm	10
CC-04204	Large M6 Hollow Wall Anchors	45mm	M6	10mm	17mm	10

Small & Medium Anchor - For installing shelving, hooks and bathroom accessories. Suitable for plasterboard, cavity walls and ceilings.

Large Anchor - For installing kitchen cabinets, radiator, brackets and bathroom accessories. Suitable for plasterboard, cavity walls and ceilings.

Wedge Anchor



Part Number	Description	Length	Width	Drill Size	Drill Depth with Frame	Outer Diameter	Pack Qty
QWA6-25	Wedge Anchor M6 x 25mm	25mm	M6	8.5mm	25mm	8mm	100
QWA8-30	Wedge Anchor M8 x 30mm	30mm	M8	10.5mm	30mm	10mm	100
QWA10-40	Wedge Anchor M10 x 40mm	40mm	M10	12.5mm	40mm	12mm	50

Eyebolts



Part Number	Description	Length	Width	Drill Size	Minimum Drill Depth	Pack Qty
CC-04149	Eyebolt M6	78mm	M6	12mm	55mm	2
CC-04150	Eyebolt M8	93mm	M8	14mm	70mm	2

For installing cables, ladder restraints and chains or heavy objects from ceilings or walls. Suitable for solid brickwork, masonry or concrete.

Hook Bolt



Part Number	Description	Length	Width	Drill Size	Minimum Drill Depth	Pack Qty
CC-04152	Hook Bolt M8	95mm	M8	14mm	70mm	2

For installing cables, ladder restraints and chains or heavy objects from ceilings or walls. Suitable for solid brickwork, masonry or concrete.

Roofing Bolts



Part Number	Description	Length	Width	Pack Qty
QRB6-12	Roofing Bolt M6 x 12mm	12mm	M6	100
QRB6-16	Roofing Bolt M6 x 16mm	16mm	M6	100
QRB6-20	Roofing Bolt M6 x 20mm	20mm	M6	100
QRB6-25	Roofing Bolt M6 x 25mm	25mm	M6	100
QRB6-30	Roofing Bolt M6 x 30mm	30mm	M6	100
QRB6-40	Roofing Bolt M6 x 40mm	40mm	M6	100
QRB6-50	Roofing Bolt M6 x 50 mm	50mm	M6	100

Spring Toggles



Part Number	Description	Length	Width	Drill Size	Max Fixture Thickness	Pack Qty
CC-04205	Spring Toggles M5 x 50mm	50mm	M5	14mm	15mm	5
CC-04208	Spring Toggles M5 x 80mm	80mm	M5	14mm	45mm	10

For installing light fittings and other overhead items to cavity walls or low structural strength ceilings. Suitable for ceilings and cavity walls.

Toggle Fixings



Part Number	Description	Length	Width	Drill Size	Plasterboard Thickness	Max Fixture Thickness	Pack Qty
CC-04189	Short M5 Toggle Fixings + Screws	50mm	M5	8mm	10mm	6mm	5
CC-04191	Medium M5 Toggle Fixings + Screws	80mm	M5	8mm	10mm-13mm	12mm	5

For light switches, electrical sockets, shelves, hooks and brackets. Suitable for plasterboard, cavity walls or ceilings.

Self Drive Plug & Screws



Part Number	Description	Length	Width	Max Fixture Thickness	Pack Qty
CC-04195	Metal Self Drive Plugs + Screws	28mm	15mm	10mm	12
CC-04197	Nylon Self Drive Plugs + Screws	32mm	15mm	40mm	12
QCVFIX	Metal Self Drive Plasterboard Screws	28mm	15mm	10mm	100

Metal Self Drive - For shelving, bathroom sanitary ware, hooks and brackets. Suitable for plasterboard, cavity walls and ceilings.

Nylon Self Drive - For light switches, electrical sockets, hooks and brackets. Suitable for plasterboard, cavity walls and ceilings.

Self Drive Screws



Part Number	Description	Length	Width	Max Fixture Thickness	Pack Qty
QWHC42-13	Self Drive Screws 4.2 x 13mm	13mm	4.2mm	8mm	100
QWHC48-16	Self Drive Screws 4.8 x 16mm	16mm	4.8mm	9mm	100
QWHC55-20	Self Drive Screws 5.5 x 20mm	20mm	5.5mm	13mm	100

Brass Panhead Screws



Part Number	Description	Length	Width	Pack Qty
QMS4-12B	Brass Panhead Machine Screws M4 x 12mm	12mm	M4	100
QMS4-16B	Brass Panhead Machine Screws M4 x 16mm	16mm	M4	100
QMS4-20B	Brass Panhead Machine Screws M4 x 20mm	20mm	M4	100
QMS4-25B	Brass Panhead Machine Screws M4 x 25mm	25mm	M4	100

Panhead Screws



Part Number	Description	Length	Width	Pack Qty
QMS4x6	Panhead Machine Screws 4 x 6mm	6mm	4mm	100
QMS4x8	Panhead Machine Screws 4 x 8mm	8mm	4mm	100
QMS4x10	Panhead Machine Screws 4 x 10mm	10mm	4mm	100
QMS4x12	Panhead Machine Screws 4 x 12mm	12mm	4mm	100
QMS4x16	Panhead Machine Screws 4 x 16mm	16mm	4mm	100
QMS4x20	Panhead Machine Screws 4 x 20mm	20mm	4mm	100
QMS4x25	Panhead Machine Screws 4 x 25mm	25mm	4mm	100
QMS4x30	Panhead Machine Screws 4 x 30mm	30mm	4mm	100
QMS4x35	Panhead Machine Screws 4 x 35mm	35mm	4mm	100
QMS4x40	Panhead Machine Screws 4 x 40mm	40mm	4mm	100
QMS4x50	Panhead Machine Screws 4 x 50mm	50mm	4mm	100

All Panhead Machine screws are Zinc plated.

Counter Sunk Machine Screws



Part Number	Description	Length	Width	Pack Qty
QRCSM35x25	Raised Counter Sunk Machine Screws M3.5 x 25mm	25mm	3.5mm	100
QRCSM35x35	Raised Counter Sunk Machine Screws M3.5 x 35mm	35mm	3.5mm	100
QRCSM35x40	Raised Counter Sunk Machine Screws M3.5 x 40mm	40mm	3.5mm	100
QRCSM35x50	Raised Counter Sunk Machine Screws M3.5 x 50mm	50mm	3.5mm	100
QRCSM35x75	Raised Counter Sunk Machine Screws M3.5 x 75mm	75mm	3.5mm	100

All Raised Countersunk Machine screws are Zinc plated.

Twin Thread Screw



Part Number	Description	Length	Width	Pack Qty
QWS8-075	Twin Thread Counter Sunk Posi BZP 8 x 0.75"	0.75"	8mm	200
QWS8-1	Twin Thread Counter Sunk Posi BZP 8 x 1"	1"	8mm	200
QWS8-125	Twin Thread Counter Sunk Posi BZP 8 x 1.25"	1.25"	8mm	200
QWS8-15	Twin Thread Counter Sunk Posi BZP 8 x 1.5"	1.5"	8mm	200
QWS8-175	Twin Thread Counter Sunk Posi BZP 8 x 1.75"	1.75"	8mm	200
QWS8-20	Twin Thread Counter Sunk Posi BZP 8 x 2"	2"	8mm	200
QWS8-225	Twin Thread Counter Sunk Posi BZP 8 x 2.25"	2.25"	8mm	200
QWS8-25	Twin Thread Counter Sunk Posi BZP 8 x 2.75"	2.5"	8mm	200
QWS8-30	Twin Thread Counter Sunk Posi BZP 8 x 3"	3"	8mm	200
QWS10-10	Twin Thread Counter Sunk Posi BZP 10 x 1"	1"	10mm	200
QWS10-125	Twin Thread Counter Sunk Posi BZP 10 x 1.25"	1.25"	10mm	200
QWS10-15	Twin Thread Counter Sunk Posi BZP 10 x 1.5"	1.5"	10mm	200
QWS10-175	Twin Thread Counter Sunk Posi BZP 10 x 1.75"	1.75"	10mm	200
QWS10-20	Twin Thread Counter Sunk Posi BZP 10 x 2"	2"	10mm	200
QWS10-25	Twin Thread Counter Sunk Posi BZP 10 x 2.5"	2.5"	10mm	100
QWS10-3	Twin Thread Counter Sunk Posi BZP 10 x 3"	3"	10mm	100

Extension Stud



Part Number	Description	Length	Width	Pack Qty
QEXT	Extension Stud	20mm	M3.5	100

Capping Nail



Part Number	Description	Nail	Washer	Pack Qty
QCAPN	Capping Nail 25mm	5mm Dia x 25mm Length	M8 x 1mm thickness	100

Hexagon Head Screw Set



Part Number	Description	Length	Width	Pack Qty
QHH6-25BZP	Hexagon Head M6 x 25mm BZP Screw Set	25mm	M6	100
QHH8-25BZP	Hexagon Head M8 x 25mm BZP Screw Set	25mm	M8	100
QHH10-25BZP	Hexagon Head M10 x 25mm BZP Screw Set	25mm	M10	100

Nuts / Washers



Part Number	Description	Width	Pack Qty
QBFNM4	Brass M4 Full Nuts	4mm	100
QBWM4	Brass M4 Washers	4mm	100
QHN6	Hexagon M6 Nuts	6mm	100
QHN8	Hexagon M8 Nuts	8mm	100
QHN10	Hexagon M10 Nuts	10mm	100
QF6BZP	Flat M6 BZP Nuts	6mm	10
QF10BZP	Flat M10 BZP Washers	10mm	10

Mudguard Washers



Part Number	Description	Width	Pack Qty
QMG6-25	Mudguard Washer M6 x 25mm	6mm	100
QMG8-25	Mudguard Washer M8 x 25mm	8mm	100
QMG10-25	Mudguard Washer M10 x 25mm	10mm	100

Regs Books



Part Number	Description	Pack Qty
REG17/3	IET 17th Edition Wiring Regs Book (BS 7671:2008, Amendment 3)	1
OSG/3	IET On-Site Guide (BS 7671:2008 Wiring Regs, Amendment 3)	1

QSILW

White Contractors GP Silicone Adhesives 300ml

QSILC

Clear Contractors GP Silicone Adhesives 300ml

**QGRIP**

Solvent Based Bonding Adhesive 300ml

**QGA**

SX Mighty Strength Grip & Grab Adhesive 290ml

**QFOAM**

Hand Held Expanding Foam 500ml Can

**QFILL300**

White Instant Light Weight C3 Plaster Filler Tube 310ml

**QFILL1LTR**

White ZWALUW Instant Plaster Filler 1ltr Tub

**QDEC**

White C3 Acrylic Decorators Caulk 300ml

**QCG**

Professional Caulking Gun



QTL1

Threadlocker



QPT1

Red Pro Tape 2m Roll



QPF1

White Fixing Tape 3m Roll



QPP1

Pro Putty



QPA1

Power Adhesive 12ml



QDISP1

Countertop Glue Station Display



Q-FIRE

QFGAS310W

White SX Flameguard Intumescent Acoustic Sealant 310ml



QFGS310W

White SX Flameguard Fire Retardant Silicone 310ml



QFGFH700


Pink SX Flameguard Fire Retardant B1 Hand Foam 700ml



Ratchets

QHCR1516

Four jaw ratchet tool with controlled calibration suitable for crimping 1.5 to 16mm² copper tube terminals.



QHCR15

Triple jaw ratchet indent tool with controlled calibration suitable for crimping 0.25 to 6mm² insulated terminals.



QHCRF15

Triple jaw ratchet tool with controlled calibration suitable for crimping non insulated male/female disconnect terminals with 'F' crimp configuration.



Torque Driver

QTOURQ

Torque Driver Set - 1.7Nm & 2.3Nm Flat Head, Phillips & Screwdriver Handle



Tensioning Tool

QTGM1

Standard adjustable metal tensioning tool for cable tie widths from just 2.2mm to 4.8mm.



Crimping Tools

QHC15

General application plier type crimping tool for insulated and uninsulated terminals with a range of 0.25 to 6mm² non ratchet.



QHC95

Heavy duty indent crimping tool for tube and sheet terminals this tool will crimp 10 to 95mm² with non ratchet screw adjustment.



Cable Cutter

QCC22

Insulated cutter with a double profile blade. Large aperture for cutting copper cable up to 10mm diameter, smaller profile will cut single copper or mild steel wire up to 22mm² cable.



QCC38

Insulated cutter with a double profile blade. Large aperture for cutting copper cable up to 10mm diameter, smaller profile will cut single copper or mild steel wire up to 38mm² cable.



Cable Stripper

QSTRIP

A versatile tool which will strip 0.25 to 6mm² PVC sheathed cable. It also has the facility for cutting and indent crimping cables up to 6mm².





“At Unicrimp the whole business is focused on the customer. We aim to provide market leading levels of service and customer support. Our forward thinking and investment for the future together with our dedicated employees enable a dynamic working environment that provides the platform for continued growth.”

Mike Jackson

National Sales Manager

Stock

We understand the importance of stock availability and are committed to having 100% stock availability at our central distribution centre at any given time.

Warehouse / Service

Our centrally located 150,000sq ft Warehouse and Distribution Centre allow us to deliver our products on time every time

Product Development

UNICRIMP products are designed with our customer / the installer very much in mind. Our purpose built facilities and dedicated product development team, based in the UK allow us the flexibility to design and develop these products based on customer feedback and market research, ensuring we are producing a relevant, reliable and quality range of products.



In-House Studio

All marketing support including product literature and point of sale material is designed by our dedicated in-house design studio. This facility enables us to offer bespoke marketing support to our customers.

Distributor Network

Unicrimp distributes exclusively through the electrical wholesale trade. These include Independent Wholesalers, National Wholesale Groups and Buying Consortiums making the products readily available throughout the UK.

Sales Office

Based alongside our distribution facility this busy sales office provides a central point of contact for all customer service requirements.

The professionalism skills and knowledge of our internal sales team enables us to provide the high standard of service that we know our customers expect. Our on-line ordering facility is also managed within this office.

1920B	22	QB10	10	QCGM12RED	20	QCT120-12	10
1920BL	22	QB16	10	QCGM16BLK	20	QCT120-14	10
1920BR	22	QB25	10	QCGM16GRY	20	QCT120-16	10
1920GR	22	QB35	10	QCGM16RED	20	QCT150-8	10
1920GY	22	QB50	10	QCGM16WHT	20	QCT150-10	10
1920R	22	QB70	10	QCGM20BLK	20	QCT150-12	10
1920W	22	QB95	10	QCGM20GRY	20	QCT150-14	10
1920Y	22	QB120	10	QCGM20LBLK	20	QCT150-16	10
1920YG	22	QB150	10	QCGM20LGRY	20	QCT150-20	10
1933B	22	QB185	10	QCGM20LRED	20	QCT185-10	10
1933BL	22	QB240	10	QCGM20LWHT	20	QCT185-12	10
1933BR	22	QBAB4F	7	QCGM20RED	20	QCT185-14	10
1933GR	22	QBAB4M	7	QCGM20WHT	20	QCT185-16	10
1933GY	22	QBAB5F	7	QCGM25BLK	20	QCT185-20	10
1933R	22	QBAB5M	7	QCGM25GRY	20	QCT240-10	10
1933W	22	QBB	7	QCGM25RED	20	QCT240-12	10
1933Y	22	QBBL9	7	QCGM25WHT	20	QCT240-14	10
1933YG	22	QBBL18	7	QCGM32BLK	20	QCT240-16	10
C		QBF3	7	QCGM32GRY	20	QCVMF	28
		QBF3N	7	QCGM32RED	20	QCW20	19
		QBF4N	7	QCGM32WHT	20	QCW20-LSF	19
		QBF5	7	QCGM40BLK	20	QCW20S	19
		QBF6	7	QCGM40GRY	20	QCW20S-LSF	19
	25	QBFNM4	30	QCGM40WHT	20	QCW25	19
	25	QBFP048F5	7	QCGM50BLK	20	QCW25-LSF	19
	25	QBFP048F8	7	QCGM50GRY	20	QCW32	19
	25	QBFP063F	7	QCGM50WHT	20	QCW32-LSF	19
	25	QBP12	7	QCGM63BLK	20	QCW40	19
	25	QBPO48F5	7	QCGM63GRY	20	QCW50	19
	25	QBPO48F8	7	QCGM63WHT	20	QCW50S	19
	25	QBPO48M5	7	QCT04-6	9	QCW63	19
	26	QBPO48M8	7	QCT04-8	9	QCW63S	19
	26	QBPO63F	7	QCT04-10	9	QCW75	19
	26	QBPO63M	7	QCT06-4	9	QCW75S	19
	26	QBPO85F	7	QCT06-5	9	QDC1	23
	26	QBPOA63	7	QCT06-6	9	QDC2	23
	26	QBR3	7	QCT06-8	9	QDEC	31
	26	QBR4	7	QCT06-10	9	QDISP1	32
	26	QBR5	7	QCT10-5	9	QDT50X50	22
26	QBR6	7	QCT10-6	9	QEC14	21	
26	QBR8	7	QCT10-8	9	QEC15	21	
26	QBR10	7	QCT10-10	9	QES2	16	
26	QBR12	7	QCT10-12	9	QES2BL	16	
26	QBR37	7	QCT015-3	9	QES2BR	16	
26	QBW20	18	QCT015-4	9	QES3	16	
27	QBW20-LSF	18	QCT015-5	9	QES3BL	16	
27	QBW20S	18	QCT16-6	9	QES3BR	16	
27	QBW20SLSF	18	QCT16-8	9	QES4	16	
25	QBW25	18	QCT16-10	9	QES4BL	16	
25	QBW25-LSF	18	QCT16-12	9	QES4BR	16	
25	QBW32	18	QCT025-3	9	QES5	16	
27	QBW32-LSF	18	QCT025-4	9	QEXT	29	
27	QBW40	18	QCT25-5	9	QF6BZP	30	
28	QBW50	18	QCT25-6	9	QF10BZP	30	
28	QBW50S	18	QCT25-8	9	QFC1	23	
26	QBW63	18	QCT25-10	9	QFC2	23	
26	QBW63S	18	QCT25-12	9	QFC3	23	
26	QBWM4	30	QCT35-6	9	QFC4	23	
27	QC3	24	QCT35-8	9	QFC5	23	
27	QC4	24	QCT35-10	9	QFC6	23	
	QC5	24	QCT35-12	9	QFC7	23	
	QC6	24	QCT50-6	9	QFGAS310W	32	
	QC7	24	QCT50-8	9	QFGFH700	32	
	QC8	24	QCT50-10	9	QFGS310W	32	
	QC9	24	QCT50-12	9	QFILL1LTR	31	
OSG/3	30	QC10	24	QCT70-6	10	QFILL300	31
		QC12	24	QCT70-8	10	QFOAM	31
		QC14	24	QCT70-10	10	QFWC1	23
		QC16	24	QCT70-12	10	QFWC4	23
		QC18	24	QCT70-14	10	QFWC5	23
QAE1W20	17	QC20	24	QCT95-8	10	QGA	31
QAE1W20S	17	QCAPN	29	QCT95-10	10	QGRIP	31
QAE1W25	17	QCC22	34	QCT95-12	10	QGROM20CLOSED	21
QAE1W32	17	QCC38	34	QCT95-14	10	QGROM20OPEN	21
QB1-5	10	QCG	31	QCT95-16	10	QGROM25CLOSED	21
QB2-5	10	QCGM12BLK	20	QCT120-8	10	QGROM25OPEN	21
QB4-6	10	QCGM12GRY	20	QCT120-10	10	QGROMQ20CLOSED	21

QGROMQ20OPEN	21	QRCSM35x35	29	QT430S	12	QTM11	15
QGROMQ25CLOSED	21	QRCSM35x40	29	QT450H	13	QTM17	15
QGROMQ25OPEN	21	QRCSM35x50	29	QT480XH	13	QTMb5	15
QHC15	34	QRCSM35x75	29	QT550H	13	QTMb11	15
QHC95	34	QRF3	6	QT550XH	13	QTMb17	15
QHCR15	33	QRF3N	6	QT730XH	13	QTOURQ	33
QHCR1516	33	QRF4N	6	QT760H	13	QTR100M	11
QHCRF15	33	QRF5	6	QT810H	13	QTR150I	12
QHH6-25BZP	30	QRF6	6	QT880XH	13	QTR200S	12
QHH8-25BZP	30	QRFPO28F5	6	QT1030XH	13	QTR300S	12
QHH10-25BZP	30	QRFPO28F8	6	QTAG4	24	QTR370S	12
QHN6	30	QRFPO48F5	6	QTAG5	24	QTS300S	12
QHN8	30	QRFPO48F8	6	QTB5	21	QTS370S	12
QHN10	30	QRFPO63F	6	QTB12	15	QTT2	25
QHS6MPKIT	16	QRP12	5	QTB15	21	QTT3	25
QHS12MPKIT	16	QRPO28F5	5	QTB22	15	QTT4	25
QHS19MPKIT	16	QRPO28F8	5	QTB30	21	QTT5	25
QHSB1	6	QRPO28M5	5	QTB80M	11	QTY100M	11
QHSB2	7	QRPO28M8	5	QTB100M	11	QTY150I	12
QHSB5	8	QRPO48F5	5	QTB120M	11	QTY200S	12
QJ12B	23	QRPO48F8	5	QTB120S	12	QTY300S	12
QJ12W	23	QRPO48M5	5	QTB140MP	12	QTY370S	12
QMG6-25	30	QRPO48M8	5	QTB150I	12	QUGT100X200	22
QMG8-25	30	QRPO63F	5	QTB150LH	13	QWA6-25	26
QMG10-25	30	QRPO63M	5	QTB160S	12	QWA8-30	26
QMM9	16	QRPOA63	5	QTB165M	11	QWA10-40	26
QMS4-12B	28	QRR3	5	QTB180IP	12	QWHC42-13	28
QMS4-16B	28	QRR4	5	QTB190S	12	QWHC48-16	28
QMS4-20B	28	QRR5	5	QTB200I	12	QWHC55-20	28
QMS4-25B	28	QRR6	5	QTB200LH	13	QWS8-1	29
QMS4x6	28	QRR8	5	QTB200M	11	QWS8-15	29
QMS4x8	28	QRR10	5	QTB200RE	14	QWS8-20	29
QMS4x10	28	QRR12	5	QTB200S	12	QWS8-25	29
QMS4x12	28	QRR37	5	QTB230XH	13	QWS8-30	29
QMS4x16	28	QSILC	31	QTB250S	12	QWS8-075	29
QMS4x20	28	QSILW	31	QTB280XH	13	QWS8-125	29
QMS4x25	28	QSST150S	14	QTB290I	12	QWS8-175	29
QMS4x30	28	QSST200S	14	QTB300LH	13	QWS8-225	29
QMS4x35	28	QSST300LH	14	QTB300RE	14	QWS10-3	29
QMS4x40	28	QSST300S	14	QTB300S	12	QWS10-10	29
QMS4x50	28	QSST360LH	14	QTB300SP	12	QWS10-15	29
QPA1	32	QSST360S	14	QTB370I	12	QWS10-20	29
QPF1	32	QSST520LH	14	QTB370LH	13	QWS10-25	29
QPP1	32	QSST520S	14	QTB370LHP	13	QWS10-125	29
QPT1	32	QSST840LH	14	QTB370RE	14	QWS10-175	29
QRAB4F	6	QSTRIP	34	QTB370S	12	QYAB5F	8
QRAB4M	6	QT80M	11	QTB370SP	12	QYAB5M	8
QRB	5	QT100M	11	QTB380XH	13	QYB	8
QRB6-12	27	QT120M	11	QTB430S	12	QYBL10	8
QRB6-16	27	QT120S	12	QTB450H	13	QYBL18	8
QRB6-20	27	QT140MP	11	QTB480XH	13	QYF3N	8
QRB6-25	27	QT150I	12	QTB550H	13	QYF4N	8
QRB6-30	27	QT150LH	13	QTB550XH	13	QYF5	8
QRB6-40	27	QT160S	12	QTB730XH	13	QYF6	8
QRB6-50	27	QT165M	11	QTB760H	13	QYFPO63F	8
QRBL10	6	QT180IP	12	QTB810H	13	QYFPO95F	8
QRBL14	6	QT190S	12	QTB880XH	13	QYP14	8
QRBL18	6	QT200I	12	QTB1030XH	13	QYPO63F	8
QRC1	23	QT200LH	13	QTBb12	15	QYPO63M	8
QRC2	23	QT200M	11	QTBb22	15	QYPO95F	8
QRC3	23	QT200RE	14	QTBc	15	QYPOA63	8
QRC4	23	QT200S	12	QTBc	15	QYR4	8
QRC5	23	QT230XH	13	QTBc	15	QYR5	8
QRC6	23	QT250S	12	QTBc	15	QYR6	8
QRC7	23	QT280XH	13	QTBc	15	QYR8	8
QRC8	23	QT290I	12	QTBc	15	QYR10	8
QRC9	23	QT300LH	13	QTBc	15	QYR12	8
QRC10	23	QT300RE	14	QTBc	15		
QRC11	23	QT300S	12	QTBc	15		
QRC12	23	QT300SP	12	QTBc	15		
QRC13	23	QT370I	12	QTBc	15		
QRC14	23	QT370LH	13	QTBc	15		
QRC15	23	QT370LHP	13	QTBc	15		
QRC16	23	QT370RE	14	QTBc	15		
QRC17	23	QT370S	12	QTBc	15		
QRC18	23	QT370SP	12	QTBc	15		
QRCSM35x25	29	QT380XH	13	QTBc	15		

R

REG17/3 30

United Kingdom

UNICRIMP®

Unit 3 Scolmore Park, Landsberg,
Lichfield Road Industrial Estate,
Tamworth, Staffordshire
B79 7XB, United Kingdom

T: +44 (0)1827 300600
F: +44 (0)1827 300620
E: sales@unicrimp.com

www.unicrimp.com

Southern Ireland

CLICK® Litehouse

18 Corrig Road,
Sandyford Industrial Estate,
Dublin,
D18 WV79, Ireland

T: +353 (1) 2811 122
F: +353 (1) 2811 224
E: sales@clicklighthouse.ie

www.clicklighthouse.ie

UNI1000/2

A Scolmore GROUP
● ● ● ● ● Company