

FORGEFIX

Electrical
Essentials



Fixings & Fasteners by the Experts for the Experts



Tel: 01663 719460
Fax: 01663 719463
Email: sales@forgefix.co.uk

www.forgefix.co.uk


SPECTRE™

Advanced multi-purpose wood screw

Spectre by ForgeFix incorporates a long list of advanced screw features, often only found in premium screws, into what we've named advanced multi-purpose wood screws.

This means exceptional screws and exceptional value for money.

Screw Features	Multi-Purpose	Spectre
Quick start type 17 slash point		•
Sawtooth to prevent splitting		•
Reamer to prevent jacking		•
40 degree deep single thread	•	•
Fully threaded up to 50mm	•	•
Double countersunk		•
Surface hardened	•	•
Synthetic lubrication		•



SPECTRE ⚙️ Advanced Multi-Purpose Woodscrews



CE
EN 14592:2008
+A1:2012
For structural
timber products

- **Finish: Zinc Yellow Passivated.**
- Spectre by Forgefix incorporates a long list of advanced screw features, often only found in premium screws, into what we've named advanced multi-purpose woodscrews.
- **Head: Countersunk Pozidriv compatible recessed.**
- Case contains 1 box of each: 4.0x40mm (x200), 4.0x50mm (x200), 4.0x60mm (x200), 5.0x70mm (x100), 5.0x80mm (x100), 5.0x100mm (x100).

Pack Code	Size	Pack Qty
OPSP900Y	Assorted	900

SPECTRE Advanced Multi-Purpose Woodscrews



CE
EN 14592:2008
+A1:2012
For structural
timber products



- **Finish: Zinc Yellow Passivated.**
- Spectre by Forgefix incorporates a long list of advanced screw features, often only found in premium screws, into what we've named advanced multi-purpose woodscrews.
- Head: Countersunk Pozidriv compatible recessed.
- Anti corrosion coating.
- Reamer to prevent jacking.
- Sawtooth to prevent splitting.
- Fully threaded up to 50mm.
- Quick start type 17 slash point.
- Surface hardened.
- Synthetic lubrication.
- CE approved for use in load-bearing timber construction.

Box Code	Metric Size	Imperial Size	Bit/Socket Size	Thread Length	Box Qty
SPE312Y	3.0 x 12mm	1/2" x 4	No. 1	Fully Threaded	200
SPE316Y	3.0 x 16mm	5/8" x 4	No. 1	Fully Threaded	200
SPE320Y	3.0 x 20mm	3/4" x 4	No. 1	Fully Threaded	200
SPE325Y	3.0 x 25mm	1" x 4	No. 1	Fully Threaded	200
SPE330Y	3.0 x 30mm	1 1/4" x 4	No. 1	Fully Threaded	200
SPE3516Y	3.5 x 16mm	5/8" x 6	No. 2	Fully Threaded	200
SPE3520Y	3.5 x 20mm	3/4" x 6	No. 2	Fully Threaded	200
SPE3525Y	3.5 x 25mm	1" x 6	No. 2	Fully Threaded	200
SPE3530Y	3.5 x 30mm	1 1/4" x 6	No. 2	Fully Threaded	200
SPE3540Y	3.5 x 40mm	1 1/2" x 6	No. 2	Fully Threaded	200
SPE3550Y	3.5 x 50mm	2" x 6	No. 2	Fully Threaded	200
SPE416Y	4.0 x 16mm	5/8" x 8	No. 2	Fully Threaded	200
SPE420Y	4.0 x 20mm	3/4" x 8	No. 2	Fully Threaded	200
SPE425Y	4.0 x 25mm	1" x 8	No. 2	Fully Threaded	200
SPE430Y	4.0 x 30mm	1 1/4" x 8	No. 2	Fully Threaded	200
SPE435Y	4.0 x 35mm	1 3/8" x 8	No. 2	Fully Threaded	200
SPE440Y	4.0 x 40mm	1 1/2" x 8	No. 2	Fully Threaded	200
SPE445Y	4.0 x 45mm	1 3/4" x 8	No. 2	Fully Threaded	200
SPE450Y	4.0 x 50mm	2" x 8	No. 2	30mm	200
SPE460Y	4.0 x 60mm	2 3/8" x 8	No. 2	36mm	200
SPE470Y	4.0 x 70mm	2 3/4" x 8	No. 2	42mm	200
SPE4530Y	4.5 x 30mm	1 1/4" x 9	No. 2	Fully Threaded	200
SPE4540Y	4.5 x 40mm	1 1/2" x 9	No. 2	Fully Threaded	200
SPE4550Y	4.5 x 50mm	2" x 9	No. 2	30mm	200
SPE4560Y	4.5 x 60mm	2 3/8" x 9	No. 2	36mm	100
SPE4570Y	4.5 x 70mm	2 3/4" x 9	No. 2	42mm	100
SPE4580Y	4.5 x 80mm	3 1/4" x 9	No. 2	48mm	100
SPE525Y	5.0 x 25mm	1" x 10	No. 2	Fully Threaded	200
SPE530Y	5.0 x 30mm	1 1/4" x 10	No. 2	Fully Threaded	200

Box Code	Metric Size	Imperial Size	Bit/Socket Size	Thread Length	Box Qty
SPE540Y	5.0 x 40mm	1 1/2" x 10	No. 2	Fully Threaded	200
SPE550Y	5.0 x 50mm	2" x 10	No. 2	30mm	200
SPE560Y	5.0 x 60mm	2 3/8" x 10	No. 2	36mm	100
SPE570Y	5.0 x 70mm	2 3/4" x 10	No. 2	42mm	100
SPE580Y	5.0 x 80mm	3 1/4" x 10	No. 2	48mm	100
SPE590Y	5.0 x 90mm	3 1/2" x 10	No. 2	54mm	100
SPE5100Y	5.0 x 100mm	4" x 10	No. 2	60mm	100
SPE5120Y	5.0 x 120mm	4 3/4" x 10	No. 2	72mm	100
SPE640Y	6.0 x 40mm	1 1/2" x 12	No. 3	Fully Threaded	200
SPE650Y	6.0 x 50mm	2" x 12	No. 3	30mm	100
SPE660Y	6.0 x 60mm	2 3/8" x 12	No. 3	36mm	100
SPE670Y	6.0 x 70mm	2 3/4" x 12	No. 3	42mm	100
SPE680Y	6.0 x 80mm	3 1/2" x 12	No. 3	48mm	100
SPE690Y	6.0 x 90mm	3 1/2" x 12	No. 3	54mm	100
SPE6100Y	6.0 x 100mm	4" x 12	No. 3	60mm	100
SPE6120Y	6.0 x 120mm	4 3/4" x 12	No. 3	72mm	100
SPE6130Y	6.0 x 130mm	5 1/4" x 12	No. 3	75mm	100
SPE6150Y	6.0 x 150mm	6" x 12	No. 3	75mm	100
SPE6180Y	6.0 x 180mm	7" x 12	No. 3	75mm	100

SPECTRE Advanced Multi-Purpose Bulk Boxes



Box Code	Metric Size	Imperial Size	Bit/Socket Size	Thread Length	Box Qty
SPE425YB	4.0 x 25mm	1" x 8	No. 2	Fully Threaded	1000
SPE430YB	4.0 x 30mm	1 1/4" x 8	No. 2	Fully Threaded	1000
SPE440YB	4.0 x 40mm	1 1/2" x 8	No. 2	Fully Threaded	1000
SPE450YB	4.0 x 50mm	2" x 8	No. 2	30mm	500
SPE460YB	4.0 x 60mm	2 3/8" x 8	No. 2	36mm	500
SPE470YB	4.0 x 70mm	2 3/4" x 8	No. 2	42mm	500
SPE530YB	5.0 x 30mm	1 1/4" x 10	No. 2	Fully Threaded	1000
SPE540YB	5.0 x 40mm	1 1/2" x 10	No. 2	Fully Threaded	500
SPE550YB	5.0 x 50mm	2" x 10	No. 2	30mm	500
SPE560YB	5.0 x 60mm	2 3/8" x 10	No. 2	36mm	500
SPE570YB	5.0 x 70mm	2 3/4" x 10	No. 2	42mm	300
SPE580YB	5.0 x 80mm	3 1/4" x 10	No. 2	48mm	300
SPE590YB	5.0 x 90mm	3 1/2" x 10	No. 2	54mm	300
SPE5100YB	5.0 x 100mm	4" x 10	No. 2	60mm	300



Twin Thread General-Purpose Screws - Zinc Plated



EN 14592:2008
+A1:2012
For structural
timber products

- **Finish: Zinc Plated.**
- Head: Countersunk Pozidriv compatible recessed.
- A twin thread screw ideal for a range of fixing applications. Ideal for fixing into a range of substrates including softwoods, hardwoods, chipboards and fibreboards.
- Twin thread screws work well with plastic expansion plugs

- Twin thread and special wax coating also increases speed and ease of insertion.
- Twin thread provides increased holding power.



Box Code	Imperial Size	Metric Size	Bit/Socket Size	Thread Length	Box Qty
CSK124ZP	1/2" x 4	3.0 x 13mm	No.1	Fully Threaded	200
CSK584ZP	5/8" x 4	3.0 x 15mm	No.1	Fully Threaded	200
CSK344ZP	3/4" x 4	3.0 x 20mm	No.1	Fully Threaded	200
CSK14ZP	1" x 4	3.0 x 25mm	No.1	Fully Threaded	200
CSK126ZP	1/2" x 6	3.5 x 13mm	No.2	Fully Threaded	200
CSK586ZP	5/8" x 6	3.5 x 15mm	No.2	Fully Threaded	200
CSK346ZP	3/4" x 6	3.5 x 20mm	No.2	Fully Threaded	200
CSK16ZP	1" x 6	3.5 x 25mm	No.2	Fully Threaded	200
CSK1146ZP	1 1/4" x 6	3.5 x 30mm	No.2	Fully Threaded	200
CSK1126ZP	1 1/2" x 6	3.5 x 40mm	No.2	30mm	200
CSK1346ZP	1 3/4" x 6	3.5 x 45mm	No.2	30mm	200
CSK26ZP	2" x 6	3.5 x 50mm	No.2	50mm	200
CSK347ZP	3/4" x 7	3.9 x 20mm	No.2	Fully Threaded	200
CSK17ZP	1" x 7	3.9 x 25mm	No.2	Fully Threaded	200
CSK1147ZP	1 1/4" x 7	3.9 x 30mm	No.2	Fully Threaded	200
CSK1127ZP	1 1/2" x 7	3.9 x 40mm	No.2	30mm	200
CSK128ZP	1/2" x 8	4.0 x 12mm	No.2	Fully Threaded	200
CSK588ZP	5/8" x 8	4.0 x 15mm	No.2	Fully Threaded	200
CSK348ZP	3/4" x 8	4.0 x 20mm	No.2.	Fully Threaded	200
CSK18ZP	1" x 8	4.0 x 25mm	No.2	Fully Threaded	200
CSK1148ZP	1 1/4" x 8	4.0 x 30mm	No.2	Fully Threaded	200
CSK1128ZP	1 1/2" x 8	4.0 x 40mm	No.2	30mm	200
CSK1348ZP	1 3/4" x 8	4.0 x 45mm	No.2	30mm	200
CSK28ZP	2" x 8	4.0 x 50mm	No.2	50mm	200
CSK2148ZP	2 1/4" x 8	4.0 x 55mm	No.2	50mm	200

Box Code	Imperial Size	Metric Size	Bit/Socket Size	Thread Length	Box Qty
CSK2128ZP	2 1/2" x 8	4.0 x 60mm	No.2	50mm	200
CSK2348ZP	2 3/4" x 8	4.0 x 70mm	No.2	50mm	100
CSK38ZP	3" x 8	4.0 x 75mm	No.2	50mm	100
CSK3128ZP	3 1/2" x 8	4.0 x 90mm	No.2	50mm	100
CSK3410ZP	3/4" x 10	5.0 x 20mm	No.2	Fully Threaded	200
CSK110ZP	1" x 10	5.0 x 25mm	No.2	Fully Threaded	200
CSK11410ZP	1 1/4" x 10	5.0 x 30mm	No.2	Fully Threaded	200
CSK11210ZP	1 1/2" x 10	5.0 x 40mm	No.2	30mm	200
CSK13410ZP	1 3/4" x 10	5.0 x 45mm	No.2	30mm	200
CSK210ZP	2" x 10	5.0 x 50mm	No.2	50mm	200
CSK21410ZP	2 1/4" x 10	5.0 x 55mm	No.2	50mm	200
CSK21210ZP	2 1/2" x 10	5.0 x 60mm	No.2	50mm	100
CSK310ZP	3" x 10	5.0 x 75mm	No.2	50mm	100
CSK31210ZP	3 1/2" x 10	5.0 x 90mm	No.2	50mm	100
CSK410ZP	4" x 10	5.0 x 100mm	No.2	50mm	100
CSK112ZP	1" x 12	6.0 x 25mm	No.3	Fully Threaded	200
CSK11412ZP	1 1/4" x 12	6.0 x 30mm	No.3	Fully Threaded	200
CSK11212ZP	1 1/2" x 12	6.0 x 40mm	No.3	30mm	200
CSK13412ZP	1 3/4" x 12	6.0 x 45mm	No.3	30mm	200
CSK212ZP	2" x 12	6.0 x 50mm	No.3	50mm	100
CSK21212ZP	2 1/2" x 12	6.0 x 60mm	No.3	50mm	100
CSK312ZP	3" x 12	6.0 x 75mm	No.3	50mm	100
CSK31212ZP	3 1/2" x 12	6.0 x 90mm	No.3	50mm	100
CSK412ZP	4" x 12	6.0 x 100mm	No.3	50mm	100

For More Products, More Information & To Place An Order Visit:

www.forgefix.co.uk

FIXINGS & FASTENERS Twin Thread General-Purpose Screws - Round Head Zinc Plated



- **Finish: Zinc Plated.**
- A twin thread screw ideal for a range of fixing applications.
- Head: Round Head.

- Twin thread screws work well with plastic expansion plugs



Box Code	Imperial Size	Metric Size	Bit/Socket Size	Thread Length	Box Qty
RH586ZP	5/8" x 6	3.5 x 15mm	No.2	Fully Threaded	200
RH16ZP	1" x 6	3.5 x 25mm	No.2	Fully Threaded	200
RH588ZP	5/8" x 8	4.0 x 15mm	No.2	Fully Threaded	200
RH348ZP	3/4" x 8	4.0 x 20mm	No.2	Fully Threaded	200
RH18ZP	1" x 8	4.0 x 25mm	No.2	Fully Threaded	200
RH1148ZP	1 1/4" x 8	4.0 x 30mm	No.2	Fully Threaded	200
RH1128ZP	1 1/2" x 8	4.0 x 40mm	No.2	30mm	200
RH28ZP	2" x 8	4.0 x 50mm	No.2	50mm	200
RH110ZP	1" x 10	5.0 x 25mm	No.2	Fully Threaded	200
RH11210ZP	1 1/2" x 10	5.0 x 40mm	No.2	30mm	200
RH210ZP	2" x 10	5.0 x 50mm	No.2	50mm	200

FIXINGS & FASTENERS Socket Screws Nickel



- **Finish: Bright Nickel Plated.**
- Electrical Socket Screws.
- Head: Raised Countersunk Slotted.
- Designed for use into pre-tapped holes in electrical switches or sockets.



Bag Code	Metric Size	Imperial Size	Bag Qty
100SS3525NP	3.5 x 25mm	1" x 6	100
100SS3535NP	3.5 x 35mm	1 3/8" x 6	100
100SS3540NP	3.5 x 40mm	1 1/2" x 6	100
100SS3550NP	3.5 x 50mm	2" x 6	100
100SS3575NP	3.5 x 75mm	3" x 6	100

TECHFAST

ELITE PERFORMANCE FASTENERS

MASONRY SCREW RANGE

Secure Masonry Fixing with a choice of head designs

Impact Bit Included

A single self-tapping thread provides secure anchorage without putting stress on the substrate

Sawtooth thread provides clearance for removal of material

TECHFAST Masonry Screws - Pan Head



- **Finish: Elementech 1000.**
- Pan head with Torx® compatible recess.
- TechFast Masonry Screws, a self-tapping, no stress alternative to plastic plugs.
- Easy two step installation, drill a hole in substrate and screw in with powertool.
- Complies with EU Safety, Health and Environmental requirements.

CE
EN 14566:2008
+A1:2009



Box Code	Metric Size	Bit/Socket Size	Box Qty
TFMSPT4832	4.8 x 32mm	T20	100
TFMSPT4845	4.8 x 45mm	T20	100

TECHFAST Masonry Screws - Hex Head



- **Finish: Elementech 1000.**
- 8mm Hex head with Torx® compatible recess.

CE
EN 14566:2008
+A1:2009



Box Code	Metric Size	Bit/Socket Size	Box Qty
TFMSHT6332	6.3 x 32mm	T27	100
TFMSHT6345	6.3 x 45mm	T27	100
TFMSHT6357	6.3 x 57mm	T27	100
TFMSHT6370	6.3 x 70mm	T27	100
TFMSHT6382	6.3 x 82mm	T27	100

TECHFAST Masonry Screws - Countersunk



- **Finish: Elementech 1000.**
- Countersunk head with Torx® compatible recess.
- TechFast Masonry Screws, a self-tapping, no stress alternative to plastic plugs.
- Easy two step installation, drill a hole in substrate and screw in with power tool.
- Complies with EU Safety, Health and Environmental requirements.



CE
EN 14566:2008
+A1:2009



Box Code	Metric Size	Bit/Socket Size	Box Qty
TFMSCT4832	4.8 x 32mm	T20	100
TFMSCT4845	4.8 x 45mm	T20	100
TFMSCT4857	4.8 x 57mm	T20	100
TFMSCT4870	4.8 x 70mm	T20	100
TFMSCT48101	4.8 x 101mm	T20	100
TFMSCT6332	6.3 x 32mm	T30	100
TFMSCT6345	6.3 x 45mm	T30	100
TFMSCT6357	6.3 x 57mm	T30	100
TFMSCT6370	6.3 x 70mm	T30	100
TFMSCT6382	6.3 x 82mm	T30	100
TFMSCT63101	6.3 x 101mm	T30	100
TFMSCT63127	6.3 x 127mm	T30	100

Tel: 01663 719460 • Email: sales@forgefix.co.uk

DEWALT 'Wall Dog' Screw Anchor - Countersunk



- All steel, tension-free, one piece, threaded fastener.
- Head: Countersunk.
- Fastens various fixtures directly to drywall, wood, concrete, sand-lime, stone or brick work.
- No plugs needed.
- No pre-drilling required in wood, drywall and gypsum board.
- Applications: Light to medium duty applications including:- Curtain tracks, electrical sockets and switches.

Box Code	Metric Size	Finish	Box Qty
DFM424000P	32mm	White	100
DFM424015P	32mm	Chrome	100

DEWALT 'Wall Dog' Screw Anchor - Pan Head



- All steel, tension-free, one piece, threaded fastener.
- Head: Pan Head.
- Fastens various fixtures directly to drywall, wood, concrete, sand-lime, stone or brick work.
- No plugs needed.
- No pre-drilling required in wood, drywall and gypsum board.
- Applications: Light to medium duty applications including:- Curtain Tracks, electrical sockets and switches.

Box Code	Metric Size	Finish	Box Qty
DFM425000P	32mm	White	100
DFM425005P	32mm	Chrome	100

Web: www.forgefix.co.uk

FIXINGS & FASTENERS Cavity Wall Anchor - Zinc Alloy



- **Finish: Zinc Alloy.**
- Metal Speed Plug.
- Supplied with Pozi® compatible 4.5x35mm round head screws.
- Specially designed cutting tip to pierce plasterboard skin.
- Screw and fixture can be removed for cleaning and decoration.
- Ideal when re-fixing into existing plug or anchor holes.
- Countersink feature allows flush fitting to plasterboard.
- New design flange on screw head acts as a fixed washer distributing the load.
- Alternative screws can be used if required.
- Suitable for use in most types of hollow walls and plasterboard.



Box Code	Metric Size	Box Qty
MSP420	4.5x35mm Screw	100

FIXINGS & FASTENERS Cavity Wall Anchor - Nylon



- **Finish: Nylon.**
- Nylon Speed Plugs.
- Nylon speed plugs can be used in electrical installations.



Box Code	Metric Size	Box Qty
NSP421	4.5x35mm Screw	100

FIXINGS & FASTENERS Cavity Wall Anchor - Zinc Plated



- **Finish: Zinc Plated.**
- Supplied with universal cross pan head machine screws.
- Suitable for heavy duty applications such as radiators and wall units.
- Suitable for fibreboard & plasterboard.
- Anti-rotation teeth pierce the base skin.
- Screw and fixing can be removed.
- Specialist fixing gun can be used.
- All steel heat resistant.



Bag Code	Metric Size	Bag Qty
10MCA420	M4 x 20mm	10
10MCA432	M4 x 32mm	10
10MCA438	M4 x 38mm	10
10MCA445	M4 x 45mm	10
10MCA537	M5 x 37mm	10
10MCA552	M5 x 52mm	10
10MCA565	M5 x 65mm	10
10MCA637	M6 x 37mm	10
10MCA652	M6 x 52mm	10
10MCA665	M6 x 65mm	10

FIXINGS & FASTENERS Cavity Wall Anchor Tool



- **Finish: Painted Red/Black.**
- For use with Cavity Wall Anchors.
- Metal Body.
- For repetitive fixing applications.
- Sturdy Construction.



Bag Code	Finish	Bag Qty
MCAGUN	Painted Red/Black	1

FIXINGS & FASTENERS Expansion Wall Plugs - Plastic



- **Finish: Plastic, coloured.**
- A range of colour coded plugs for use with 3.0-7.0mm or 4-14 gauge screws.
- Anti-rotation moulding at the plug head for extra holding power.
- Self-locating internal channel.



Box Code	Size	Box Qty
EXP2	No. 4-6's	1000
EXP3	No. 6-8's	1000
EXP4	No. 8-10's	1000
EXP5	No. 12-14's	1000

tillex® Stella Plugs - Single-Layer P/board



- **Finish: Nylon, Red.**
- For fixing heavy objects like shelves, radiators, cupboards, light fittings, lamps, duct moldings in all types of boards used in cavity walls.
- High load capacity.
- Easy fixing - needs no special tools.
- Equally effective for insulated cavities.
- Will not damage the plasterboard.
- Encapsulated nut for strength.
- Plug is removeable.
- Screws are zinc plated 4.8 steel.
- High quality recycled Nylon (Polyamid 6).
- Halogen free and can withstand temperatures from -40°C to +80°C.

Box Code	Metric Size	Screw Size	Box Qty
TIL330011	M10 x 49mm	5.0 x 55mm	25
TIL330013	M10 x 49mm	5.0 x 80mm	25

Tel: 01663 719460 • Email: sales@forgefix.co.uk

FIXINGS & FASTENERS Wall Plugs & Screws Kit - 1000 pc



- **Finish: Red Plastic Plug, Zinc Plated Screw.**
- No.6-8's Expansion Wall Plugs (x500).
- 1 1/2" x8 Twin Thread Screws (x500).

Pack Code	Size	Pack Qty
EXPCSK1128ZP	Assorted	1000

tillex® Stella Plugs - Double-Layer P/board



- **Finish: Nylon, Black.**
- For fixing heavy objects like shelves, radiators, cupboards, light fittings, lamps, duct moldings in all types of boards used in cavity walls.
- High load capacity.
- Easy fixing - needs no special tools.
- Equally effective for insulated cavities.
- Will not damage the plasterboard.
- Encapsulated nut for strength.
- Plug is removeable.
- Screws are zinc plated 4.8 steel.
- High quality recycled Nylon (Polyamid 6).
- Halogen free and can withstand temperatures from -40°C to +80°C.

Box Code	Metric Size	Screw Size	Box Qty
TIL330051	M10 x 59mm	5.0 x 65mm	25
TIL330053	M10 x 59mm	5.0 x 90mm	25

Web: www.forgefix.co.uk

FIXINGS & FASTENERS Cable Tie (Black)



- **Finish: Black.**
- Cable Ties (nylon self-locking).
- Universal uses.
- Extensive range of sizes from 100mm-450mm.
- Available in widths 2.5mm-8.0mm.
- Temperature range for continuous use is 40°C to 85°C.
- Totally universal tie wrap that can be joined together increasing size and diameter reach.
- Designed specifically as a secure tie for use in many tasks in areas including building, gardening, domestic, electrical and marine.

Bag Code	Metric Size	Bag Qty
CT100B	2.5 x 100mm	100
CT150B	3.6 x 150mm	100
CT200B	4.8 x 200mm	100
CT300B	4.8 x 300mm	100
CT36848B	4.8 x 368mm	100
CT380B	7.6 x 380mm	100
CT450B	8.0 x 450mm	100

FIXINGS & FASTENERS Cable Tie (Natural/Clear)



- As above

Bag Code	Metric Size	Bag Qty
CT100N	2.5 x 100mm	100
CT150N	3.6 x 150mm	100
CT200N	4.8 x 200mm	100
CT300N	4.8 x 300mm	100
CT36848N	4.8 x 368mm	100
CT380N	7.6 x 380mm	100
CT450N	8.0 x 450mm	100

tillex® Cable Clips - Round



- For use in most materials.
- Material: Impact resistant, UV-stabilised polypropylene, halogen free.
- Nail: Hardened steel nails, mechanically zinc plated, corrosion class C4.

Box Code	Metric Size	Finish	Box Qty
TIL101043	5-7mm	White	100
TIL101045	5-7mm	Black	100
TIL101058	5-7mm	Brown	100
TIL101100	7-10mm	White	100
TIL101210	8-12mm	White	100
TIL101330	10-14mm	White	100
TIL101450	12-16mm	White	100

tillex® Cable Clips - Flat



- As above

Box Code	Metric Size	Finish	Box Qty
TIL110145	5x8mm	Grey	100
TIL110199	6x10mm	Grey	100

tillex® Cable Clips w/ Screw - Round



- Can be installed both indoors and outdoors.
- Material: Impact resistant, UV-stabilised polypropylene, halogen free..
- Screw: Strong concrete screw, corrosion class C4, PH2.

Box Code	Metric Size	Finish	Box Qty
TIL170065	7-10mm	White	100
TIL170075	7-10mm	Black	100

tillex® Drill Clips w/ Screw - Round



- For installation in sheet metal.
- Strong self-drilling 4.8x40mm screw with drill shaped tip allows it to mount directly in sheet metal (max 2.0mm) with no need for pilot hole.
- Corrosion class C4.
- Can be used both indoors and outdoors.
- Material: Impact resistant, UV-stabilised polypropylene, halogen free.

Box Code	Metric Size	Finish	Box Qty
TIL150096	14-18mm	White	100
TIL150126	18-22mm	White	50

FIXINGS & FASTENERS Cable Clips - Round




- **Finish: Plastic Clip, Zinc Plated Nail.**
- Hardened zinc plated masonry nail for increased durability and efficiency.
- Suitable for fitting round cable to masonry or timber.

Box Code	Metric Size	Finish	Box Qty
RCC45W	4-5mm	White	200
RCC56W	5-6mm	White	100
RCC67W	6-7mm	White	100
RCC67BR	6-7mm	Brown	100
RCC67B	6-7mm	Black	100
RCC78W	7-8mm	White	100
RCC911W	9-11mm	White	100
RCC1214W	12-14mm	White	100
RCC1518W	15-18mm	White	100
RCC2528W	25-28mm	White	50

Tel: 01663 719460 • Email: sales@forgefix.co.uk

FIXINGS & FASTENERS Cable Clips - Flat



- **Finish: Plastic Clip, Zinc Plated Nail.**
- Hardened zinc plated masonry nail for increased durability and efficiency.
- Specifically designed for use with flat cable.
- Suitable for fitting flat cable to masonry or timber.

Box Code	Metric Size	Finish	Box Qty
FCC75W	0.75mm	White	100
FCC1G	1.00mm	Grey	100
FCC1W	1.00mm	White	100
FCC15G	1.50mm	Grey	100
FCC15W	1.50mm	White	100
FCC25G	2.50mm	Grey	100
FCC25W	2.50mm	White	100
FCC4G	4.00mm	Grey	100
FCC6G	6.00mm	Grey	100
FCC10G	10.00mm	Grey	100
FCC16G	16.00mm	Grey	100
FCCBW	BellWire	White	100

SPECTRE Holesaws & Accessories



See page 22 for details

Web: www.forgefix.co.uk

FIXINGS & FASTENERS Contractor Fixing Banding



- Easy to cut and bend.
- Medium-duty flexible and strong fixing band.
- Pre-punched holes for fixing bolts and screws.
- Supplied in 10m rolls in a durable cassette.
- Ideal for fixing supporting cable, ducting and many more superficial installations.



- **Finish: Galvanised.**
- Galvanised steel for protection against corrosion.

Box Code	Metric Size	Box Qty
GB12	12mm x 0.7 x 10M	1
GB17	17mm x 0.7 x 10M	1



- **Finish: Galvanised, Black Plastic Coated.**
- Pre-galvanised and plastic coated steel for protection against corrosion.

Box Code	Metric Size	Box Qty
PCBB12	12mm x 0.8 x 10M	1
PCBB17	17mm x 0.8 x 10M	1



- **Finish: Galvanised, Red Plastic Coated.**
- Pre-galvanised and plastic coated steel for protection against corrosion.

Box Code	Metric Size	Box Qty
PCBR12	12mm x 0.8 x 10M	1
PCBR17	17mm x 0.8 x 10M	1



- **Finish: Galvanised, White Plastic Coated.**
- Pre-galvanised and plastic coated steel for protection against corrosion.

Box Code	Metric Size	Box Qty
PCBW12	12mm x 0.8 x 10M	1
PCBW17	17mm x 0.8 x 10M	1

FIXINGS & FASTENERS Builders Fixing Banding



- **Finish: Galvanised.**
- Heavy-duty flexible and extremely strong fixing band.
- Pre-punched holes for fixing bolts and screws.
- Galvanised steel for protection against corrosion.

Box Code	Metric Size	Box Qty
GB20	20mm x 1.0 x 10M	1

Don Quality Mickey Pins

- **Finish: Zinc Galvanised.**
- Designed specifically for percussion (hammer) installation.
- Fitted washer prevents fixtures pulling over the head of the nail.
- Zinc Galvanised finish for increased durability.
- Used for fastening trunking, cabling, steel channelling, plastic sheeting, cable trays and timber form work in masonry applications.



Box Code	Metric Size	Box Qty
DONMP2525	2.5 x 25mm	200

FORGE MASTER

See Page 24
for ForgeMaster
Drill Bits

loftleg Loft Leg



- **Finish: Black, Plastic.**
- The Loft Leg is an ideal storage solution for new build or existing non-boarded lofts.
- Creates a raised floor above 270mm of insulation.
- Strong enough to walk on and store up to 50Kg per square metre.
- Avoids insulation compression saving energy.
- Manufactured in the UK from recycled materials.
- Fit quickly and easily with 4.0x30mm screws.

Box Code	Size	Box Qty
LOFTLEG	175 x 76 x 76mm	12

loftleg Loft Leg XL



- Creates a raised floor above 400mm of insulation.

Box Code	Size	Box Qty
LOFTLEGXL	300 x 90 x 90mm	12

loftleg Loft Ledge



- **Finish: Black ABS.**
- Easy and convenient solution to maximise storage space in trussed roofs.
- Designed to fit all standard truss constructions.
- Complete kit containing 2 brackets, chipboard shelf and four screws.
- No cutting, no mess, no stress.

Box Code	Size	Box Qty
LOFTLEDGE	530 x 530mm	1

Tel: 01663 719460 • Email: sales@forgefix.co.uk

loftleg Loft Lid



- **Finish: Black PVC.**
- The Loft Lid is a simple solution for the safe installation of downlights in a loft space.
- Creates a protective barrier or cover over downlights to prevent over heating and house fires.
- Design ensures loft insulation does not directly contact downlights and that there is sufficient ventilation around the light for heat dissipation.
- Eliminates heat loss and air leakage into the loft space and allows for a continuous layer of insulation to be laid over the top of the lid to comply with current building regulations.

Box Code	Size	Box Qty
LOFTLID	220 x 160 x 150mm	1

loftleg Loft Light



- **Finish: Black.**
- The Loft Light is an ultra bright, battery powered LED light bulb that illuminates a loft instantly.
- Requires no electrical wiring and can be screwed directly to any timber element in the Loft (roof truss, rafter, purlin or noggin).
- Utilising the latest in LED technology the Loft Light provides the equivalent illumination of a 32 Watt bulb with a battery life of up to 4 years.
- The Loft Light includes a 2m long pull string, reflective strip and screws for convenient installation and operation.
- Batteries not included (3 x D batteries).

Box Code	Size	Box Qty
LOFTLIGHT	125 x 110 x 80mm	1

Web: www.forgefix.co.uk

FIXINGS & FASTENERS Repair Washers



- **Finish: Zinc Plated.**
- Mild Steel.
- Bright zinc plated for increased corrosion resistance.
- Main purpose of washers is to distribute the load under a bolt head or nut face.

Bag Code	Metric Size	Bag Qty
10PENY5	M5 x 25mm	10
50PENY6	M6 x 25mm	50
10PENY6	M6 x 25mm	10
50PENY8	M8 x 25mm	50
10PENY8	M8 x 25mm	10
50PENY10	M10 x 25mm	50
10PENY10	M10 x 25mm	10
50PENY12	M12 x 25mm	50
10PENY12	M12 x 25mm	10


FIXINGS & FASTENERS Hexagonal Nuts



- **Finish: Zinc Plated.**
- Wide range of sizes to suit most applications.
- For use in many different fastening applications.

Bag Code	Metric Size	Bag Qty
100NUT3	M3	100
100NUT4	M4	100
100NUT5	M5	100
100NUT6	M6	100
100NUT8	M8	100
50NUT10	M10	50
50NUT12	M12	50
10NUT16	M16	10
10NUT20	M20	10

FIXINGS & FASTENERS Roofing Bolts with Square Nuts



- **Finish: Zinc Plated.**
- Double slotted roofing bolt and square nut.
- Fully threaded.
- Low profile cross slotted mushroom head.
- Clearance hole size is usually 1mm more than the bolt diameter.
- Suitable for both interior and exterior use.
- Can be used on many DIY projects other than roofing.



Bag Code	Metric Size	Bag Qty
25RBN512	M5 x 12mm	25
25RBN525	M5 x 25mm	25
25RBN612	M6 x 12mm	25
25RBN616	M6 x 16mm	25
25RBN620	M6 x 20mm	25
25RBN625	M6 x 25mm	25
25RBN630	M6 x 30mm	25
25RBN640	M6 x 40mm	25
25RBN650	M6 x 50mm	25
25RBN660	M6 x 60mm	25
25RBN670	M6 x 70mm	25
25RBN680	M6 x 80mm	25
25RBN6100	M6 x 100mm	25
25RBN825	M8 x 25mm	25
25RBN830	M8 x 30mm	25
25RBN840	M8 x 40mm	25
25RBN850	M8 x 50mm	25
25RBN860	M8 x 60mm	25
25RBN880	M8 x 80mm	25
25RBN8100	M8 x 100mm	25
10RBN8120	M8 x 120mm	10
10RBN8160	M8 x 160mm	10
10RBN8180	M8 x 180mm	10
10RBN8200	M8 x 200mm	10
10RBN8240	M8 x 240mm	10

SPECTRE™

S2 Hardened steel for exceptional high strength & durability



- Finish: 'S2' grade steel.
- S2 heat treated, hardened steel for exceptional high strength and durability.
- Shock and wear proof.
- Precision machined tips.
- 1/4" hex shank.

SPECTRE ⚙️ S2 Bits - Torx® 25mm



Pack Code	Size	Pack Qty
SPEBT1025C	T10 x 25mm	2
SPEBT1525C	T15 x 25mm	2
SPEBT2025C	T20 x 25mm	2
SPEBT2525C	T25 x 25mm	2
SPEBT2725C	T27 x 25mm	2
SPEBT3025C	T30 x 25mm	2
SPEBT4025C	T40 x 25mm	2
SPEBT5025C	T50 x 25mm	2



Box Code	Size	Box Qty
SPEBT1025B	T10 x 25mm	10
SPEBT1525B	T15 x 25mm	10
SPEBT2025B	T20 x 25mm	10
SPEBT2525B	T25 x 25mm	10
SPEBT3025B	T30 x 25mm	10
SPEBT4025B	T40 x 25mm	10



Box Code	Size	Box Qty
SPEBT3025P	T30 x 25mm	50

SPECTRE ⚙️ S2 Bits - Torx® 50mm



Pack Code	Size	Pack Qty
SPEBT1050C	T10 x 50mm	2
SPEBT1550C	T15 x 50mm	2
SPEBT2050C	T20 x 50mm	2
SPEBT2550C	T25 x 50mm	2
SPEBT2750C	T27 x 50mm	2
SPEBT3050C	T30 x 50mm	2
SPEBT4050C	T40 x 50mm	2



Box Code	Size	Box Qty
SPEBT1050B	T10 x 50mm	5
SPEBT1550B	T15 x 50mm	5
SPEBT2050B	T20 x 50mm	5
SPEBT2550B	T25 x 50mm	5
SPEBT3050B	T30 x 50mm	5
SPEBT4050B	T40 x 50mm	5

SPECTRE ⚙️ S2 Bits - Pozi® Compatible 25mm



Pack Code	Size	Pack Qty
SPEBPZ125C	PZ1 x 25mm	2
SPEBPZ225C	PZ2 x 25mm	2
SPEBPZ325C	PZ3 x 25mm	2
SPEBPZ425C	PZ4 x 25mm	2



Box Code	Size	Box Qty
SPEBPZ125B	PZ1 x 25mm	10
SPEBPZ225B	PZ2 x 25mm	10
SPEBPZ325B	PZ3 x 25mm	10



Box Code	Size	Box Qty
SPEBPZ225P	PZ2 x 25mm	50

SPECTRE ⚙️ S2 Bits - Pozi® Compatible 50mm



Pack Code	Size	Pack Qty
SPEBPZ150C	PZ1 x 50mm	2
SPEBPZ250C	PZ2 x 50mm	2
SPEBPZ350C	PZ3 x 50mm	2



Box Code	Size	Box Qty
SPEBPZ150B	PZ1 x 50mm	5
SPEBPZ250B	PZ2 x 50mm	5
SPEBPZ350B	PZ3 x 50mm	5

The Spectre Screwdriver bit range is designed to work alongside the Spectre screw range.



T20

SPECTRE S2 Bits 25mm Phillips® Compatible

- Finish: 'S2' grade steel.
- S2 heat treated, hardened steel for exceptional high strength and durability.
- Shock and wear proof.
- Precision machined tips.
- 1/4" hex shank.



Pack Code	Size	Pack Qty
SPEBPH125C	PH1 x 25mm	2
SPEBPH225C	PH2 x 25mm	2
SPEBPH325C	PH3 x 25mm	2



Box Code	Size	Box Qty
SPEBPH125B	PH1 x 25mm	10
SPEBPH225B	PH2 x 25mm	10
SPEBPH325B	PH3 x 25mm	10



Box Code	Size	Box Qty
SPEBPH225P	PH2 x 25mm	50

SPECTRE S2 Quick Release Bit Holder



- Finish: Steel.
- Shock and wear proof.
- 1/4" hex shank.

Pack Code	Size	Pack Qty
SPEBHQR60	60mm	1

Tel: 01663 719460 • Email: sales@forgefix.co.uk

SPECTRE S2 Nut Driver



- Finish: 'S2' grade steel.
- S2 heat treated, hardened steel for exceptional high strength and durability.
- Ultra magnetic.
- Shock and wear proof.
- 1/4" hex shank.

Pack Code	Size	Pack Qty
SPEND665	6.0 x 65mm	1
SPEND765	7.0 x 65mm	1
SPEND865	8.0 x 65mm	1
SPEND1065	10.0 x 65mm	1
SPEND1165	11.0 x 65mm	1
SPEND1365	13.0 x 65mm	1
SPEND1465	1/4" x 65mm	1
SPEND51665	5/16" x 65mm	1

SPECTRE S2 Magnetic Bit Holder



- Finish: 'S2' grade steel.
- S2 heat treated, hardened steel for exceptional high strength and durability.
- Ultra magnetic.
- Shock and wear proof.
- 1/4" hex shank.

Pack Code	Size	Pack Qty
SPEBH60	60mm	1
SPEBH150	150mm	1

Web: www.forgefix.co.uk

SPECTRE S2 Bit Set - 25mm - 12 Piece



- Finish: 'S2' grade steel.
- Contains: PZ1 x1, PZ2 x2, PZ3 x1, T10 x1, T15 x1, T20 x1, T25 x1, T27 x1, T30 x1, T40 x1. 60mm bit holder x1.

Pack Code	Size	Pack Qty
SPEBITSET12	Assorted	12pc

SPECTRE S2 Bit Set - 25mm - 31 Piece



- Finish: 'S2' grade steel.
- Contains: PH1 x1, PH2 x2, PH3 x1, PZ1 x1, PZ2 x3, PZ3 x1, H3 x1, H4 x1, H5 x1, H6 x1, SL3 x1, SL4 x1, SL5 x1, SL6 x1, T10 x1, T15 x1, T20 x3, T25 x3, T27 x1, T30 x3, T40 x1. 60mm bit holder.

Pack Code	Size	Pack Qty
SPEBITSET31	Assorted	31pc

SPECTRE Countertop Display Units

Spectre Bit Sets are supplied in convenient cut cases



x12 sets per CDU

SPECTRE Bi-Metal Holesaws



- **Finish: Yellow Painted.**
- Hardened steel teeth for fast, smooth, clean cuts.
- Advanced heat and wear resistance for longer life.
- Ideal for cutting wood, plastics, plasterboard, stainless and mild steel.

Pack Code	Size	Pack Qty
SPEHOLE14	14.0mm	1
SPEHOLE16	16.0mm	1
SPEHOLE19	19.0mm	1
SPEHOLE20	20.0mm	1
SPEHOLE21	21.0mm	1
SPEHOLE22	22.0mm	1
SPEHOLE24	24.0mm	1
SPEHOLE25	25.0mm	1
SPEHOLE27	27.0mm	1
SPEHOLE29	29.0mm	1
SPEHOLE30	30.0mm	1
SPEHOLE32	32.0mm	1
SPEHOLE33	33.0mm	1
SPEHOLE35	35.0mm	1
SPEHOLE38	38.0mm	1
SPEHOLE40	40.0mm	1
SPEHOLE41	41.0mm	1
SPEHOLE44	44.0mm	1
SPEHOLE46	46.0mm	1
SPEHOLE48	48.0mm	1
SPEHOLE51	51.0mm	1
SPEHOLE52	52.0mm	1
SPEHOLE54	54.0mm	1
SPEHOLE56	56.0mm	1
SPEHOLE57	57.0mm	1
SPEHOLE60	60.0mm	1
SPEHOLE64	64.0mm	1
SPEHOLE65	65.0mm	1

Tel: 01663 719460 • Email: sales@forgefix.co.uk

Pack Code	Size	Pack Qty
SPEHOLE67	67.0mm	1
SPEHOLE70	70.0mm	1
SPEHOLE73	73.0mm	1
SPEHOLE76	76.0mm	1
SPEHOLE79	79.0mm	1
SPEHOLE83	83.0mm	1
SPEHOLE86	86.0mm	1
SPEHOLE89	89.0mm	1
SPEHOLE92	92.0mm	1
SPEHOLE95	95.0mm	1
SPEHOLE98	98.0mm	1
SPEHOLE102	102.0mm	1
SPEHOLE105	105.0mm	1
SPEHOLE108	108.0mm	1
SPEHOLE111	111.0mm	1
SPEHOLE114	114.0mm	1
SPEHOLE121	121.0mm	1
SPEHOLE127	127.0mm	1
SPEHOLE133	133.0mm	1
SPEHOLE140	140.0mm	1
SPEHOLE152	152.0mm	1
SPEHOLE160	160.0mm	1
SPEHOLE168	168.0mm	1
SPEHOLE177	177.0mm	1
SPEHOLE210	210.0mm	1

SPECTRE Holesaw Arbors - SDS



- **Finish: Black and Silver.**
- SDS shank prevents slippage, increasing efficiency.
- For use with 14-30mm/32-210mm Holesaws.

Pack Code	Size	Pack Qty
SPEARBDS1430	14-30mm	1
SPEARBDS32210	32-210mm	1

Web: www.forgefix.co.uk

SPECTRE Holesaw Arbors - Hex



- **Finish: Black and Silver.**
- Spectre Arbor A1/A2.
- Range to suit holesaw sizes.
- Hex shank prevents slippage, increasing efficiency.
- For use with 14-30mm/32-210mm Holesaws.

Pack Code	Size	Pack Qty
SPEARBHEX1430	14-30mm	1
SPEARBHEX32210	32-210mm	1

SPECTRE Holesaw Arbor Extension Bars



- **Finish: Black.**
- Spectre Arbor Extension Bars.
- For use with Bi-metal Holesaws.

Pack Code	Size	Pack Qty
SPEARBEXT140	140mm	1
SPEARBEXT300	300mm	1

SPECTRE Holesaw Arbors - Hex Quick Release



- **Finish: Black and Silver.**
- Spectre Arbor A2 Quick Release.
- Hex shank prevents slippage, increasing efficiency.
- For use with 32-210mm Holesaws.

Pack Code	Size	Pack Qty
SPEARBQR32210	32-210mm	1

SPECTRE Arbor Drills



- **Finish: Silver.**
- Pilot drills.
- Available in 80mm or 90mm lengths..

Pack Code	Size	Pack Qty
SPEARBDRILL	80mm	10
SPEARBDRILLX2	80mm	2
SPEARBDRILL90X2	90mm	2

SPECTRE Holesaw Set - Electrician's

- **Finish: Aluminium Case.**
- Spectre Electrician's 9 piece Holesaw Set.
- Supplied in durable aluminium case.
- Kit contents:
Holesaws: 16, 20, 25, 32, 40, 51mm.
Arbors: 14-30, 32-210mm and Arbor Nut.

Pack Code	Size	Pack Qty
SPEELECTRICSET	Assorted	9 piece



FORGE MASTER Flat Wood Bits



- **Finish: Polished**
- Triple Point.
- Specially designed anti-slip hexagon shank and forged tri-point cutting head.
- Twin spurs reduce the lifting of wood fibres leaving a cleaner hole.
- Heat treated for strength and durability.
- Specifically designed for use with today's modern cordless drill driver machines.
- Suitable for drilling hard and soft wood, plywood and particle boards including MDF and chipboard.

Pack Code	Size	Pack Qty
FMFLAT6	6.0 x 152mm	1
FMFLAT8	8.0 x 152mm	1
FMFLAT10	10.0 x 152mm	1
FMFLAT12	12.0 x 152mm	1
FMFLAT13	13.0 x 152mm	1
FMFLAT14	14.0 x 152mm	1
FMFLAT15	15.0 x 152mm	1
FMFLAT16	16.0 x 152mm	1
FMFLAT17	17.0 x 152mm	1
FMFLAT18	18.0 x 152mm	1
FMFLAT19	19.0 x 152mm	1
FMFLAT20	20.0 x 152mm	1
FMFLAT22	22.0 x 152mm	1
FMFLAT24	24.0 x 152mm	1
FMFLAT25	25.0 x 160mm	1
FMFLAT26	26.0 x 160mm	1
FMFLAT28	28.0 x 160mm	1
FMFLAT30	30.0 x 160mm	1
FMFLAT32	32.0 x 160mm	1
FMFLAT35	35.0 x 160mm	1
FMFLAT38	38.0 x 160mm	1
FMFLAT40	40.0 x 160mm	1

Tel: 01663 719460 • Email: sales@forgefix.co.uk

FORGE MASTER SDS Drill Bits



- **Finish: Sanded**
- Tungsten Carbide Tip.
- Specially designed ground tungsten carbide tip.
- Heat treated to increase the life span of the drill bit.
- Unique design, double slot chuck system, preventing drill seizure.
- Sand blast finish for increased durability.
- Specialist flute design enabling effective dust extraction, increasing drilling speed.
- For use with SDS percussion drill machines.
- Suitable for drilling stone, brick, concrete and most types of masonry.

Pack Code	Size	Pack Qty
FMSDS5110	5.0 x 110mm	1
FMSDS5160	5.0 x 160mm	1
FMSDS5210	5.0 x 210mm	1
FMSDS55110	5.5 x 110mm	1
FMSDS55160	5.5 x 160mm	1
FMSDS55210	5.5 x 210mm	1
FMSDS7110	7.0 x 110mm	1
FMSDS7160	7.0 x 160mm	1
FMSDS7210	7.0 x 210mm	1
FMSDS10110	10.0 x 110mm	1
FMSDS10160	10.0 x 160mm	1
FMSDS10210	10.0 x 210mm	1
FMSDS10260	10.0 x 260mm	1
FMSDS10310	10.0 x 310mm	1
FMSDS10450	10.0 x 450mm	1
FMSDS10600	10.0 x 600mm	1
FMSDS101000B	10.0 x 1000mm	1

Web: www.forgefix.co.uk

FORGE MASTER Masonry Drill Bits



- **Finish: Sanded**
- Tungsten Carbide Tip.
- Specially designed ground tungsten carbide tip.
- Heat treated to increase the life span of the drill bit.
- Hexagon shank stops slippage in the drill chuck increasing speed and efficiency.
- Sand blast finish for increased durability.
- Reduced shank to 12.7mm from size 16mm diameter upwards.
- Suitable for drilling stone, brick, concrete and most types of masonry.

Pack Code	Size	Pack Qty
FMMAS585	5.0 x 85mm	1
FMMAS150	5.0 x 150mm	1
FMMAS5100	5.5 x 100mm	1
FMMAS5150	5.5 x 150mm	1
FMMAS7100	7.0 x 100mm	1
FMMAS7150	7.0 x 150mm	1
FMMAS7200	7.0 x 200mm	1
FMMAS7300	7.0 x 300mm	1
FMMAS10120	10.0 x 120mm	1
FMMAS10150	10.0 x 150mm	1
FMMAS10200	10.0 x 200mm	1
FMMAS10300	10.0 x 300mm	1
FMMAS10400	10.0 x 400mm	1

FORGE MASTER HSS Rolled Drill Set



- **Finish: Black.**
- **19 piece** - Steel display box contains 1 of each: 1.0mm, 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm, 4.5mm, 5.0mm, 5.5mm, 6.0mm, 6.5mm, 7.0mm, 7.5mm, 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm.

Pack Code	Size	Pack Qty
FMHSM19SET	Assorted	19 piece


FORGE MASTER HSS Ground Cobalt Drill Set



- **Finish: Polished.**
- **19 piece** - Steel display box contains 1 of each: 1.0mm, 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm, 4.5mm, 5.0mm, 5.5mm, 6.0mm, 6.5mm, 7.0mm, 7.5mm, 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm.

Pack Code	Size	Pack Qty
FMHSCO19SET	Assorted	19 piece

FORGE MASTER HSS Ground Flute Drill Set



- **Finish: Polished.**
- **19 Piece** - Steel display box contains 1 of each: 1.0mm, 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm, 4.5mm, 5.0mm, 5.5mm, 6.0mm, 6.5mm, 7.0mm, 7.5mm, 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm.

Pack Code	Size	Pack Qty
FMHSG19SET	Assorted	19 piece

Merchandising Solutions

Merchandise your electrical range with a 1M merchandiser unit

Tel: 01663 719460 • Email: sales@forgefix.co.uk

Code	Size	Unit Qty	Order
Spectre Advanced Multi-Purpose Screws - Zinc Yellow - Box			
SPE430Y	4.0 x 30mm	200	5
SPE440Y	4.0 x 40mm	200	5
SPE450Y	4.0 x 50mm	200	5
SPE460Y	4.0 x 60mm	200	5
SPE470Y	4.0 x 70mm	200	5
SPE540Y	5.0 x 40mm	200	5
SPE550Y	5.0 x 50mm	200	5
SPE560Y	5.0 x 60mm	100	5
SPE580Y	5.0 x 80mm	100	5
SPE5100Y	5.0 x 100mm	100	5
Twin Thread General-Purpose Screws - Zinc Plated - Box			
CSK18ZP	1" x 8	200	5
CSK1148ZP	1 1/4" x 8	200	5
CSK1128ZP	1 1/2" x 8	200	5
CSK1348ZP	1 3/4" x 8	200	5
CSK28ZP	2" x 8	200	5
CSK2128ZP	2 1/2" x 8	200	5
CSK38ZP	3" x 8	100	5
CSK110ZP	1" x 10	200	5
CSK11410ZP	1 1/4" x 10	200	5
CSK11210ZP	1 1/2" x 10	200	5
CSK13410ZP	1 3/4" x 10	200	5
CSK210ZP	2" x 10	200	5
Twin Thread General-Purpose Screws Round Hd - ZP - Box			
RH348ZP	3/4" x 8	200	5
RH18ZP	1" x 8	200	5
RH1148ZP	1 1/4" x 8	200	5
RH1128ZP	1 1/2" x 8	200	5
RH28ZP	2" x 8	200	5
RH110ZP	1" x 10	200	5
RH11210ZP	1 1/2" x 10	200	5
RH210ZP	2" x 10	200	5
Socket Screws - Nickel Plated - Bag			
100SS3525NP	3.5 x 25mm	100	10
100SS3535NP	3.5 x 35mm	100	10
100SS3540NP	3.5 x 40mm	100	10
100SS3550NP	3.5 x 50mm	100	10
100SS3575NP	3.5 x 75mm	100	10

1M
Stock
Profile

Web: www.forgefix.co.uk

Code	Size	Unit Qty	Order
Cavity Wall Anchors - Nylon - Bag			
25NSP421	4.5 x 35mm	25	10
Cavity Wall Anchors - Zinc Alloy - Bag			
25MSP420	4.5 x 35mm	25	10
Cavity Wall Anchors - Zinc Alloy - Box			
MSP420	4.5 x 35mm	100	10
Cavity Wall Anchors - Zinc Plated - Bag			
10MCA420	M4 x 20mm	10	10
10MCA432	M4 x 32mm	10	10
10MCA445	M4 x 45mm	10	10
10MCA537	M5 x 37mm	10	10
10MCA552	M5 x 52mm	10	10
Cavity Wall Anchor Tool - Bag			
MCAGUN	-	1	2
Expansion Wall Plugs - Plastic - Box			
EXP3 (Red)	No. 6-8'	1000	2
EXP4 (Brown)	No. 8-10's	1000	2
Cable Ties - Black - Bag			
CT100B	100mm	100	10
CT150B	150mm	100	10
CT200B	200mm	100	10
CT300B	300mm	100	10
Cable Ties - Natural/Clear - Bag			
CT100N	100mm	100	10
CT150N	150mm	100	10
CT200N	200mm	100	10
CT300N	300mm	100	10
Cable Clips - Flat - White - Box			
FCC75W	0.75mm	100	10
FCC1W	1.0mm	100	10
FCCBW	BellWire	100	10
Cable Clips - Flat - Grey - Box			
FCC1G	1.0mm	100	10
FCC15G	1.5mm	100	10
FCC25G	2.5mm	100	10
FCC4G	4.0mm	100	10
FCC6G	6.0mm	100	10
FCC10G	10.0mm	100	10
FCC16G	16.0mm	100	10

Code	Size	Unit Qty	Order
Cable Clips - Round - White - Box			
RCC45W	4-5mm	200	10
RCC56W	5-6mm	100	10
RCC67W	6-7mm	100	10
RCC78W	7-8mm	100	10
RCC911W	9-11mm	100	10
RCC1214W	12-14mm	100	10
RCC1518W	15-18mm	100	10
Cable Clips - Round for Coaxial Cable - Black - Box			
RCC67B	6-7mm	100	10
Cable Clips - Round for Coaxial Cable - Brown - Box			
RCC67BR	6-7mm	100	10
Contractor Fixing Band - Galvanised - Bag			
GB12	12.0x0.7x10M	1	5
GB17	17.0x0.7x10M	1	5
PCBB12 (Black)	12.0x0.8x10M	1	2
PCBB17 (Black)	17.0x0.8x10M	1	2
PCBR12 (Red)	12.0x0.8x10M	1	2
PCBR17 (Red)	17.0x0.8x10M	1	2
PCBW12 (White)	12.0x0.8x10M	1	2
PCBW17 (White)	17.0x0.8x10M	1	2
Builders Fixing Band - Galvanised - Bag			
GB20	20.0x1.0x10M	1	5
Repair Washers - Zinc Plated - Bag			
10PENY5	M5 x 25mm	10	10
10PENY6	M6 x 25mm	10	10
10PENY10	M10 x 25mm	10	10
10PENY12	M12 x 25mm	10	10
Roofing Bolts - Zinc Plated - Bag			
25RBN620	M6 x 20mm	25	10
25RBN625	M6 x 25mm	25	10
25RBN640	M6 x 40mm	25	10

Merchandising units are free
Simply order stock to a value circa £850 to fill them.

For More Products, More Information & To Place An Order Visit:

www.forgefix.co.uk



Tel: 01663 719460
Fax: 01663 719463
Email: sales@forgefix.co.uk

www.forgefix.co.uk

ForgeFix, Spectre, FF, ForgeMaster are trademarks or registered trademarks of ForgeFix Ltd.
Pozi® is a registered trademark of Trifast PLC.

Torx® is a registered trademark of Acument Intellectual Properties LLC.

Phillips® is a registered trademark of Phillips Screw Company.

All trademarks are acknowledged as trademarks or registered trademarks of their owners.

