



# PowerPlus <sup>2020/21</sup>

Lighting & Power Supply

**TOOLBANK** | Available from your local branch

# Contents

New Products

3-5

Site Lights

6-13

Work Lights

14-23

Heaters

24-25

Transformers

26-27

Leads and Accessories


28-31

Cable Reels

32-35

Additional Power Products

36-39



#1

# New Products

A selection of products added to our Power Plus range.



# Heavy-duty Centaur Site Light

**NEW**



- 360° light spread
- 50 metre beam
- 6 foldable and lockable heads can be used at either 90° upright or 45° angled
- Anti-glare diffused lenses
- Robust, heavy-duty housing
- 4 light output modes: 100%, 75%, 50%, 25%
- IP65 rated light unit
- Carry bag

**IP65**

**10M  
CABLE**

Tripod sold separately



VOLTS	WATTS
110V	200W

FPPCENTAURL / 413620459



VOLTS	WATTS
240V	200W

FPPCENTAUR / 413620446

List £399.99

IP44 rated  
separate driver /  
operation unit



# Heavy-duty Tripod

**NEW**

- Extends up to 3M height
- Minimum height 1.2M
- 34mm dia top fitting
- Powder coated metal construction

FPPTRIHD3M / 413620475

List £99.99

# 360° LED Luminator Task Light

**NEW**

- Dome design provides 360° of light
- Power take off to link up to 15 units
- 5M cable with intergrated storage
- Built in carry handles
- Cool to touch and energy saving 50W LED

Floor Standing Lights



**5M  
CABLE**



**IN SERIES  
LINKING**



Tripod and T-Bar  
sold separately

**IP44**

## Twin Head T-Bar for Site Light Tripods



- Heavy-duty
- Fits up to 2 light units
- 4 bolts to attach lights
- 34mm socket dia.
- Powder coated metal construction

**NEW**



VOLTS	WATTS
110V	200W

**FPPSLTL50L / 413620501**



VOLTS	WATTS
240V	200W

**FPPSLTL50 / 413620491**

**FPPTRIKIT1 / 413620527**

List £81.99

List £8.99

# #2

## Site Lights

Designed to suit both domestic and commercial use. A selection of lighting styles, lumens & IP ratings.



# Cordless LED Bluetooth Site Light

- Completely cordless, no trailing leads!
- Super thin 20watt LED floodlight
- Built-in front facing Bluetooth speaker
- Removable 7.4V Li-ion battery pack
- USB output to charge phones
- Adjustable height 1150 - 1800mm
- Three light output modes - 10%, 50%, 100%
- Battery charge indicator
- Impact resistant



*Additional Battery*



	VOLTS	WATTS
■	240V	20W

**FPPSLLED20TB / 407606308**

List £180.24

**FPPSLLED20RB  
407606337**

List £65.03

# LED Super Thin Site Lights

- Super thin and lightweight
- Suitable for inside and outside use
- 2.5M cable and approved plug
- Impact resistant glass lens
- Maintenance free
- Adjustable angle
- Low running temperature
- Telescopic stands 910 - 1810mm

## Single



IP65



2.5M  
CABLE



Super Thin



VOLTS	WATTS
110V	20W

FPPSLED20VL / 406369044



VOLTS	WATTS
240V	20W

FPPSLED20V / 406369031

List £54.96

## Double



IP65



2.5M  
CABLE



Super Thin

Head can be used  
with or without  
the tripod



VOLTS	WATTS
110V	40W

FPPSLED40VL / 406369125



VOLTS	WATTS
240V	40W



FPPSLED40V / 406369112

List £94.28



# LED Twin Tripod Site Light

- Impact resistant glass lens
- Easily converted to floor light
- Quick release mechanism
- Adjustable height and angle
- Low running temperature
- Energy saving LED
- Telescopic stand



Head can be used  
with or without  
the tripod



VOLTS	WATTS
110V	60W

FPPSLED60VL / 408420761



VOLTS	WATTS
240V	60W

FPPSLED60V / 408420758

List £116.65



# Heavy-duty LED Sitelights

- Low running temperature
- Maintenance free
- Adjustable angle
- For use with or without a tripod

- Super thin head
- 2.5m cable and approved plug



IP65

Heavy-duty adjustable height tripod (910-1810mm)

**2.5M  
CABLE**



VOLTS	WATTS
110V	20W

FPPSLED20XL / 407832910

List £55.95



- Quick release system
- 3M cable and approved plug



IP65

Heavy-duty adjustable height tripod (960-1885mm)

**Only while  
stocks last!**

**3M  
CABLE**

*Quick release*



VOLTS	WATTS
110V	30W

FPPSLED30TL / 406369086



VOLTS	WATTS
240V	30W

FPPSLED30T / 406369073

List £119.15



# Halogen Sitelight

- Class 'C' energy saving tubes
- Die-cast body with metal safety guard
- Strong tubular steel fully adjustable tripod
- Individually adjustable legs
- 2.9M cable and approved plug

**Only while stocks last!**



*Adjustable tilt up to 30° down and 90° up.*

**400W**  
(Approx.)  
**Energy use**

Designed to suit both commercial and domestic use.

Excellent illumination from the single 500 watt lamp.

Adjustable height (780-1830mm)

 **IP54**

**2.9M**  
**CABLE**



VOLTS	WATTS
110V	500W

FPPSL500CTL / 406368906



VOLTS	WATTS
240V	500W

FPPSL500CT / 406368896

List £39.04 / €45.29



## SMD LED Light Pole

- 336 LEDs provide 360° of light
- Polycarbonate lens, glare-free light
- Impact and scratch resistant lens
- Total height: 1480mm
- Power take-off for in series linking
- 5M cable and approved plug

Only while stocks last!



IN SERIES LINKING



5M CABLE



VOLTS	WATTS
110V	36W

FPPSLLED36UL  
406369109

List £191.01



VOLTS	WATTS
240V	36W

FPPSLLED36U  
406369099


List £191.01

## LED Folding Plasterers Light


- Super bright SMD LED's
- Two power outlets for 'in-series' linking
- Polycarbonate housing and diffuser
- 3M cable and approved plug
- Folding leg stand
- Suspension hook



IN SERIES LINKING



3M CABLE



VOLTS	WATTS
110V	30W

FPPSLFW30WL  
407606379

List £98.02




VOLTS	WATTS
240V	30W

FPPSLFW30W  
407606382

# LED Plasterers Tripod Light

- Super bright SMD LED's
- Two power outlets for 'in-series' linking
- Polycarbonate housing and diffuser
- 3M cable and approved plug
- Folding leg stand



VOLTS	WATTS
110V	44W

FPPSLFWT44WL  
407606353

VOLTS	WATTS
240V	44W

FPPSLFWT44W  
407606366

List £155.95

#3

# Work Lights

Designed to be used on a work site or inside where there may be poor lighting, or no lighting at all.



## Rechargeable LED Work Lights

- Adjustable stand & magnetic swivel base
- Output modes: 50% or 100%
- Micro USB charging socket
- USB output power bank
- Up to 6 hour run time

	VOLTS	WATTS
■	240V	10W

**FPPSLFF10WR / 407897269**

List £53.73



- Adjustable stand with magnetic base
- Output modes: 25%, 50% or 100%
- Micro USB charging socket
- USB output power bank
- Up to 12 hour run time

	VOLTS	WATTS
■	240V	10W

**FPPSLLEDPOD2 / 407897272**

List £62.98



- Adjustable stand with magnetic base
- Output modes: 50% or 100%
- USB output power bank
- Up to 6 hour run time

	VOLTS	WATTS
■	240V	30W

**FPPSLTL30WR / 408767819**

List £82.20

**FPPSLTL30WRB / 413620420**

List £43.99

**Spare Battery**



# Floor Standing LED Site Lights

These lamps have die-cast aluminium housings and impact resistant glass lenses, making them a durable lighting solution for both indoor and outdoor use.



- Low running temperature
- Maintenance free
- Adjustable angle
- Lightweight with a slim head
- Impact resistant glass lens
- IP rating IP65



VOLTS	WATTS
110V	10W

FPPSL10FL / 407606434



VOLTS	WATTS
240V	10W

FPPSL10F / 407606447

List £30.51

1.5M  
CABLE



VOLTS	WATTS
110V	20W

FPPSL20FL / 407606418



VOLTS	WATTS
240V	20W

FPPSL20F / 407606421

List £40.83

1.5M  
CABLE





## Task Light

- 38W fluorescent tube
- Mirror finish back panel
- Impact resistant case
- 3M cable and approved plug
- Power take off for in-series linking

■	<b>VOLTS</b>	<b>WATTS</b>
■ ■	240V	38W
<b>FPPSLTL38IM / 407606269</b>		

List £52.57

IP44



3M  
CABLE

IN SERIES  
LINKING



## Heavy-duty Task Light

- 3M cable and approved plug
- 55W fluorescent tube
- Impact resistant case
- Twin rear sockets, power take-off

■	<b>VOLTS</b>	<b>WATTS</b>
■ ■	240V	55W
<b>FPPSLTL55W / 406369303</b>		

List £77.65

IN SERIES  
LINKING

IP44

3M  
CABLE

Only while stocks last!



## LED Task Lights

- 3M cable and approved plug
- Rear socket, power take-off
- Impact resistant case
- 20W SMD worklight

■	<b>VOLTS</b>	<b>WATTS</b>
■ ■	240V	20W
<b>FPPSLTL20 / 406369248</b>		

●	<b>VOLTS</b>	<b>WATTS</b>
● ●	110V	20W
<b>FPPSLTL20L / 406369251</b>		

List £62.95

IN SERIES  
LINKING



IP54

3M  
CABLE

IP44



# LED Wall Lights

These wall lights provide a powerful bright light to illuminate the darkest corners of your property.

Supplied complete with hanging bracket.  
For use as an exterior wall mounted unit controlled from a manually operated switch. (Not supplied)



- Wall mountable
- Maintenance free
- Low running temperature
- Adjustable angle
- Cast aluminium body
- IP rating IP65

## 10 Watt

	VOLTS	WATTS
■	240V	10W
■ ■		

FPPSLWM10 / 407606191

List £11.99

IP65

800 LUMENS



## 20 Watt

	VOLTS	WATTS
■	240V	20W
■ ■		

FPPSLWM20 / 407606175

List £19.21

IP65

1600 LUMENS



## 30 Watt

	VOLTS	WATTS
■	240V	30W
■ ■		

FPPSLWM30 / 407606159

List £26.41

IP65

2400 LUMENS



# LED Security Lights

These Motion Sensor Security Lights provide a powerful bright light to illuminate the darkest corners of your property.

Supplied complete with hanging bracket. For use as an exterior wall mounted unit controlled from a manually operated switch. (Not supplied)



- PIR sensor detects movement up to 9M
- Wall mountable and maintenance free
- Low running temperature
- Adjustable angle
- Cast aluminium body
- IP rating IP44

**800 LUMENS**

	VOLTS	WATTS
■	240V	10W

**FPPSLWM10S**  
407606188

List £19.20

**1600 LUMENS**

	VOLTS	WATTS
■	240V	20W

**FPPSLWM20S**  
407606162

List £28.83

**2400 LUMENS**

	VOLTS	WATTS
■	240V	30W

**FPPSLWM30S**  
407606146

List £33.63

## Lux Motion Sensor

The PIR (Passive Infra Red) motion sensor will detect movement in a range of up to 9 metres within a 180 degree radius and automatically turns the light on for a user set period of time from between approximately 6 seconds to 12 minutes.



## Heavy-duty Inspection Lamp

- 50mm (2in) roof joist clamp hand grips
- 5M cable and approved plug
- 10W E27 LED bulb



VOLTS	WATTS
110V	60W

FPPSLGRIPLEL / 406368993



VOLTS	WATTS
240V	60W


FPPSLGRIPLE / 406368980

List £25.30



## Plastic Inspection Lamp


- 3M cable and approved plug
- Integral handle and hook
- ES lamp holder



VOLTS
240V



FPPSLLAMP / 406369002

List £12.53



Bulb not supplied.  
Suitable LED bulbs are available. See page 23.

# Follow us online!



### Extendable LED Twin Sitalight

- Low running temperature
- Impact resistant glass lens
- Adjustable beam angle
- Quick release detachable head
- Adjustable height tripod



### LED Rechargeable Worklight

fitted with four powerful magnets

### Rechargeable Worklight

3000 Lumens, 30 Watt

- Heavy-duty worklight
- Energy-efficient LED
- Magnetic base
- USB power bank



## Keep up to date with our latest product launches and competitions!



# GLS Festoon Light Set

Provides a very effective solution to illuminating a worksite or a large surrounding area. String them out along the scaffolding or studwork to provide general low-level lighting.



- 22 metre arctic cable
- Approved 16 Amp 110V plug
- 10 easy-clip polycarbonate bulb guards
- Supplied with 10 x rough service bulbs (110V, 60W)

 IP44

**22M  
CABLE**



VOLTS	WATTS
110V	600W

FPPSLFESTOON / 406368977

List £63.63

## LED Festoon Light Set

Provides a very effective solution to illuminating a worksite or a large surrounding area on the site. String them out along the scaffolding, studwork, providing low-level lighting.

- Approved 16 Amp 110V plug
- 10 easy-clip polycarbonate bulb guards
- Supplied with 10 x LED bulbs (110V, 10W) (10W = Equivalent to 60W)
- 22 metre arctic cable

 **IP44**



VOLTS	WATTS
110V	100W

**FPPSLFESTLED / 406368964**

List £99.00



Additional LED bulbs are available  
**See below**



## LED Energy Saving Bulbs

- Colour Range: 6500 Kelvin Bright White
- More energy efficient than a conventional filament GLS bulb or compact fluorescent light bulb.
- LED lifetime: 50,000 hours
- Cap fitting: E27 screw
- Energy rating: A++



VOLTS	WATTS
110/240V	10W

**FPPSLBA6010W / 407606405**

List £3.67

For use with the following Faithfull Power Plus products:

FPPSLFESTOON  
FPPSLFESTLED  
FPPSLGRIPLE  
FPPSLGRIPLEL  
FPPSLLAMP



#4

# Heating

Powerful fan heaters designed for use in homes, garages, warehouses or workshops.





# Ceramic Fan Heaters

- Two heat settings (1.9kw and 2.8kw)
- No fumes, odours or humidity
- Thermostatically controlled
- Ceramic element
- Instant heat
- Low noise fan

IP20

1.5M  
CABLE

2.8KW



	VOLTS	WATTS
■	240V	2800W

FPPEHEAT28KWC / 408420745

List £68.24

For added safety these heaters have self-resetting thermal cut-outs to ensure safety in the event of overheating.

- Two heat settings (1kw and 2kw)
- No fumes, odours or humidity
- Thermostatically controlled
- Ceramic element
- Instant heat
- Low noise fan

IP20

1.5M  
CABLE

2KW



	VOLTS	WATTS
■	240V	2000W

FPPEHEAT2KWC / 408767806

List £44.20

# #5

## Transformers

Designed for use on the worksite to provide power to industrial power-tools. Each transformer has a re-settable thermal overload protection. Fitted with BS approved 13amp plug.

All transformers sockets are:



BS EN 60309



## 1.5kVA Single Outlet

- Continuous rating: 900VA
- Waterproof GPR case
- 2M cable and plug
- Weight 10.8kg

IP44




■	VOLTS	AMPS
■ ■	240V	16A
FPPTAN15 406369442		



List £100.36

## 3.3kVA Twin Outlet

- Continuous rating: 1.65kVA
- Waterproof GPR case
- 2M cable and plug
- Weight 17.8kg



Blue LED  
power on  
indicator.

IP44



■	VOLTS	AMPS
■ ■	240V	16A
FPPTAN33A 406369455		



List £104.70

## 5.0 kVA Triple Outlet

- Continuous rating: 2.8kVA
- Waterproof GPR case
- 2M cable and plug
- Weight 30kg

IP44



Front and rear sockets:  
2 x 110V 16A  
1 x 110V 32A

■	VOLTS	AMPS
■ ■	240V	16/32A
FPPTAN5 406369439		



List £310.68

## 3.0kVA Heater Transformer

- Continuous rating: 3kVA
- Vented metal case
- 2M cable and plug
- Weight 29kg

IP20



Front sockets:  
1 x 110V 16A  
1 x 110V 32A

■	VOLTS	AMPS
■ ■	240V	16/32A
FPPTANHEAT 406369468		



List £431.49

# #6

## Leads and Accessories

To accompany our transformers, work lights and sitelights we supply a range of accessories. Including trailing leads, plugs, sockets and power distribution solutions.



## Trailing Lead

14M  
CABLE

- Fully unwound: 3000W 13A
- Fully wound: 1000W 4A
- 1.5mm<sup>2</sup> cable



	VOLTS	AMPS
■	240V	13A
■ ■		


FPPTL14M / 406369374

List £24.70

## Trailing Lead

14M  
CABLE

- Fully unwound: 1750W 16A
- Fully wound: 330W 3A
- 1.5mm<sup>2</sup> cable



	VOLTS	AMPS
●	110V	16A
● ●		

FPPTL14ML / 406369387

List £24.70

## Heavy-duty Trailing Lead

14M  
CABLE

- Fully unwound: 1750W 16A
- Fully wound: 440W 4A
- 2.5mm<sup>2</sup> cable



	VOLTS	AMPS
●	110V	16A
● ●		

FPPTL14HDUTY / 406369361

List £42.97

## Heavy-duty Trailing Lead

14M  
CABLE

- Fully unwound: 3500W 32A
- Fully wound: 770W 7A
- 2.5mm<sup>2</sup> cable



	VOLTS	AMPS
●	110V	32A
● ●		

FPPTL1432AMP / 406369400

List £46.19

## RCD Adaptor

- Double pole protected
- Plugs into any standard 3 pin 13amp power outlet



  
BS7071:1992  
& BS1363

	VOLTS	AMPS
■ ■	240V	13A

**FPPRCD**  
406368760

List £15.11

## Black Plug



  
BS1363/A


	VOLTS	AMPS
■ ■	240V	13A

**FPPPLUG13R**  
406368715

List £2.88

## Panel Socket

 IP44



  
BSEN60309

VOLTS	AMPS
110V	16A

**FPPANSOC16**  
407897256

List £5.52

## Plugs and Sockets

  
BSEN60309

 IP44



VOLTS	AMPS
110V	16A

**FPPPLUG110**  
406368731

List £3.71



VOLTS	AMPS
110V	32A

**FPPPLUG32AMP**  
406368757

List £6.39



VOLTS	AMPS
240V	16A

**FPPPLUG16AMP**  
406368744

List £3.63



VOLTS	AMPS
110V	16A

**FPPCOUP110**  
406368692


List £4.43



VOLTS	AMPS
110V	32A

**FPPSOC32AMP**  
406369345

List £6.53



VOLTS	AMPS
240V	16A

**FPPSOC16AMP**  
406369332

List £4.62

## Fly Lead

- Converts 16A 3 pin plug to 13A 3 pin socket
- Suitable for camping and on-site generators

**350mm Lead**



	VOLTS	AMPS
■	240V	16-13A

FPPFLYLEAD / 406368702

List £13.89

## 3-Way Splitter

- 3 outputs from 1 input
- Ideal for running multiple 110 volt low voltage power tools



BSEN60309

IP44



	VOLTS	AMPS
●	110V	16A

FPPSOCK3WAY / 406369358

List £21.06

## 4-Way Power Block

- Single cable input to 4-way output
- Removable ground spike
- Hanging hook

**5M CABLE**

IP44



	VOLTS	AMPS
●	110V	16A

FPPTLDBLOCK4 / 406369426

List £44.08

## 4-Way Distribution Box

- Single cable input to 4-way output
- Strong metal construction

**5M CABLE**

IP44



	VOLTS	AMPS
●	110V	16A

FPPTLDB4L / 406369413

List £54.00

# #7

## Cable Reels

A comprehensive selection of power extension cable reels. Suitable for both domestic 240V and industrial 110V applications, meeting all the required UK safety standards where applicable.





# Cable Reels

- Built-in handle, winding knob and stand
- Thermal overload cut-out switch



- 1.5mm<sup>2</sup> cable
- Fully Unwound 1760W 16A
- Fully Wound 660W 6A



VOLTS	AMPS
110V	16A



FPPCR15MSEL  
407897230

**15M  
CABLE**

List £40.14

FPPCR25MSEL  
407897243

**25M  
CABLE**

List £55.95



## Industrial Open Drum



VOLTS	AMPS
110V	16A

- Spring loaded socket protection flaps
- Sturdy steel frame with carry handle

FPPCR25ML  
406165578

**15M  
CABLE**

List £66.39

FPPCR25ML25  
406165332

**25M  
CABLE**

List £99.58

FPPCR50ML  
406164647

**50M  
CABLE**

List £110.63

- 1.5mm<sup>2</sup> cable
- Fully Unwound: 1760W 16A
- Fully Wound: 660W 6A

- 2.5mm<sup>2</sup> cable
- Fully Unwound: 1760W 16A
- Fully Wound: 660W 6A


- 1.5mm<sup>2</sup> cable
- Fully Unwound: 1760W 16A
- Fully Wound: 660W 6A



- Built-in handle, winding knob and stand
- Thermal overload cut-out switch



- 4 Sockets. 1.25mm<sup>2</sup> cable
- Fully Unwound 3120W 13A
- Fully Wound 1000W 4A




■	<b>VOLTS</b>	<b>AMPS</b>
■	230V	13A

FPPCR10MSE / 407832868

List £28.34



- 4 Sockets. 1.25mm<sup>2</sup> cable
- Fully Unwound 3120W 13A
- Fully Wound 1000W 4A



■	<b>VOLTS</b>	<b>AMPS</b>
■	230V	13A


FPPCR20MSE / 407832884

List £37.45



# Cassette

- Integral handle and rotating winding knob
- Thermal overload cut-out switch
- Fully Unwound 2400kW 10A
- Fully Wound 720W 3A
- 4 Sockets. 1.0mm<sup>2</sup> cable



■	<b>VOLTS</b>	<b>AMPS</b>
■ ■	240V	10A
FPPCR10M10A / 406166962		

List £22.37

# Open Drum

- Steel frame, heavy-duty plastic drum
- Carry handle & rotating winding knob
- Thermal overload cut-out switch
- 2 Sockets, 1.25mm<sup>2</sup> cable



■	<b>VOLTS</b>	<b>AMPS</b>
■ ■	240V	13A

FPPCR15 406166713	<b>15M CABLE</b>
----------------------	----------------------

List £31.82

- Fully Unwound: 3120W 13A
- Fully Wound: 1000W 4A

FPPCR25M 406166069	<b>25M CABLE</b>
-----------------------	----------------------

List £47.58

- Fully Unwound: 3120W 13A
- Fully Wound: 1000W 4A

FPPCR50M 406165073	<b>50M CABLE</b>
-----------------------	----------------------

List £82.98

- Fully Unwound: 3120W 13A
- Fully Wound: 1000W 4A



# #8

## Additional Power Products

As well as our extensive lighting range we also offer various other power products, including an electric chainsaw sharpener, battery chargers and soldering equipment.



## Electric Chainsaw Sharpener

The Faithfull electric chainsaw sharpener restores blunt chainsaw blades quickly and efficiently with no more tedious filing. The grinding angle can be easily adjusted to accommodate the various sharpening angles required for most chain types.

- Powerful 85 watt motor (230V / 50hz)
- Can be used on electric and petrol chainsaw chains
- Adjustable chain guide with angle gauge
- Bench mounting bolt holes
- Complete with grinding wheel

■	<b>VOLTS</b>	<b>WATTS</b>
■	240V	85A

**FPPCHAINSS / 406368676**

List £53.67

Spare wheel available:

**FPPCHAINSSW  
406368689**

List £13.06



## Battery Chargers

- 4 Amp / 48W maximum output
- For use with 12V batteries
- Thermal overload protection
- Short circuit protection
- Over current protection
- LED charge indicators

Power supply voltage:  
AC 220~240V 50Hz

Battery capacity:  
20Ah - 65Ah

Output voltage:  
DC 12V



■	<b>VOLTS</b>	<b>AMPS</b>
■	240V	4A

**FPPAUBC4AMP / 406368650**

List £31.87

- 8 Amp / 140W maximum output
- For use with 6V and 12V batteries
- Thermal overload protection
- Analogue voltage dial
- Battery tester function
- Short circuit & over current protection

Power supply voltage:  
AC 220~240V 50Hz

Output voltage:  
DC 6V/12V

Charging current:  
High Rate 5.6 A dc  
equal to 8 Amps RMS

Low Rate 2.8 A dc  
equal to 4 Amps RMS

Battery capacity:  
9Ah - 112Ah



■	<b>VOLTS</b>	<b>AMPS</b>
■	240V	8A

**FPPAUBC8AMP / 406368663**

List £41.39

# Soldering Irons

Lightweight soldering irons with heat resistant handles, suitable for 'soft' soldering of metal alloys, brass and copper. Supplied with a metal stand to keep the hot iron safely at rest when not in use.

	VOLTS	WATTS
■ ■	240V	25W
<b>FPPSI25W</b> 406368809		

List £11.13

3.2mm



Tip Width



Spare tip available:  
**FPPSITIP25W**  
406368841  
List £2.66

380° C

	VOLTS	WATTS
■ ■	240V	40W
<b>FPPSI40W</b> 406368812		

List £12.93

4.0mm



Tip Width



Spare tip available:  
**FPPSITIP40W**  
406368854  
List £2.66

470° C

	VOLTS	WATTS
■ ■	240V	80W
<b>FPPSI80W</b> 406368825		

List £14.74

5.7mm



Tip Width



Spare tip available:  
**FPPSITIP80W**  
406368867  
List £3.31

530° C

# Soldering Iron Kit

- 100 watt soldering gun
- Soldering wire and resin flux
- Safety working and indicator light
- Spare tip for soldering gun
- Fitted with a 13amp plug

	VOLTS	WATTS
■ ■	240V	100W
<b>FPPSGK / 406368773</b>		

List £32.47



400° C

Spare tip available - Code: FPP SGTIP

# Soldering Gun and Iron Kit

The guns feature a safety working and indicator light. The 'SGKP' kit includes a 30 watt soldering iron, a de-soldering tool, a mini grip for holding small work while soldering, and a soldering tool aid to help position wiring prior to soldering. Fitted with 13 amp plug.

- Soldering wire and resin flux
- Spare tip for soldering gun
- 100 watt soldering gun
- 30 watt soldering iron
- Moulded carry case
- Soldering tool aid
- De-soldering tool
- Mini grip

## Soldering Gun

■	<b>VOLTS</b>	<b>WATTS</b>
■ ■	240V	100W

## Soldering Iron

■	<b>VOLTS</b>	<b>WATTS</b>
■ ■	240V	30W

FPPSGKP / 406368786

List £55.32

Spare tip available (for soldering gun):

FPPSGTIP / 406368799 List £2.66



**TOOLBANK** | Available from  
your local branch

Follow us:



**Disclaimer:**

We have taken every care to ensure that the prices, images and descriptions are correct when going to press. Faithfull Tools cannot be held liable for any inaccuracies in this publication. Lumens are approx. All products meet the relevant EU standards.

All offers subject to availability while stocks last.

**UK Details: E-mail: [enquiries@faithfulltools.com](mailto:enquiries@faithfulltools.com)**

3 White Lodge Business Estate, Hall Road,  
Norwich, Norfolk, NR4 6DG, United Kingdom

**ROI : E-mail: [irishsales@toolbank.com](mailto:irishsales@toolbank.com)**

24 Magna Drive, Magna Business Park, Citywest Road,  
Dublin, D24 FNYO, Tel. no. 01-467-7000

 [www.fairfulltools.com](http://www.fairfulltools.com)