

JC94113BN Fireguard Mai

Fireguard Mains IP20 Recessed Twist & Lock Downlight 50W Unlamped Brushed Nickel



Features & Benefits

Twist & Lock lamp retainer for easy lamp removal Fire-rated 240V 50W MAX downlights, maintaining the fire-rating of ceilings Press-fit terminal, loop-in/loop-out Lamp not supplied

General Information

Product Group	Fire-rated downlights
Product Range	Fireguard
Trade Name	Fireguard
Lighting Product Type	Fired Rated Downlights
Product Shape	Round

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex, PO22 9TS Company Registration Number: 03044848 | VAT Number: 918544112 T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Mounting	Recessed
Product Weight	0.254kg
Color Finish	Brushed Nickel
Overall Dimensions	103.5 x 85 mm
Recommended Product Location	indoor use only
Minimum Void Requirement	150mm
Method Of Fix	Spring clips
Product Aperture Size	74mm
IP Rating	IP20
Environment	Indoor
Suitable For Zones	Outside Zone 2
Lamp Supplied	No
Distance From Lighted Object	0.5m
Origin Of Manufacture	PRC
Guarantee	2 year

Electrical

Voltage Rating	220-240
Operating Frequency (Hz)	50/60Hz
Luminaire Circuit Wattage	50W max
Class	Class II, double insulated with earth provision
Input Electrical Connections	Live(Brown)Neutral(blue) with earth provision - Loop in/Loop out press fit terminal
Dimmable	Check with lamp manufacturer
Lampholder	GU10 cap

Thermals

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex, PO22 9TS Company Registration Number: 03044848 | VAT Number: 918544112 T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Room Ambient Temperature Not To Exceed	26°C
Room Ambient Temperature	25°C
Insulation Coverage	See instruction sheet
Minimum Free Air Space	At least 75mm around fitting

Performance Data

Energy Rating This luminaire is compatible with bulbs of the energy class A+ to E	
--	--

Construction

Primary Material	Steel
Rim Or Attachment	Die-cast aluminium

Packaging


Luminaire Carton Dimensions	125 x 125 x 90 mm
Quantity Per Outer Carton	40
Bar Code EAN Number	5052544047398
Packaged Weight	0.299kg

Standards & Approvals

Listings	CE
Listings	Fire Rating
Manufactured In Accordance To	BS EN 60598-2-1, 2-2
CE Marked	Yes
Batch Coded	yes
WEEE Symbol	yes
Certificate Of Conformity	Available on request
Accredited Members	LIA, ISO9001:2015, ISO14001:2015

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex, PO22 9TS Company Registration Number: 03044848 | VAT Number: 918544112 T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk



Datasheet generated from https://www.electrika.cloud on 11 September 2018 11:18:14

JCC Lighting Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex, PO22 9TS Company Registration Number: 03044848 | VAT Number: 918544112 T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk