

SPRINT System, from WISKA

SPRINT

System, from WISKA

One Gland, One Solution

From the world's first polyamide cable gland (ISOSTABIL) to the iconic SPRINT System, WISKA offers you 99 years' worth of experience in cable management. WISKA is your expert for cable entries and protection.

The SPRINT System (comprising of polyamide, brass and stainless-steel cable glands) offers a solution for any type of cable.

Thanks to the unique design and variety of product accessories, WISKA can offer a superior cable gland to suit almost any cable.

One Gland

One Solution

The SPRINT System offers such features as...

- **A wide clamping range** (e.g. M20 clamping range 6.2 - 14mm)
- Various **insert options** (flat cable, multiple cable and reduction inserts).
- **EMC inserts.**
- **IP68/IP69** (IP69 K tested) protection.
- Fast installation.
- Halogen free/ LSF.
- Vibration proof.
- **Venting** fitting options.
- **Explosion proof.**



Wide Clamping Range

M20 clamping range 6.2 - 14mm, no need to stock two sizes!

No Gasket Required

Our unique design requires no thread gasket (its already built in), making installation easier.





4-in-1 Principle

The 4-in-1 principle (see diagram) shows the combinations of Cap Nuts, Sealing Inserts, EMC Inserts and Fittings available using the SPRINT System and how seamlessly all of these products work together.

Terry Boswell, WISKA UK's Sales Engineer says...

"If you need a cable gland, the SPRINT System has what you're after. From straight forward flex cables to twin and earth cables to braided cables and everything in-between! WISKA's SPRINT System is your one stop shop for all your cable entry needs."

4-in-1 Principle



Plastic Cable Glands, ESKV Cable Glands and GLP Cable Gland Packs



ESKV Cable Glands



Protection class IP68 (5 bar 30 min) / IP69
Glow wire test 750 °C
Temperature range -40 °C - 100 °C
Material Screw Polyamide, Gasket EPDM



ESKV Cable Glands

ESKV, Cable Glands

Type	Light Grey	Black	White	Red			
ESKV 12	10066410	10066120			9	3 - 7	50
ESKV 16	10066411	10066121			9	4,5 - 10	50
ESKV 20	10066412	10066122			10	6 - 13	50
ESKV 20 PLUS	10100824	10100825	10100610	10100609	10	6,2 - 14*	50
ESKV 25	10066413	10066123	10102748	10060456	10	9 - 17	50
ESKV 32	10066414	10066124			12	13 - 21	25
ESKV 40	10066415	10066125			12	16 - 28	10
ESKV 50	10066416	10066126			14	21 - 35	4
ESKV 63	10066417	10066127			15	34 - 48	3

*6.2 - 7.5 IP68 (2 Bar 30 mins) / Dark Grey POA

ESKV Cable Gland Packs



Protection class IP68 (5 bar 30 min) / IP69
Glow wire test 750 °C
Temperature range -40 °C - 100 °C
Material Screw Polyamide, Gasket EPDM



GLP M20

ESKV Cable Gland Pack, ESKV Cable Gland & EMUG Locknut

Type	Light Grey	Black	White	Red			
GLP M12	99719	99718			9	3 - 7	10/10
GLP M16	99716	99717			9	4.5 - 10	10/10
GLP M20 PLUS	10100613	10100612	10100611	10100614	10	6.2 - 14*	10/10
GLP M20 PLUS RDE	10100635	10100636	10100637	10100638	10	4 - 14	10/10
GLP M25	99704	99705	99706	99707	10	9 - 17	10/10
GLP M32	99708	99709			12	13 - 21	10/10
GLP M40	99710	99711			12	16 - 28	5/5
GLP M50	99712	99713			14	21 - 35	5/5
GLP M63	99714	99715			15	34 - 48	5/5

*6.2 - 7.5 IP68 (2 Bar 30 mins) / Dark Grey POA