

JC83303

Undercabinet LED batten 220mm IP20 8W non-dimmable 4000K
920lm white + 1m lead



Features & Benefits

End-to-end connection

Three link leads available in 250mm, 500mm and 1000mm lengths

Slim line profile

On/off switch on each luminaire

Supplied as standard with 1000mm mains cable

General Information

Product Group	Undercabinet
Product Range	LED Undercabinet Batten
Light Source	LED
Light Source Features	Neutral White

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross

Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Lighting Product Type	Cove Light
Product Shape	Rectangular
Mounting	Surface Mounted
Product Weight	126g
Color Finish	White
Overall Dimensions	520mmx36mmx23mm
Recommended Product Location	Under cabinet lighting
Method Of Fix	Clips
IP Rating	IP20
Environment	Indoor
Suitable For Zones	Outside zone 2
Luminaire Accessories	Screws and Buckles
Origin Of Manufacture	China
Guarantee	3 Years
Driver Manufacturer	JCC
LED Manufacturer/Type	Hongli 2835

Electrical

A Cable	Yes
Voltage Rating	220-240
Primary Running Current	0.063A
Operating Frequency (Hz)	50/60Hz
CC or CV	CC
Luminaire Circuit Wattage	8W
Class	II
Output Voltage (V)	75V

JCC Lighting
Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

EMC Compliant (EN55015)	Yes
Power Factor Correction	> or equal to 0.5
Input Electrical Connections	Live(L) Neutral (N), double insulated no earth required
Dimmable	No

Thermals

Room Ambient Temperature Not To Exceed	50°C
Room Ambient Temperature	30°C
Max Luminaire Ambient Temp.	26°C
Thermal Cut Out	125°C

Performance Data

Energy Rating	A+
Actual Lumen Output	920
Lumen Output	801-1100
Lumens Per Circuit Watt	115
LED Life (Hours)	25,000
Color Rendering Index	80-89
CRI: Ra	> or equal to 80
Correlated Color Temperature	4000K
Light Distribution Detail	120-degree
LOR (Light Output Ratio) %	100%

Construction

Primary Material	Polycarbonate
Diffuser	Polycarbonate

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Packaging

Luminaire Carton Dimensions	660mmx280mmx135mm
Quantity Per Outer Carton	10
Bar Code EAN Number	5052544080173
Packaged Weight	53g


Standards & Approvals

Listings	CE
Manufactured In Accordance To	BS EN 60598-1, BS EN 60598-2-1
CE Marked	Yes
Batch Coded	Yes
WEEE Symbol	Yes
Certificate Of Conformity	Available on request
Accredited Members	LIA, ISO9001-2015, ISO14001-2015

Datasheet generated from <https://www.electrika.cloud> on 11 September 2018 08:44:31

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk



JCC Lighting

Innovation Centre, Beeding Close, Southern Cross

Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk