

JC71741

Skypack QR LED batten 4ft single IP20 23W 4000K 2760lm



## Features & Benefits

Intelligent press release buttons for simple installation

Ultra efficient, up to 120 lumens per circuit Watt

Suitable for temperatures -10°C to 50°C

Press fit terminals, loop in loop out

Rear and end conduit entry points

Suspended LED tray for easy installation

## General Information

<b>Product Group</b>	LED - Surface
<b>Product Range</b>	Skypack
<b>Trade Name</b>	Skypack
<b>Light Source</b>	LED

### JCC Lighting

Innovation Centre, Beeding Close, Southern Cross

Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | [sales@jcc.co.uk](mailto:sales@jcc.co.uk) | [www.jcc.co.uk](http://www.jcc.co.uk)

<b>Light Source Features</b>	Neutral White
<b>Lighting Product Type</b>	Linear Lighting
<b>Product Shape</b>	Rectangular
<b>Mounting</b>	Surface Mounted
<b>Product Weight</b>	2.27kg
<b>Color Finish</b>	White
<b>Overall Dimensions</b>	1220 x 70 x 76.5
<b>Recommended Product Location</b>	Domestic, Commercial and Industrial Applications
<b>Method Of Fix</b>	Surface with Conduit Entry
<b>IP Rating</b>	IP20
<b>Environment</b>	Indoor
<b>Origin Of Manufacture</b>	Made In China
<b>Guarantee</b>	3 Years
<b>Driver Manufacturer</b>	Ledtu
<b>LED Manufacturer/Type</b>	Runlite

## Electrical

<b>Voltage Rating</b>	220-240
<b>Secondary Running Current</b>	700mA
<b>Primary Running Current</b>	130mA
<b>Operating Frequency (Hz)</b>	50/60Hz
<b>CC or CV</b>	Constant Current
<b>Luminaire Circuit Wattage</b>	25
<b>Class</b>	Class I: requires an Earth connection
<b>Output Voltage (V)</b>	14-35VDC
<b>EMC Compliant (EN55015)</b>	Yes

### JCC Lighting

Innovation Centre, Beeding Close, Southern Cross  
Trading Estate, Bognor Regis, West Sussex, PO22 9TS  
Company Registration Number: 03044848 | VAT Number: 918544112  
**T: 01243 838999 | F: 01243 838998 | [sales@jcc.co.uk](mailto:sales@jcc.co.uk) | [www.jcc.co.uk](http://www.jcc.co.uk)**

<b>Power Factor Correction</b>	0.9
<b>Input Electrical Connections</b>	Live, Earth & Neutral
<b>Dimmable</b>	No

## Thermals

<b>Room Ambient Temperature Not To Exceed</b>	30°C
---	------

## Performance Data

<b>Energy Rating</b>	A+
<b>Actual Lumen Output</b>	2760
<b>Lumen Output</b>	2001-3000
<b>Lumens Per Circuit Watt</b>	120
<b>LED Life (Hours)</b>	36000
<b>Color Rendering Index</b>	80-89
<b>CRI: Ra</b>	80
<b>Correlated Color Temperature</b>	4000K
<b>Light Distribution Detail</b>	120-degree
<b>LOR (Light Output Ratio) %</b>	100
<b>Photometry Available</b>	Yes

## Construction

<b>Primary Material</b>	Steel
<b>Diffuser</b>	Polycarbonate

## Packaging

<b>Quantity Per Outer Carton</b>	10
<b>Bar Code EAN Number</b>	5052544080449

### JCC Lighting

Innovation Centre, Beeding Close, Southern Cross  
Trading Estate, Bognor Regis, West Sussex, PO22 9TS  
Company Registration Number: 03044848 | VAT Number: 918544112  
T: 01243 838999 | F: 01243 838998 | [sales@jcc.co.uk](mailto:sales@jcc.co.uk) | [www.jcc.co.uk](http://www.jcc.co.uk)

<b>Packaged Weight</b>	2.63kg
------------------------	--------

## Standards & Approvals

<b>Listings</b>	CE
<b>Manufactured In Accordance To</b>	BS EN 60598:2015, 2-1
<b>CE Marked</b>	Yes
<b>Batch Coded</b>	Yes
<b>WEEE Symbol</b>	Yes
<b>Certificate Of Conformity</b>	Yes: available on request.
<b>Accredited Members</b>	LIA, ISO9001:2015, ISO14001:2015

Datasheet generated from <https://www.electrika.cloud> on 10 September 2018 14:29:32

### JCC Lighting

Innovation Centre, Beeding Close, Southern Cross  
Trading Estate, Bognor Regis, West Sussex, PO22 9TS  
Company Registration Number: 03044848 | VAT Number: 918544112  
T: 01243 838999 | F: 01243 838998 | [sales@jcc.co.uk](mailto:sales@jcc.co.uk) | [www.jcc.co.uk](http://www.jcc.co.uk)