

PRODUCT-DETAILS

ASF21/M20/A/BL

M20 NC21 FINE PA66 LQT FTNG BLK STR



General Information

Extended Product Type	ASF21/M20/A/BL
Product ID	7TCA296000R1659
EAN	5020963010750
Catalog Description	M20 NC21 FINE PA66 LQT FTNG BLK STR
Long Description	Adaptaseal Straight Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 21mm, M20 Thread, Fine, Polyamide (Nylon) 66, Black

Ordering

EAN	5020963010750
Customs Tariff Number	3917400090

Dimensions

Product Net Weight	.03 lb 13.605 g
--------------------	--------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	1.3 in 33 mm
Package Level 1 Height	1.2 in

	30 mm
Package Level 1 Depth / Length	1.1 in 28 mm
Package Level 2 Units	200 piece
Package Level 2 Width	1.3 in 33 mm
Package Level 2 Height	1.2 in 30 mm
Package Level 2 Depth / Length	1.1 in 28 mm

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M20 Thread
Color	Black
Material	Polyamide/Nylon 6.6
Number of Batteries	0
Product Name	plastic fitting for conduit
Product Type	Conduit Fitting with Metric Threads
Size	NC 21mm
UPC	786210281599

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	ASF21/M20/A/BL
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	ASF21/M20/A/BL

Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

