

PRODUCT-DETAILS

XF20/M20/D

NYLON 2 PART ADAPTOR FOR XF20



General Information

Extended Product Type	XF20/M20/D
Product ID	7TCA296060R0116
EAN	5020963000454
Catalog Description	NYLON 2 PART ADAPTOR FOR XF20
Long Description	Straight Fitting for Use with Xtraflex, Fixed External Male Thread, Nominal Conduit Size 20mm, M20 Thread, Polyamide (Nylon) 66, IP65, Black

Ordering

EAN	5020963000454
Customs Tariff Number	3926909990

Dimensions

Product Net Weight	.03 lb 13.605 g
--------------------	--------------------

Container Information

Package Level 1 Units	10 piece
Package Level 2 Units	200 piece
Package Level 2 Width	14 in 356 mm

Package Level 2 Height	6 in 152 mm
Package Level 2 Depth / Length	14 in 356 mm

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M20 Thread
Color	Black
Insulation Class	IP65
Material	Polyamide/Nylon 6.6
Number of Batteries	0
Product Name	ADAPTAFLEX
Product Type	Conduit Fitting with Metric Threads
Size	NC 20mm
UPC	78621025336

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	XF20/M20/D
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	XF20/M20/D

Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

