

Salamandre® distribution trunking

standard and lighting trunking

STANDARD TRUNKING NEW

TRUNKING		FITTINGS										
Size (mm)	Lengths, lids and couplers	Top lid 90° bends – gussett	Top lid 90° bends – square	Inside lid 90° bends – gussett	Inside lid 90° bends – square	Outside lid 90° bends – gussett	Outside lid 90° bends – square	Top lid 45° bends	Inside lid 45° bends	Outside lid 45° bends	Top lid tees – gusset	Top lid tees – square
50 x 50	MGR22	MGR22AGL	MGR22ASL	MGR22BGL	MGR22BSL	MGR22CGL	MGR22CSL	MGR22AL	MGR22BL	MGR22CL	MGR22AGT	MGR22AST
75 x 50	MGR32	MGR32AGL	MGR32ASL	MGR32BGL	MGR32BSL	MGR32CGL	MGR32CSL	MGR32AL	MGR32BL	MGR32CL	MGR32AGT	MGR32AST
75 x 75	MGR33	MGR33AGL	MGR33ASL	MGR33BGL	MGR33BSL	MGR33CGL	MGR33CSL	MGR33AL	MGR33BL	MGR33CL	MGR33AGT	MGR33AST
100 x 50	MGR42	MGR42AGL	MGR42ASL	MGR42BGL	MGR42BSL	MGR42CGL	MGR42CSL	MGR42AL	MGR42BL	MGR42CL	MGR42AGT	MGR42AST
100 x 75	MGR43	MGR43AGL	MGR43ASL	MGR43BGL	MGR43BSL	MGR43CGL	MGR43CSL	MGR43AL	MGR43BL	MGR43CL	MGR43AGT	MGR43AST
100 x 100	MGR44	MGR44AGL	MGR44ASL	MGR44BGL	MGR44BSL	MGR44CGL	MGR44CSL	MGR44AL	MGR44BL	MGR44CL	MGR44AGT	MGR44AST
150 x 50	MGR62	MGR62AGL	MGR62ASL	MGR62BGL	MGR62BSL	MGR62CGL	MGR62CSL	MGR62AL	MGR62BL	MGR62CL	MGR62AGT	MGR62AST
150 x 75	MGR63	MGR63AGL	MGR63ASL	MGR63BGL	MGR63BSL	MGR63CGL	MGR63CSL	MGR63AL	MGR63BL	MGR63CL	MGR63AGT	MGR63AST
150 x 100	MGR64	MGR64AGL	MGR64ASL	MGR64BGL	MGR64BSL	MGR64CGL	MGR64CSL	MGR64AL	MGR64BL	MGR64CL	MGR64AGT	MGR64AST
150 x 150	MGR66	MGR66AGL	MGR66ASL	MGR66BGL	MGR66BSL	MGR66CGL	MGR66CSL	MGR66AL	MGR66BL	MGR66CL	MGR66AGT	MGR66AST
225 x 75	MGR93	MGR93AGL	MGR93ASL	MGR93BGL	MGR93BSL	MGR93CGL	MGR93CSL	MGR93AL	MGR93BL	MGR93CL	MGR93AGT	MGR93AST
225 x 100	MGR94	MGR94AGL	MGR94ASL	MGR94BGL	MGR94BSL	MGR94CGL	MGR94CSL	MGR94AL	MGR94BL	MGR94CL	MGR94AGT	MGR94AST
225 x 150	MGR96	MGR96AGL	MGR96ASL	MGR96BGL	MGR96BSL	MGR96CGL	MGR96CSL	MGR96AL	MGR96BL	MGR96CL	MGR96AGT	MGR96AST
225 x 225	MGR99	MGR99AGL	MGR99ASL	MGR99BGL	MGR99BSL	MGR99CGL	MGR99CSL	MGR99AL	MGR99BL	MGR99CL	MGR99AGT	MGR99AST
300 x 75	MGR123	MGR123AGL	MGR123ASL	MGR123BGL	MGR123BSL	MGR123CGL	MGR123CSL	MGR123AL	MGR123BL	MGR123CL	MGR123AGT	MGR123AST
300 x 100	MGR124	MGR124AGL	MGR124ASL	MGR124BGL	MGR124BSL	MGR124CGL	MGR124CSL	MGR124AL	MGR124BL	MGR124CL	MGR124AGT	MGR124AST
300 x 150	MGR126	MGR126AGL	MGR126ASL	MGR126BGL	MGR126BSL	MGR126CGL	MGR126CSL	MGR126AL	MGR126BL	MGR126CL	MGR126AGT	MGR126AST
300 x 300	MGR1212	MGR1212AGL	MGR1212ASL	MGR1212BGL	MGR1212BSL	MGR1212CGL	MGR1212CSL	MGR1212AL	MGR1212BL	MGR1212CL	MGR1212AGT	MGR1212AST

LIGHTING TRUNKING

TRUNKING		FITTINGS								
Size (mm)	Lengths	Galvanised lid	White plastic standard lids	Top lid 90° bends	Inside lid 90° bends	Outside lid 90° bends	Top lid 45° bends	Inside lid 45° bends	Outside lid 45° bends	Top lid tees
50 x 50	LT2	LT2GC	LT2PC	LT2ASL	LT2BSL	LT2CSL	LT2AL	LT2BL	LT2CL	LT2AST
50 x 50	WLT2	–	LT2PC	WLT2ASL	WLT2BSL	WLT2CSL	WLT2AL	WLT2BL	WLT2CL	WLT2AST



STANDARD TRUNKING NEW

STANDARD TRUNKING NEW													
FITTINGS									ACCESSORIES				
Inside lid tees – gusset	Outside lid tees – gusset	Offset tees ⁽¹⁾	Cross-overs	Offset cross-overs ⁽¹⁾	Reducers ⁽²⁾	Bell-mouths	Change faces – left hand	Change faces – right hand	Pin racks	Stop ends	Flanges	Fitting to fitting adaptors	Trunking connectors
MGR22BGT	MGR22CGT	MGR22OST2C	MGR22AGX	MGR22OSX2C	–	MGR22B	MSR22CLH	MSR22CRH	MGR22PR	MGR22E	MGR22F	MGR22FA	MGR22C
MGR32BGT	MGR32CGT	MGR32OST2C	MGR32AGX	MGR32OSX2C	MGR32 Z R	MGR32B	MSR32CLH	MSR32CRH	MGR32PR	MGR32E	MGR32F	MGR32FA	MGR32C
MGR33BGT	MGR33CGT	MGR33OST2C	MGR33AGX	MGR33OSX2C	MGR33 Z R	MGR33B	MSR33CLH	MSR33CRH	MGR33PR	MGR33E	MGR33F	MGR33FA	MGR33C
MGR42BGT	MGR42CGT	MGR42OST2C	MGR42AGX	MGR42OSX2C	MGR42 Z R	MGR42B	MSR42CLH	MSR42CRH	MGR42PR	MGR42E	MGR42F	MGR42FA	MGR42C
MGR43BGT	MGR43CGT	MGR43OST2C	MGR43AGX	MGR43OSX2C	MGR43 Z R	MGR43B	MSR43CLH	MSR43CRH	MGR43PR	MGR43E	MGR43F	MGR43FA	MGR43C
MGR44BGT	MGR44CGT	MGR44OST2C	MGR44AGX	MGR44OSX2C	MGR44 Z R	MGR44B	MSR44CLH	MSR44CRH	MGR44PR	MGR44E	MGR44F	MGR44FA	MGR44C
MGR62BGT	MGR62CGT	MGR62OST2C	MGR62AGX	MGR62OSX2C	MGR62 Z R	MGR62B	MSR62CLH	MSR62CRH	MGR62PR	MGR62E	MGR62F	MGR62FA	MGR62C
MGR63BGT	MGR63CGT	MGR63OST2C	MGR63AGX	MGR63OSX2C	MGR63 Z R	MGR63B	MSR63CLH	MSR63CRH	MGR63PR	MGR63E	MGR63F	MGR63FA	MGR63C
MGR64BGT	MGR64CGT	MGR64OST2C	MGR64AGX	MGR64OSX2C	MGR64 Z R	MGR64B	MSR64CLH	MSR64CRH	MGR64PR	MGR64E	MGR64F	MGR64FA	MGR64C
MGR66BGT	MGR66CGT	MGR66OST2C	MGR66AGX	MGR66OSX2C	MGR66 Z R	MGR66B	MSR66CLH	MSR66CRH	MGR66PR	MGR66E	MGR66F	MGR66FA	MGR66C
MGR93BGT	MGR93CGT	MGR93OST2C	MGR93AGX	MGR93OSX2C	MGR93 Z R	MGR93B	MSR93CLH	MSR93CRH	MGR93PR	MGR93E	MGR93F	MGR93FA	MGR93C
MGR94BGT	MGR94CGT	MGR94OST2C	MGR94AGX	MGR94OSX2C	MGR94 Z R	MGR94B	MSR94CLH	MSR94CRH	MGR94PR	MGR94E	MGR94F	MGR94FA	MGR94C
MGR96BGT	MGR96CGT	MGR96OST2C	MGR96AGX	MGR96OSX2C	MGR96 Z R	MGR96B	MSR96CLH	MSR96CRH	MGR96PR	MGR96E	MGR96F	MGR96FA	MGR96C
MGR99BGT	MGR99CGT	MGR99OST2C	MGR99AGX	MGR99OSX2C	MGR99 Z R	MGR99B	MSR99CLH	MSR99CRH	MGR99PR	MGR99E	MGR99F	MGR99FA	MGR99C
MGR123BGT	MGR123CGT	MGR123OST2C	MGR123AGX	MGR123OSX2C	MGR123 Z R	MGR123B	MSR123CLH	MSR123CRH	MGR123PR	MGR123E	MGR123F	MGR123FA	MGR123C
MGR124BGT	MGR124CGT	MGR124OST2C	MGR124AGX	MGR124OSX2C	MGR124 Z R	MGR124B	MSR124CLH	MSR124CRH	MGR124PR	MGR124E	MGR124F	MGR124FA	MGR124C
MGR126BGT	MGR126CGT	MGR126OST2C	MGR126AGX	MGR126OSX2C	MGR126 Z R	MGR126B	MSR126CLH	MSR126CRH	MGR126PR	MGR126E	MGR126F	MGR126FA	MGR126C
MGR1212BGT	MGR1212CGT	MGR1212OST2C	MGR1212AGX	MGR1212OSX2C	MGR1212 Z R	MGR1212B	MSR1212CLH	MSR1212CRH	MGR1212PR	MGR1212E	MGR1212F	MGR1212FA	MGR1212C

(1) Not available in single compartment. Cat. Nos. shown are for 2 compartment option. For 3 compartment option, replace 2C with 3C

(2) Replace Z with reduced trunking size code required (see p. 110)

LIGHTING TRUNKING

	FITTINGS			ACCESSORIES								
	Inside lid tees	Outside lid tees	Crossovers	End caps	Flanges	Girder clamps	Stirrup hangers	Suspension units	Pull switch adaptors	Cable retainers	Klik adaptors	Long couplers
												
	LT2BST	LT2CST	LT2ASX	LT2E	LT2F	LT2GCL	LT2H	LT2FS	LT2PSA	LT2CR	LT2KL	LT2C
	WLT2BST	WLT2CST	WLT2ASX	WLT2E	WLT2F	WLT2GCL	WLT2H	LT2FS	LT2PSA	LT2CR	LT2KL	LT2C

Salamandre® distribution trunking

order information – standard and lighting

■ Trunking size codes

Size (mm) width x depth	Standard trunking
50 x 50	22
75 x 50	32
75 x 75	33
100 x 50	42
100 x 75	43
100 x 100	44
150 x 50	62
150 x 75	63
150 x 100	64
150 x 150	66
225 x 75	93
225 x 100	94
225 x 150	96
225 x 225	99
300 x 75	123
300 x 100	124
300 x 150	126
300 x 300	1212

In the catalogue, numbers shown on p. 111 replace **Z** with the relevant standard trunking size code

■ Lid fixings

Standard trunking is available with a selection of lid fixings. The chart below shows the relevant prefix for each type
Lighting trunking lids are purchased separately and simply clip into place

Lid fixing	Standard
Diecast turnbuckle	MGR
Screwfix (M5 x 9 mm)	MSR
Tamperproof screwfix (M5 x 8 TORX)	MSTR

■ Fittings

The chart below details each element required to correctly order a fitting
E.g. **MGR33AGX2C** = Turnbuckle 75 x 75 top lid gusset 4 way 2 compartment

Range / Lid fixing	Width	Height	Cover position	Gusset / Square	Function	Compartment
MGR = Turnbuckle	2 = 50 mm	2 = 50 mm	A = Top	G = Gusset	L = Bend	2C = 2 Compartment
MSR = Screw fix	3 = 75 mm	3 = 75 mm	B = Internal	S = Square	T = Tee	3C = 3 Compartment
MSTR = Tamperproof	4 = 100 mm	4 = 100 mm	C = External		X = Cross / 4 way	
	6 = 150 mm	6 = 150 mm				
	9 = 225 mm	9 = 225 mm				
	12 = 300 mm	12 = 300 mm				

■ Finishes

Finishes	Standard	Lighting
Pre-galvanised steel BS EN 10327 grade DX51D	● eg : MGR33	● eg : LT2610
Powder coated RAL 9003	● eg : MGR33P	● eg : WLT 2510

Note :

powder coated versions are supplied with the DTB1 and DTB2 versions of turnbuckle. This is a standard 1/4 turn turnbuckle and not the push-fit type supplied on the standard MGR product

■ Compartment options

Standard trunking is available in multi-compartment options
Trunking and fittings are supplied with equal compartments as standard. For unequal compartments, details must be supplied at the time of order
3 compartment is available in width code 3 and above

Standard straight lengths

For 1 compartment trunking there is no need to change the Cat. Nos. Example : MGR33

For 2 compartment trunking, add **2C** to the end of the Cat. No. Example : MGR33**2C**

For 3 compartment trunking, add **3C** to the end of the Cat. No. Example : MGR63**2C**

Standard fittings

For 1 compartment trunking there is no need to change the Cat. No. Example : MGR33AGL

For 2 compartment trunking, add **2C** to the end of the Cat. No. Example : MGR33AGL**2C**

For 3 compartment trunking, add **3C** to the end of the Cat. No. Example : MGR63AGL**3C**