

SAFE-DCOND20/20




Safe-D Conduit Saddle 20mm - Galv. (Pack of 20)

Combining fire performance, quickest fix, and a modern look, to secure 20mm galvanised conduit installations... Unique wrap & lock 1 piece design, for 1x screw-fixing only.



Technical Specification

Production Method	Pressed
#1	Modern, stylish appearance, no visible screw
Material	Steel, metallic finish
#2	Pliable guage steel, simply wrap & lock to secure conduit
Available Colours	White, Black & Galv options
#3	Compliant with BS7671 and BS5839-1 requirements
UV Stabilised	Yes
#4	Non-corrosive finish, pliable steel, Galv.
Operating Temperature	<970°C upto 2 hours
#5	Unique single piece fixing, only 1x screw required - labour-saving design
Dimensions	(L) 86.19mm x (W) 20mm x (H) 23mm (folded - max height)
#6	Fixing hole is ideal for use with D-Line D-Fixings
Length (mm)	86.19
#7	Approx 50% faster install versus traditional saddles
Width (mm)	20
#8	Adjustable slot in base for fixings
Height (mm)	23
#9	Quickest install, looks great! Approx 50% faster install versus traditional saddles
Paintable	Yes



Datasheet



Quality Approvals	BS 5839-1:2007
Design	Wrap & Lock, one fixing only
Recyclability	Yes
Popular Usage	For surface mounting 20mm Galv. Conduits.