

ECA

- + Certified for 30, 60 & 90 minute fire rated ceilings
- + Available in fixed ,tilt & anti-glare fittings
- + Complete with quick connect driver
- + Loop in, loop out connections on driver
- + Additional bezels available Gold, Matt Black, Satin Chrome & Polished Chrome

Improved Technology

uitional dezeis available - Go	IO, MATT BIACK, SATIN GNFOME & PO
Fixed IP65	, , , ,
	Tilt IP65
Anti-Glare IP65	Dimmable
FFN Tel: 01279 772 772	

Fax: 01279 422 007 Email: sales@greenbrook.co.uk

www.greenbrook.co.uk

RICAL

ished Chrome	ADV3KW	ADVT3KW	ADVAG3KW	ADV4KW	ADVT4KW	ADVAG4KW		
Description	White Fixed	White Tilt	White Anti-Glare	White Fixed	White Tilt	White Anti-Glare		
Barcode	5012739 653155	5012739 653209	5012739 653186	5012739 653247	5012739 653216	5012739 653193		
Cut Out	73mm	83mm	73mm	73mm	83mm	73mm		
Dimensions	W85 x H61mm	W95 x H70mm	W85 x H72mm	W85 x W95 x H61mm H70mm		W85 x H72mm		
IP rating			IPe	65				
Lamp Type			LED	СОВ				
Tilt Angle	n/a	30° inclusive (15° each side)	n/a	n/a	30° inclusive (15° each side)	n/a		
Beam Angle	55°							
Class Type			l	l				
Colour Temp		3,000K		4,000K				
Lumen Output	820	820	710	850	850	740		
Energy Class			F	-				
CRI	>80							
Standby Power	0.3W							
MacAdam Steps	<3							
Wattage	9W							
Ballast Type	LED Driver							
Voltage	230V ~ 50Hz							
Product Weight	360g	420g	380g	360g	420g	380g		
Guarantee	5 Year							
Conforms To		BS EN 60598-1						



Part No: LCGN3PLS **Complete with Quick Click** push-fit terminals



20A Lighting Connectors

- Suitable for use with the 'Vela Range'
- + Time saving products for all your connecting requirements





Tel: 01279 772 772 Fax: 01279 422 007 Email: sales@greenbrook.co.uk www.greenbrook.co.uk

CEUK

All connectors


sold in

of 50

LED **3W** Emergency Driver

- Suitable for use with the 'Vela Range'
- Built in battery supplying 3 hours emergency operation in light of a mains failure
- Maintained / Non-Maintained
- t Quick & easy to connect
- Compact & lightweight screw-less assembly
- Separate small green LED indicator giving status of battery charge
- **Bezel mount for LED for ease of installation in ceilings** ÷





VELA Advance

- 9W LED Fire Rated Downlights **Dimmer Compatibility Chart**





Dimmer Spe	cification					Nur	nber (of Fitti	ings				
Dimmer Manufacturer	Dimmer Model	1	2	3	4	5	6	1	8	9	10	11	12
Zano	ZGRIDLED	\checkmark											
Schneider	GU6012C	\checkmark											
Deta	\$1261	\checkmark											
Zano	ZM0250	\checkmark											
Zano	ZM0150	\checkmark											
Schneider	4G 2 Way dimmer	\checkmark											
Schneider	Ultimate	\checkmark											
BG	400AP	\checkmark											
V-PRO	Version 14A	\checkmark											
Knightsbridge	VFR 200M	\checkmark	1										



GREEN
BROOKTel: 01279 772 772
Fax: 01279 422 007
Email: sales@greenbrook.co.uk ELECTRICAL www.greenbrook.co.uk

TECHNICAL INFORMATION SHEET

VELA Advance

- 9W LED Fire Rated Downlights **Vela Part Number History**





Vela Advance Bezel Range Descriptions	Part No 2015	Part No 2022	
For Fixed Downlights			
Gold	LEDDLBEZG	ADVBEZG	
Matt Black	LEDDLBEZMB	ADVBEZMB	
Satin Chrome	LEDDLBEZSC	ADVBEZSC	
Polished Chrome	LEDDLBEZPC	ADVBEZPC	
For Anti-glare Downlights	•		
Gold	LEDDLAGBEZG	ADVAGBEZG	
Matt Black	LEDDLAGBEZMB	ADVAGBEZMB	
Satin Chrome	LEDDLAGBEZSC	ADVAGBEZSC	
Polished Chrome	LEDDLAGBEZPC	ADVAGBEZPC	
For Tilt Downlights	•		
Gold	LEDDLTBEZG	ADVAGBEZG	
Matt Black	LEDDLTBEZMB	ADVAGBEZMB	
Satin Chrome	LEDDLTBEZSC	ADVAGBEZSC	
Polished Chrome	LEDDLTBEZPC	ADVAGBEZPC	

Note: Vela Range V7 has been discontinued please refer to Vela Advance alternatives chart below.

Discontinued - Vela 7 Range		Alternative - Vela Advance Range		
V73000W	7W, Fixed Downlight , 3000K	ADV3KW	9W, Fixed Downlight , 3000K	
V74000W	7W, Fixed Downlight , 4000K	ADV4KW	9W, Fixed Downlight , 4000K	
V7AG3000W	7W, Anti-glare Downlight , 3000K	ADVAG3KW	9W, Anti-glare Downlight , 3000K	
V7AG4000W	7W, Anti-glare Downlight , 4000K	ADVAG4KW	9W, Anti-glare Downlight , 4000K	
V7T3000W	7W, Tilt Downlight , 3000K	ADVT3KW	9W, Tilt Downlight , 3000K	
V7T4000W	7W, Tilt Downlight , 4000K	ADVT4KW	9W, Tilt Downlight , 4000K	



CECK

Tel: 01279 772 772 Fax: 01279 422 007 Email: sales@greenbrook.co.uk www.greenbrook.co.uk

Please see overleaf for Vela Compact Part number history details.