

LED PANEL RANGE

Designed for Peak Performance.

LITE

Efficacy (4000K)	85
Warranty	3
Suspension Mount	✗
Flicker-free	✗
<19 UGR	✗
Seamless Design	✗
ECA Compliant	✗
<4 SDCM	✓

Panel Kits

KIT01	With Driver
KIT02	With DALI / Switch Dim / 1-10V
KIT03	With Driver and 3W Remote Emergency Pack
KIT04	With DALI / Switch Dim / 1-10V and Emergency

Accessories

EMG013	3W LED Emergency Downlight
EMG018	3W Remote Emergency Pack
ACS057	Surface Mount Box for 600 x 600mm Panel

PRO



Efficacy (4000K)	105
Warranty	5
Suspension Mount	✓
Flicker-free	✗
<19 UGR	✓*
Seamless Design	✓
ECA Compliant	✓
<4 SDCM	✓
Recess Mount	✓

* UGR19 average in typical office space of less than 10m x 7m with standard 2.4m ceilings.

Panel Kits

KIT01	With Driver
KIT02	With DALI / Switch Dim / 1-10V
KIT03	With Driver and 3W Remote Emergency Pack
KIT04	With DALI / Switch Dim / 1-10V and Emergency
KIT06	With Flicker-free Driver
KIT08	With Casambi Smart Controls

Accessories

EMG013	3W LED Emergency Downlight
EMG018	3W Remote Emergency Pack
ACS015	Suspension Mount Kit
ACS016	Recess Mount Kit for EdgeLit Panels
ACS057	Surface Mount Box for 600 x 600mm Panel

ELITE



Efficacy (4000K)	121
Warranty	7
Suspension Mount	✓
Flicker-free	✓
<19 UGR	✓
Seamless Design	✓
ECA Compliant	✓
<4 SDCM	✓
Recess Mount	✓

Panel Kits


KIT01	With 23W Flicker-free Driver
KIT02	With 23W DALI / Switch Dim / 1-10V
KIT03	With 23W Driver and 3W Remote Emergency Pack
KIT04	With 23W DALI / Switch Dim / 1-10V and Emergency
KIT08	With 23W Casambi Smart Controls

KIT11	With 27W Flicker-free Driver
KIT12	With 27W DALI / Switch Dim / 1-10V
KIT13	With 27W Driver and 3W Remote Emergency Pack
KIT14	With 27W DALI / Switch Dim / 1-10V and Emergency
KIT18	With 27W Casambi Smart Controls

Accessories

EMG013	3W LED Emergency Downlight
EMG018	3W Remote Emergency Pack
ACS015	Suspension Mount Kit
ACS016	Recess Mount Kit for EdgeLit Panels
ACS057	Surface Mount Box for 600 x 600mm Panel


Panel | **Lite**



Panel | **Pro**



Panel | **Elite**



PANEL - LITE



The Panel - Lite series of panels are an economical and versatile solution for all office and corridor environments. "Plug and play" drivers allow for quick installation in ceiling grids. Also available with Emergency, DALI, Switch Dim and 1-10V options.

Physical Data	IP Rating	IP40
	Weight (kg)	
	36W	3.0
	Dimensions (mm)	
	36W	595 x 595 x 10.5

- Benefits**
- <4 SDCM
 - Cost-effective panel

- Applications**
- Office areas
 - Corridors



Compatible with our Emergency Remote Pack
EMG018

PART NO.	WATTAGE	DESCRIPTION	BEAM	EFFICACY	LUMENS	Ra/CCT	SYSTEM POWER
PNL032-KIT01	36W	36W LED Panel - Lite, 600 x 600mm, 830	120°	84	3,350	830	40W
PNL033-KIT01	36W	36W LED Panel - Lite, 600 x 600mm, 840	120°	85	3,400	840	40W
PNL034-KIT01	36W	36W LED Panel - Lite, 600 x 600mm, 850	120°	86	3,450	850	40W
PNL048-KIT01	36W	36W LED Panel - Lite, 600 x 600mm, 860	120°	87	3,500	860	40W

Panel Kits

KIT01	With Driver
KIT02	With DALI / Switch Dim / 1-10V
KIT03	With Driver and 3W Remote Emergency Pack
KIT04	With DALI / Switch Dim / 1-10V + Emergency

Accessories

EMG013	3W LED Emergency Downlight
EMG018	3W Remote Emergency Pack
ACS057	Surface Mount Box for 600 x 600mm Panel